

Public Health Data Subregional Area (SRA) Index

North Coastal	
Carlsbad.....	2
Oceanside.....	4
Pendleton.....	6
San Dieguito.....	8
Vista.....	10
North Central	
Coastal.....	12
Del Mar/Mira Mesa.....	14
Elliot-Navajo.....	16
Kearny Mesa.....	18
Miramar.....	20
Peninsula.....	22
University.....	24
Central	
Central San Diego.....	26
Mid City.....	28
Southeastern San Diego.....	30
South	
Chula Vista.....	32
Coronado.....	34
National City.....	36
South Bay.....	38
Sweetwater.....	40
East	
Alpine.....	42
El Cajon.....	44
Harbison-Crest/El Cajon.....	46
Jamul.....	48
La Mesa.....	50
Laguna-Pine Valley.....	52
Lakeside.....	54
Lemon Grove.....	56
Mountain Empire.....	58
Santee.....	60
Spring Valley.....	
North Inland	62
Anza Borrego Springs.....	64
Escondido.....	66
Fallbrook.....	68
North San Diego.....	70
Palomar-Julian.....	72
Pauma.....	74
Poway.....	76
Ramona.....	78
San Marcos.....	80
Valley Center.....	82

North Coastal Region Subregional Areas (2000-2008)

SRA: Carlsbad

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	118	127.4	144	147.3	110	106.7	145	137.8	135	126.9
Coronary Heart Disease Hospitalizations†	468	505.2	450	460.4	492	477.1	473	449.4	421	395.9
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	51	55.1	46	47.1	38	36.8	35	33.3	55	51.7
Stroke Hospitalizations†	209	225.6	181	185.2	213	206.6	213	202.4	200	188.1
Stroke ED Discharges†										
Diabetes Deaths†	11	11.9	7	7.2	10	9.7	12	11.4	9	8.5
Diabetes Hospitalizations†	58	62.6	52	53.2	52	50.4	45	42.8	59	55.5
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	28	30.2	50	51.2	49	47.5	41	39.0	33	31.0
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	27	29.1	39	39.9	22	21.3	30	28.5	38	35.7
COPD Hospitalizations†	74	79.9	86	88.0	49	47.5	52	49.4	75	70.5
COPD ED Discharges†										
All Cancer Deaths†	150	161.9	160	163.7	154	149.3	152	144.4	146	137.3
Prostate Cancer Deaths (among males)†	8	17.8	18	38.2	6	12.1	10	19.7	10	19.6
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	10	20.9	12	23.7	15	28.1	18	33.0	15	27.1
Colorectal Cancer Deaths†	15	16.2	14	14.3	13	12.6	14	13.3	11	10.3
Lung Cancer Deaths†	27	29.1	39	39.9	35	33.9	37	35.2	28	26.3
Arthritis Hospitalizations†	203	219.1	233	238.4	257	249.2	260	247.0	307	288.7
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	129	139.3	164	167.8	182	176.5	157	149.2	190	178.7
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	47	50.7	52	53.2	44	42.7	39	37.1	48	45.1
Chlamydia Reported, Underestimate††	62	66.9	83	84.9	82	79.5	92	87.4	89	83.7
Gonorrhea Reported, Underestimate††	7	7.6	7	7.2	12	11.6	17	16.2	12	11.3
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,052	14.0%	1,088	14.8%	1,168	15.7%	1,187	15.7%	1,140	15.0%
Live Births to Girls, Ages 15-17†, % of SRA's births	12	1.1%	7	0.6%	7	0.6%	9	0.8%	5	0.4%
Live Births with Early Prenatal Care†, % of SRA's births	962	92.9%	1,014	94.4%	1,084	93.4%	1,084	92.2%	1,028	91.4%
Live Births born Preterm†, % of SRA's births	89	8.7%	89	8.4%	122	10.8%	112	9.8%	109	9.9%
Low Birth Weight Births†, % of SRA's births	48	4.6%	56	5.1%	68	5.8%	72	6.1%	79	6.9%
Very Low Birth Weight Births†, % of SRA's births	6	0.6%	10	0.9%	9	0.8%	12	1.0%	11	1.0%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	7	5.9	6	5.2
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	6	5.1	5	4.4
Unintentional Injury Deaths†	13	14.0	26	26.6	18	17.5	17	16.2	23	21.6
Unintentional Injury Hospitalizations†	471	508.4	481	492.1	527	511.1	545	517.8	552	519.0
Unintentional Injury ED Discharges†										
Fall-related Deaths†	5	5.4	<5	\$	7	6.8	5	4.8	6	5.6
Fall-related Hospitalizations†	269	290.4	258	264.0	297	288.0	287	272.7	307	288.7
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	6	6.5	8	8.2	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	52	56.1	52	53.2	46	44.6	45	42.8	53	49.8
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	17	17.4	8	7.8	8	7.6	9	8.5
Hospitalizations due to MV Injury†	60	64.8	70	71.6	68	65.9	58	55.1	79	74.3
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	523	564.6	553	565.8	585	567.3	617	586.2	650	611.2
Alcohol-involved MVC Injuries†	71	76.6	69	70.6	87	84.4	64	60.8	97	91.2
Drinking Drivers Involved in MV Crashes†	42	45.3	43	44.0	54	52.4	50	47.5	54	50.8
Active Restraint Use, % of MVO Injured, Ages 6+ †	371	87.7%	372	87.5%	411	86.7%	380	82.4%	444	92.7%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	5	5.4	5	5.1	7	6.8	<5	\$	6	5.6
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	23	24.8	17	17.4	25	24.2	24	22.8	21	19.7
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	14	15.1	11	11.3	29	28.1	17	16.2	17	16.0
Assault Injury ED Discharges†										
Suicide†	8	8.6	15	15.3	13	12.6	8	7.6	8	7.5
Self-Inflicted Hospitalizations†	43	46.4	40	40.9	38	36.8	33	31.4	38	35.7
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	10	10.2	5	4.8	5	4.8	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Coastal Region Subregional Areas (2000-2008)

SRA: Carlsbad

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	119	110.7	117	105.6	107	94.6		
Coronary Heart Disease Hospitalizations†	398	370.2	353	318.7	328	289.9	349	302.7
Coronary Heart Disease ED Discharges†			38	34.3	35	30.9	27	23.4
Stroke Deaths†	33	30.7	32	28.9	40	35.3		
Stroke Hospitalizations†	188	174.9	196	176.9	219	193.5	180	156.1
Stroke ED Discharges†			59	53.3	57	50.4	44	38.2
Diabetes Deaths†	9	8.4	12	10.8	16	14.1		
Diabetes Hospitalizations†	57	53.0	68	61.4	64	56.6	45	39.0
Diabetes ED Discharges†			62	56.0	68	60.1	98	85.0
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	27	25.1	24	21.7	32	28.3	32	27.8
Asthma ED Discharges†			143	129.1	157	138.7	157	136.2
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	43	40.0	28	25.3	36	31.8		
COPD Hospitalizations†	34	31.6	74	66.8	71	62.7	73	63.3
COPD ED Discharges†			110	99.3	111	98.1	165	143.1
All Cancer Deaths†	178	165.6	171	154.4	189	167.0		
Prostate Cancer Deaths (among males)†	16	31.0	13	24.4	12	22.0		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	6	10.7	15	26.1	14	23.8		
Colorectal Cancer Deaths†	20	18.6	19	17.2	16	14.1		
Lung Cancer Deaths†	45	41.9	32	28.9	42	37.1		
Arthritis Hospitalizations†	273	253.9	339	306.0	359	317.3	357	309.7
Arthritis ED Discharges†			273	246.4	282	249.2	289	250.7
Dorsopathies Hospitalizations†	188	174.9	200	180.5	199	175.9	214	185.6
Dorsopathies ED Discharges†			400	361.1	340	300.5	368	319.2
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	61	56.7	58	52.4	37	32.7	50	43.4
Chlamydia Reported, Underestimate††	130	120.9	112	101.1	170	150.2	165	143.1
Gonorrhea Reported, Underestimate††	10	9.3	20	18.1	16	14.1	11	9.5
Primary and Secondary Syphilis Reported†	<5	\$	5	4.5	<5	\$	<5	\$
Live Births†, % of Region's births	1,180	15.9%	1,285	16.5%	1,187	15.1%		
Live Births to Girls, Ages 15-17†, % of SRA's births	11	0.9%	10	0.8%	5	0.4%		
Live Births with Early Prenatal Care†, % of SRA's births	1,084	93.1%	1,144	90.4%	1,042	88.1%		
Live Births born Preterm†, % of SRA's births	125	10.8%	131	10.4%	104	8.9%		
Low Birth Weight Births†, % of SRA's births	84	7.1%	78	6.1%	62	5.2%		
Very Low Birth Weight Births†, % of SRA's births	12	1.0%	8	0.6%	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	8	6.2	<5	\$		
Unintentional Injury Deaths†	28	26.0	26	23.5	28	24.7		
Unintentional Injury Hospitalizations†	537	499.5	578	521.8	580	512.6	616	534.3
Unintentional Injury ED Discharges†			4,297	3,878.9	4,412	3,899.0	4,404	3,820.2
Fall-related Deaths†	6	5.6	15	13.5	9	8.0		
Fall-related Hospitalizations†	308	286.5	332	299.7	331	292.5	365	316.6
Fall-related ED Discharges†			1,432	1,292.7	1,557	1,376.0	1,690	1,466.0
Overdose/Poisoning Deaths†	<5	\$	8	7.2	5	4.4		
Overdose/Poisoning Hospitalizations†	61	56.7	65	58.7	70	61.9	69	59.9
Overdose/Poisoning ED Discharges†			139	125.5	142	125.5	137	118.8
Deaths due to Motor Vehicle (MV) Injury†	15	14.0	<5	\$	12	10.6		
Hospitalizations due to MV Injury†	61	56.7	75	67.7	55	48.6	67	58.1
ED Discharges due to MV Injury†			362	326.8	371	327.9	353	306.2
Motor Vehicle Crash Injuries†	546	507.9	635	573.2	661	584.1		
Alcohol-involved MVC Injuries†	60	55.8	89	80.3	75	66.3		
Drinking Drivers Involved in MV Crashes†	47	43.7	59	53.3	59	52.1		
Active Restraint Use, % of MVO Injured, Ages 6+ †	389	85.5%	453	93.2%	484	95.5%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	7	87.5%		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	8	7.4	7	6.3	5	4.4	5	4.3
Pedestrian ED Discharges due to MVC†			17	15.3	23	20.3	20	17.3
Pedestrian Injuries due to MVC†	23	21.4	26	23.5	24	21.2		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	17	15.8	21	19.0	16	14.1	23	20.0
Assault Injury ED Discharges†			131	118.3	123	108.7	127	110.2
Suicide†	10	9.3	12	10.8	11	9.7		
Self-Inflicted Hospitalizations†	42	39.1	43	38.8	51	45.1	36	31.2
Self-Inflicted Injury ED Discharges†			45	40.6	59	52.1	65	56.4
Firearm-related Deaths†	6	5.6	8	7.2	6	5.3		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			5	4.5	8	7.1	<5	\$
Dental-related ED Discharges†			58	52.4	58	51.3	70	60.7

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Coastal Region Subregional Areas (2000-2008)

SRA: Oceanside

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	244	161.0	259	167.3	302	191.9	248	154.3	239	146.5
Coronary Heart Disease Hospitalizations†	787	519.3	815	526.4	748	475.2	693	431.2	630	386.1
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	72	47.5	81	52.3	98	62.3	86	53.5	77	47.2
Stroke Hospitalizations†	459	302.9	409	264.2	433	275.1	389	242.1	362	221.8
Stroke ED Discharges†										
Diabetes Deaths†	26	17.2	22	14.2	38	24.1	32	19.9	30	18.4
Diabetes Hospitalizations†	133	87.8	163	105.3	136	86.4	170	105.8	160	98.1
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	92	60.7	115	74.3	108	68.6	117	72.8	124	76.0
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	67	44.2	81	52.3	78	49.6	72	44.8	66	40.4
COPD Hospitalizations†	216	142.5	216	139.5	166	105.5	146	90.9	138	84.6
COPD ED Discharges†										
All Cancer Deaths†	313	206.5	301	194.4	292	185.5	285	177.3	300	183.8
Prostate Cancer Deaths (among males)†	21	27.9	21	27.4	15	19.3	19	23.9	19	23.6
Cervical Cancer Deaths (among females)†	<5	\$	5	6.4	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	24	31.5	23	29.5	19	23.9	18	22.2	21	25.4
Colorectal Cancer Deaths†	34	22.4	26	16.8	19	12.1	23	14.3	27	16.5
Lung Cancer Deaths†	81	53.4	77	49.7	85	54.0	76	47.3	81	49.6
Arthritis Hospitalizations†	412	271.9	476	307.4	400	254.1	448	278.8	447	273.9
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	245	161.7	309	199.6	287	182.3	293	182.3	280	171.6
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	13	8.6	14	9.0	13	8.3	15	9.3	11	6.7
Chronic Hepatitis C Reported†	155	102.3	148	95.6	172	109.3	103	64.1	113	69.2
Chlamydia Reported, Underestimate††	412	271.9	441	284.8	524	332.9	520	323.6	427	261.7
Gonorrhea Reported, Underestimate††	37	24.4	65	42.0	54	34.3	61	38.0	50	30.6
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	3,549	47.3%	3,497	47.6%	3,522	47.2%	3,516	46.6%	3,593	47.2%
Live Births to Girls, Ages 15-17†, % of SRA's births	114	3.2%	84	2.4%	81	2.3%	94	2.7%	78	2.2%
Live Births with Early Prenatal Care†, % of SRA's births	2,447	76.6%	2,587	80.8%	2,807	81.4%	2,756	80.8%	2,689	79.3%
Live Births born Preterm†, % of SRA's births	346	11.1%	330	10.6%	333	10.3%	288	8.8%	366	11.2%
Low Birth Weight Births†, % of SRA's births	222	6.3%	217	6.2%	202	5.7%	201	5.7%	243	6.8%
Very Low Birth Weight Births†, % of SRA's births	53	1.5%	40	1.1%	35	1.0%	26	0.7%	47	1.3%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	21	5.9	18	5.1	22	6.2	10	2.8	15	4.2
Infant Mortality†, Rate per 1,000 live births	23	6.5	17	4.9	16	4.5	16	4.6	22	6.1
Unintentional Injury Deaths†	40	26.4	45	29.1	46	29.2	40	24.9	56	34.3
Unintentional Injury Hospitalizations†	861	568.1	983	634.9	989	628.3	1,084	674.5	1,086	665.5
Unintentional Injury ED Discharges†										
Fall-related Deaths†	11	7.3	8	5.2	<5	\$	7	4.4	5	3.1
Fall-related Hospitalizations†	425	280.4	511	330.0	504	320.2	521	324.2	556	340.7
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	11	7.3	12	7.8	11	7.0	10	6.2	18	11.0
Overdose/Poisoning Hospitalizations†	86	56.7	96	62.0	101	64.2	104	64.7	100	61.3
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	10	6.6	21	13.6	20	12.7	22	13.7	27	16.5
Hospitalizations due to MV Injury†	169	111.5	186	120.1	182	115.6	198	123.2	195	119.5
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	1,241	818.9	1,371	885.5	1,476	937.7	1,408	876.2	1,409	863.5
Alcohol-involved MVC Injuries†	134	88.4	142	91.7	189	120.1	178	110.8	191	117.0
Drinking Drivers Involved in MV Crashes†	80	52.8	96	62.0	119	75.6	102	63.5	126	77.2
Active Restraint Use, % of MVO Injured, Ages 6+ †	920	89.2%	948	86.7%	1,019	86.7%	959	85.6%	848	89.9%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	9	45.0%	7	25.0%	13	72.2%	9	47.4%	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	6	3.7
Pedestrian Hospitalizations due to MVC†	18	11.9	23	14.9	22	14.0	28	17.4	18	11.0
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	47	31.0	67	43.3	53	33.7	55	34.2	70	42.9
Homicide†	<5	\$	<5	\$	<5	\$	7	4.4	9	5.5
Assault Hospitalizations†	53	35.0	48	31.0	49	31.1	71	44.2	69	42.3
Assault Injury ED Discharges†										
Suicide†	13	8.6	11	7.1	13	8.3	16	10.0	16	9.8
Self-Inflicted Hospitalizations†	71	46.9	87	56.2	91	57.8	96	59.7	91	55.8
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	9	5.9	6	3.9	10	6.4	14	8.7	14	8.6
Firearm-related Hospitalizations†	12	7.9	9	5.8	11	7.0	16	10.0	22	13.5
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Coastal Region Subregional Areas (2000-2008)

SRA: Oceanside

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	244	148.1	285	172.1	218	130.3		
Coronary Heart Disease Hospitalizations†	599	363.5	541	326.6	468	279.6	517	305.1
Coronary Heart Disease ED Discharges†			57	34.4	51	30.5	53	31.3
Stroke Deaths†	74	44.9	71	42.9	69	41.2		
Stroke Hospitalizations†	354	214.8	396	239.1	331	197.8	354	208.9
Stroke ED Discharges†			140	84.5	126	75.3	122	72.0
Diabetes Deaths†	40	24.3	34	20.5	24	14.3		
Diabetes Hospitalizations†	183	111.0	154	93.0	207	123.7	195	115.1
Diabetes ED Discharges†			221	133.4	257	153.6	238	140.5
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	73	44.3	88	53.1	97	58.0	93	54.9
Asthma ED Discharges†			344	207.7	451	269.5	397	234.3
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	81	49.1	57	34.4	73	43.6		
COPD Hospitalizations†	177	107.4	121	73.0	160	95.6	227	134.0
COPD ED Discharges†			180	108.7	277	165.5	572	337.6
All Cancer Deaths†	266	161.4	295	178.1	315	188.2		
Prostate Cancer Deaths (among males)†	22	26.9	22	26.8	13	15.7		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	18	21.6	19	22.7	18	21.3		
Colorectal Cancer Deaths†	27	16.4	27	16.3	26	15.5		
Lung Cancer Deaths†	60	36.4	74	44.7	85	50.8		
Arthritis Hospitalizations†	471	285.8	462	278.9	475	283.8	528	311.6
Arthritis ED Discharges†			569	343.5	580	346.6	654	386.0
Dorsopathies Hospitalizations†	302	183.2	289	174.5	294	175.7	295	174.1
Dorsopathies ED Discharges†			808	487.8	864	516.3	955	563.6
Tuberculosis Incidence†	16	9.7	12	7.2	16	9.6	14	8.3
Chronic Hepatitis C Reported†	148	89.8	166	100.2	161	96.2	182	107.4
Chlamydia Reported, Underestimate††	459	278.5	494	298.2	503	300.6	589	347.6
Gonorrhea Reported, Underestimate††	60	36.4	75	45.3	52	31.1	54	31.9
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	6	3.6	<5	\$
Live Births†, % of Region's births	3,472	46.8%	3,659	47.1%	3,728	47.6%		
Live Births to Girls, Ages 15-17†, % of SRA's births	91	2.6%	90	2.5%	105	2.8%		
Live Births with Early Prenatal Care†, % of SRA's births	2,578	78.6%	2,791	76.8%	2,709	73.0%		
Live Births born Preterm†, % of SRA's births	339	10.5%	380	10.7%	413	11.4%		
Low Birth Weight Births†, % of SRA's births	190	5.5%	234	6.4%	259	6.9%		
Very Low Birth Weight Births†, % of SRA's births	36	1.0%	54	1.5%	55	1.5%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	17	4.9	21	5.7	13	3.5		
Infant Mortality†, Rate per 1,000 live births	18	5.2	23	6.3	21	5.6		
Unintentional Injury Deaths†	56	34.0	56	33.8	51	30.5		
Unintentional Injury Hospitalizations†	1,027	623.2	1,022	617.0	1,011	604.1	1,012	597.3
Unintentional Injury ED Discharges†			7,792	4,704.0	7,791	4,655.3	7,991	4,716.1
Fall-related Deaths†	6	3.6	7	4.2	7	4.2		
Fall-related Hospitalizations†	530	321.6	522	315.1	519	310.1	532	314.0
Fall-related ED Discharges†			2,303	1,390.3	2,476	1,479.5	2,731	1,611.8
Overdose/Poisoning Deaths†	18	10.9	16	9.7	21	12.5		
Overdose/Poisoning Hospitalizations†	107	64.9	118	71.2	113	67.5	119	70.2
Overdose/Poisoning ED Discharges†			288	173.9	279	166.7	285	168.2
Deaths due to Motor Vehicle (MV) Injury†	24	14.6	24	14.5	20	12.0		
Hospitalizations due to MV Injury†	176	106.8	162	97.8	154	92.0	139	82.0
ED Discharges due to MV Injury†			869	524.6	872	521.0	809	477.5
Motor Vehicle Crash Injuries†	1,226	743.9	1,097	662.3	1,119	668.6		
Alcohol-involved MVC Injuries†	174	105.6	169	102.0	141	84.3		
Drinking Drivers Involved in MV Crashes†	132	80.1	118	71.2	109	65.1		
Active Restraint Use, % of MVO Injured, Ages 6+ †	860	90.4%	787	93.5%	757	92.8%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	8	47.1%	<5	\$	6	30.0%		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	5	3.0		
Pedestrian Hospitalizations due to MVC†	12	7.3	12	7.2	14	8.4	13	7.7
Pedestrian ED Discharges due to MVC†			43	26.0	41	24.5	39	23.0
Pedestrian Injuries due to MVC†	64	38.8	46	27.8	71	42.4		
Homicide†	7	4.2	6	3.6	6	3.6		
Assault Hospitalizations†	70	42.5	59	35.6	73	43.6	66	39.0
Assault Injury ED Discharges†			399	240.9	411	245.6	392	231.4
Suicide†	16	9.7	14	8.5	23	13.7		
Self-Inflicted Hospitalizations†	76	46.1	69	41.7	70	41.8	72	42.5
Self-Inflicted Injury ED Discharges†			77	46.5	104	62.1	151	89.1
Firearm-related Deaths†	12	7.3	9	5.4	14	8.4		
Firearm-related Hospitalizations†	16	9.7	12	7.2	10	6.0	13	7.7
Firearm-related ED Discharges†			11	6.6	15	9.0	11	6.5
Dental-related ED Discharges†			131	79.1	188	112.3	238	140.5

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Coastal Region Subregional Areas (2000-2008)

SRA: Pendleton

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Coronary Heart Disease Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Stroke Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
COPD Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
COPD ED Discharges†										
All Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Arthritis Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	5	13.8	<5	\$	<5	\$	<5	\$	<5	\$
Chlamydia Reported, Underestimate††	54	149.4	38	118.4	28	74.6	44	126.0	29	81.6
Gonorrhea Reported, Underestimate††	9	24.9	<5	\$	<5	\$	8	22.9	9	25.3
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	<5	\$	11	0.1%	22	0.3%	22	0.3%	22	0.3%
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	<5	\$	7	77.8%	16	80.0%	10	58.8%	10	55.6%
Live Births born Preterm†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	<5	\$	7	21.8	8	21.3	8	22.9	7	19.7
Unintentional Injury Hospitalizations†	50	138.3	40	124.7	40	106.5	40	114.5	36	101.3
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	6	16.6	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	5	15.6	7	18.6	6	17.2	5	14.1
Hospitalizations due to MV Injury†	35	96.8	20	62.3	24	63.9	22	63.0	22	61.9
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	231	639.1	281	875.8	331	881.7	297	850.4	300	844.4
Alcohol-involved MVC Injuries†	47	130.0	60	187.0	68	181.1	61	174.7	64	180.1
Drinking Drivers Involved in MV Crashes†	30	83.0	34	106.0	38	101.2	28	80.2	35	98.5
Active Restraint Use, % of MVO Injured, Ages 6+ †	162	77.1%	212	79.7%	246	82.0%	218	79.0%	254	90.4%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	6	60.0%	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	6	16.0	6	17.2	<5	\$
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	7	21.8	6	16.0	<5	\$	6	16.9
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Coastal Region Subregional Areas (2000-2008)

SRA: Pendleton

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Coronary Heart Disease Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Coronary Heart Disease ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Stroke Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Stroke Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Stroke ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Asthma ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
COPD Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
COPD ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
All Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Arthritis Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Arthritis ED Discharges†	<5	\$	<5	\$	5	12.7	<5	\$
Dorsopathies Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Dorsopathies ED Discharges†	<5	\$	5	12.3	5	12.7	10	23.2
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Chlamydia Reported, Underestimate††	26	80.3	15	37.0	14	35.5	104	241.3
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	14	32.5
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	8	0.1%	19	0.2%	16	0.2%		
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	<5	\$	10	55.6%	11	68.8%		
Live Births born Preterm†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	7	21.6	7	17.3	8	20.3		
Unintentional Injury Hospitalizations†	20	61.8	25	61.7	34	86.2	29	67.3
Unintentional Injury ED Discharges†			79	195.1	83	210.3	68	157.8
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	6	18.5	<5	\$	5	12.7	<5	\$
Fall-related ED Discharges†			22	54.3	13	32.9	19	44.1
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$		
Overdose/Poisoning Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Deaths due to Motor Vehicle (MV) Injury†	6	18.5	<5	\$	5	12.7		
Hospitalizations due to MV Injury†	5	15.4	16	39.5	16	40.5	17	39.5
ED Discharges due to MV Injury†			35	86.4	25	63.4	20	46.4
Motor Vehicle Crash Injuries†	251	775.4	247	609.8	224	567.7		
Alcohol-involved MVC Injuries†	55	169.9	42	103.7	32	81.1		
Drinking Drivers Involved in MV Crashes†	38	117.4	25	61.7	22	55.8		
Active Restraint Use, % of MVO Injured, Ages 6+ †	205	89.5%	204	89.9%	194	95.1%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			<5	\$	<5	\$	<5	\$
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	<5	\$	5	12.3	8	20.3	<5	\$
Assault Injury ED Discharges†			11	27.2	15	38.0	7	16.2
Suicide†	<5	\$	<5	\$	<5	\$		
Self-Inflicted Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†			<5	\$	<5	\$	<5	\$
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			<5	\$	<5	\$	<5	\$

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Coastal Region Subregional Areas (2000-2008)

SRA: San Dieguito

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	104	124.1	127	148.7	97	112.1	107	120.9	108	118.5
Coronary Heart Disease Hospitalizations†	425	507.1	422	494.0	458	529.2	420	474.4	383	420.3
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	45	53.7	40	46.8	52	60.1	45	50.8	51	56.0
Stroke Hospitalizations†	195	232.7	159	186.1	161	186.0	164	185.2	132	144.9
Stroke ED Discharges†										
Diabetes Deaths†	7	8.4	5	5.9	10	11.6	6	6.8	8	8.8
Diabetes Hospitalizations†	35	41.8	48	56.2	38	43.9	37	41.8	48	52.7
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	50	59.7	35	41.0	22	25.4	33	37.3	30	32.9
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	42	50.1	27	31.6	35	40.4	32	36.1	21	23.0
COPD Hospitalizations†	54	64.4	51	59.7	49	56.6	40	45.2	36	39.5
COPD ED Discharges†										
All Cancer Deaths†	151	180.2	145	169.7	143	165.2	140	158.1	137	150.3
Prostate Cancer Deaths (among males)†	6	14.4	10	23.7	10	23.5	7	16.1	5	11.2
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	12	28.4	10	23.2	13	29.6	11	24.5	17	36.6
Colorectal Cancer Deaths†	16	19.1	19	22.2	12	13.9	6	6.8	11	12.1
Lung Cancer Deaths†	32	38.2	28	32.8	20	23.1	35	39.5	44	48.3
Arthritis Hospitalizations†	199	237.5	208	243.5	233	269.2	226	255.3	280	307.3
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	167	199.3	158	185.0	172	198.7	147	166.0	167	183.3
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	5	5.6	<5	\$
Chronic Hepatitis C Reported†	53	63.2	61	71.4	41	47.4	46	52.0	61	66.9
Chlamydia Reported, Underestimate††	47	56.1	61	71.4	75	86.7	79	89.2	92	101.0
Gonorrhea Reported, Underestimate††	6	7.2	10	11.7	9	10.4	12	13.6	11	12.1
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	910	12.1%	828	11.3%	826	11.1%	860	11.4%	848	11.1%
Live Births to Girls, Ages 15-17†, % of SRA's births	12	1.3%	7	0.8%	11	1.3%	7	0.8%	10	1.2%
Live Births with Early Prenatal Care†, % of SRA's births	806	89.3%	767	93.8%	731	89.1%	789	92.6%	752	89.4%
Live Births born Preterm†, % of SRA's births	67	7.5%	66	8.3%	73	9.1%	77	9.3%	84	10.3%
Low Birth Weight Births†, % of SRA's births	41	4.5%	45	5.4%	43	5.2%	54	6.3%	54	6.4%
Very Low Birth Weight Births†, % of SRA's births	5	0.5%	6	0.7%	9	1.1%	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	8	9.3
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	18	21.5	8	9.4	14	16.2	18	20.3	17	18.7
Unintentional Injury Hospitalizations†	476	568.0	501	586.5	571	659.8	546	616.7	579	635.4
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	240	286.4	235	275.1	307	354.7	260	293.7	305	334.7
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	7	8.1	11	12.4	<5	\$
Overdose/Poisoning Hospitalizations†	38	45.3	52	60.9	55	63.6	31	35.0	46	50.5
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	9	10.7	5	5.9	5	5.8	6	6.8	7	7.7
Hospitalizations due to MV Injury†	79	94.3	75	87.8	58	67.0	79	89.2	75	82.3
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	516	615.7	556	650.9	593	685.2	601	678.8	551	604.7
Alcohol-involved MVC Injuries†	84	100.2	119	139.3	92	106.3	114	128.8	83	91.1
Drinking Drivers Involved in MV Crashes†	59	70.4	68	79.6	58	67.0	68	76.8	59	64.7
Active Restraint Use, % of MVO Injured, Ages 6+ †	346	81.8%	394	84.9%	402	81.5%	362	74.8%	376	81.6%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	7	100.0%	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	7	8.4	<5	\$	6	6.9	10	11.3	6	6.6
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	17	20.3	13	15.2	16	18.5	23	26.0	16	17.6
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	13	15.5	14	16.4	21	24.3	25	28.2	26	28.5
Assault Injury ED Discharges†										
Suicide†	7	8.4	6	7.0	10	11.6	6	6.8	8	8.8
Self-Inflicted Hospitalizations†	28	33.4	39	45.7	42	48.5	24	27.1	27	29.6
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	5	6.0	<5	\$	6	6.9	<5	\$	6	6.6
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Coastal Region Subregional Areas (2000-2008)

SRA: San Dieguito

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	106	114.7	69	73.3	102	105.7		
Coronary Heart Disease Hospitalizations†	333	360.4	316	335.7	305	316.2	234	239.1
Coronary Heart Disease ED Discharges†			31	32.9	24	24.9	17	17.4
Stroke Deaths†	24	26.0	26	27.6	45	46.7		
Stroke Hospitalizations†	150	162.3	163	173.2	156	161.7	152	155.3
Stroke ED Discharges†			56	59.5	47	48.7	37	37.8
Diabetes Deaths†	19	20.6	14	14.9	11	11.4		
Diabetes Hospitalizations†	48	51.9	48	51.0	60	62.2	52	53.1
Diabetes ED Discharges†			43	45.7	63	65.3	53	54.2
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	25	27.1	20	21.2	30	31.1	21	21.5
Asthma ED Discharges†			114	121.1	120	124.4	106	108.3
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	26	28.1	24	25.5	23	23.8		
COPD Hospitalizations†	44	47.6	37	39.3	37	38.4	51	52.1
COPD ED Discharges†			76	80.7	102	105.7	139	142.1
All Cancer Deaths†	124	134.2	127	134.9	136	141.0		
Prostate Cancer Deaths (among males)†	10	22.0	8	17.3	12	25.3		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	12	25.6	11	23.0	14	28.6		
Colorectal Cancer Deaths†	10	10.8	12	12.7	7	7.3		
Lung Cancer Deaths†	35	37.9	18	19.1	31	32.1		
Arthritis Hospitalizations†	286	309.5	275	292.2	312	323.5	301	307.6
Arthritis ED Discharges†			282	299.6	244	253.0	221	225.9
Dorsopathies Hospitalizations†	182	197.0	151	160.4	205	212.5	167	170.7
Dorsopathies ED Discharges†			321	341.0	308	319.3	275	281.0
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	59	63.9	57	60.6	53	54.9	57	58.3
Chlamydia Reported, Underestimate††	100	108.2	83	88.2	114	118.2	132	134.9
Gonorrhea Reported, Underestimate††	20	21.6	10	10.6	19	19.7	9	9.2
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	7	7.2
Live Births†, % of Region's births	836	11.3%	860	11.1%	853	10.9%		
Live Births to Girls, Ages 15-17†, % of SRA's births	7	0.8%	<5	\$	6	0.7%		
Live Births with Early Prenatal Care†, % of SRA's births	751	90.8%	774	91.1%	739	87.2%		
Live Births born Preterm†, % of SRA's births	69	8.5%	90	10.7%	83	9.9%		
Low Birth Weight Births†, % of SRA's births	55	6.6%	53	6.2%	60	7.0%		
Very Low Birth Weight Births†, % of SRA's births	10	1.2%	7	0.8%	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	7	8.3	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	5	5.9		
Unintentional Injury Deaths†	20	21.6	26	27.6	33	34.2		
Unintentional Injury Hospitalizations†	561	607.1	565	600.2	503	521.5	533	544.7
Unintentional Injury ED Discharges†			4,077	4,331.3	4,082	4,231.8	4,003	4,090.9
Fall-related Deaths†	6	6.5	<5	\$	15	15.6		
Fall-related Hospitalizations†	311	336.6	308	327.2	276	286.1	295	301.5
Fall-related ED Discharges†			1,397	1,484.1	1,395	1,446.2	1,420	1,451.2
Overdose/Poisoning Deaths†	<5	\$	10	10.6	6	6.2		
Overdose/Poisoning Hospitalizations†	36	39.0	45	47.8	37	38.4	45	46.0
Overdose/Poisoning ED Discharges†			105	111.6	66	68.4	105	107.3
Deaths due to Motor Vehicle (MV) Injury†	5	5.4	8	8.5	10	10.4		
Hospitalizations due to MV Injury†	57	61.7	61	64.8	44	45.6	45	46.0
ED Discharges due to MV Injury†			333	353.8	360	373.2	306	312.7
Motor Vehicle Crash Injuries†	550	595.2	502	533.3	516	534.9		
Alcohol-involved MVC Injuries†	112	121.2	72	76.5	73	75.7		
Drinking Drivers Involved in MV Crashes†	69	74.7	48	51.0	60	62.2		
Active Restraint Use, % of MVO Injured, Ages 6+ †	361	78.6%	329	83.7%	284	92.5%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			16	17.0	20	20.7	17	17.4
Pedestrian Injuries due to MVC†	14	15.2	19	20.2	17	17.6		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	18	19.5	30	31.9	17	17.6	11	11.2
Assault Injury ED Discharges†			136	144.5	133	137.9	99	101.2
Suicide†	5	5.4	9	9.6	9	9.3		
Self-Inflicted Hospitalizations†	29	31.4	23	24.4	16	16.6	30	30.7
Self-Inflicted Injury ED Discharges†			49	52.1	40	41.5	59	60.3
Firearm-related Deaths†	<5	\$	5	5.3	5	5.2		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	5	5.2	<5	\$
Dental-related ED Discharges†			41	43.6	53	54.9	60	61.3

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Coastal Region Subregional Areas (2000-2008)

SRA: Vista

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	192	200.5	162	166.6	164	166.7	171	172.3	148	147.4
Coronary Heart Disease Hospitalizations†	477	498.2	393	404.2	379	385.4	388	390.8	288	286.9
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	50	52.2	52	53.5	58	59.0	51	51.4	68	67.7
Stroke Hospitalizations†	262	273.7	228	234.5	243	247.1	245	246.8	223	222.2
Stroke ED Discharges†										
Diabetes Deaths†	16	16.7	14	14.4	22	22.4	22	22.2	16	15.9
Diabetes Hospitalizations†	93	97.1	90	92.6	90	91.5	98	98.7	91	90.7
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	64	66.8	73	75.1	75	76.3	62	62.5	56	55.8
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	50	52.2	58	59.6	44	44.7	59	59.4	33	32.9
COPD Hospitalizations†	101	105.5	125	128.5	94	95.6	110	110.8	90	89.7
COPD ED Discharges†										
All Cancer Deaths†	168	175.5	161	165.6	162	164.7	135	136.0	151	150.4
Prostate Cancer Deaths (among males)†	11	22.8	10	20.5	16	32.5	10	20.2	11	22.0
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	11	23.1	14	28.9	15	30.5	7	14.1	13	25.8
Colorectal Cancer Deaths†	15	15.7	16	16.5	19	19.3	15	15.1	14	13.9
Lung Cancer Deaths†	43	44.9	49	50.4	28	28.5	37	37.3	37	36.9
Arthritis Hospitalizations†	242	252.8	237	243.7	259	263.3	265	266.9	238	237.1
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	156	162.9	170	174.8	175	177.9	164	165.2	167	166.4
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	7	7.3	10	10.3	9	9.2	10	10.1	10	10.0
Chronic Hepatitis C Reported†	91	95.0	77	79.2	81	82.4	59	59.4	66	65.7
Chlamydia Reported, Underestimate††	232	242.3	264	271.5	321	326.4	299	301.2	260	259.0
Gonorrhea Reported, Underestimate††	27	28.2	24	24.7	24	24.4	23	23.2	20	19.9
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,986	26.5%	1,923	26.2%	1,921	25.8%	1,965	26.0%	2,003	26.3%
Live Births to Girls, Ages 15-17†, % of SRA's births	64	3.2%	85	4.4%	70	3.6%	75	3.8%	66	3.3%
Live Births with Early Prenatal Care†, % of SRA's births	1,504	79.6%	1,519	82.1%	1,593	84.8%	1,606	83.7%	1,578	80.8%
Live Births born Preterm†, % of SRA's births	192	10.5%	178	10.1%	211	11.9%	181	9.8%	194	10.4%
Low Birth Weight Births†, % of SRA's births	120	6.0%	106	5.5%	131	6.8%	105	5.3%	115	5.7%
Very Low Birth Weight Births†, % of SRA's births	22	1.1%	24	1.2%	22	1.1%	23	1.2%	29	1.4%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	13	6.5	14	7.2	8	4.1	15	7.6	12	6.0
Infant Mortality†, Rate per 1,000 live births	12	6.0	14	7.3	9	4.7	10	5.1	13	6.5
Unintentional Injury Deaths†	25	26.1	40	41.1	36	36.6	29	29.2	37	36.9
Unintentional Injury Hospitalizations†	591	617.3	562	578.0	631	641.6	625	629.6	606	603.7
Unintentional Injury ED Discharges†										
Fall-related Deaths†	6	6.3	<5	\$	<5	\$	8	8.1	5	5.0
Fall-related Hospitalizations†	311	324.8	258	265.3	274	278.6	277	279.0	302	300.9
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	9	9.4	16	16.5	9	9.2	12	12.1	16	15.9
Overdose/Poisoning Hospitalizations†	93	97.1	62	63.8	60	61.0	64	64.5	62	61.8
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	6	6.3	20	20.6	13	13.2	9	9.1	16	15.9
Hospitalizations due to MV Injury†	84	87.7	103	105.9	120	122.0	111	111.8	108	107.6
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	616	643.4	634	652.0	684	695.5	674	678.9	662	659.5
Alcohol-involved MVC Injuries†	60	62.7	93	95.6	87	88.5	90	90.7	120	119.5
Drinking Drivers Involved in MV Crashes†	43	44.9	58	59.6	51	51.9	57	57.4	70	69.7
Active Restraint Use, % of MVO Injured, Ages 6+ †	382	87.6%	362	83.0%	395	81.4%	391	76.4%	430	83.7%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	5	55.6%	5	50.0%	10	76.9%	<5	\$	8	72.7%
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	18	18.8	15	15.4	14	14.2	17	17.1	10	10.0
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	39	40.7	32	32.9	38	38.6	27	27.2	40	39.8
Homicide†	<5	\$	<5	\$	6	6.1	<5	\$	<5	\$
Assault Hospitalizations†	23	24.0	34	35.0	44	44.7	39	39.3	44	43.8
Assault Injury ED Discharges†										
Suicide†	18	18.8	10	10.3	8	8.1	14	14.1	11	11.0
Self-Inflicted Hospitalizations†	71	74.2	54	55.5	59	60.0	55	55.4	61	60.8
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	10	10.4	8	8.2	<5	\$	8	8.1	9	9.0
Firearm-related Hospitalizations†	5	5.2	8	8.2	10	10.2	7	7.1	5	5.0
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Coastal Region Subregional Areas (2000-2008)

SRA: Vista

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	141	140.7	118	116.9	137	134.8		
Coronary Heart Disease Hospitalizations†	329	328.2	282	279.3	300	295.2	263	256.8
Coronary Heart Disease ED Discharges†			32	31.7	30	29.5	22	21.5
Stroke Deaths†	53	52.9	40	39.6	35	34.4		
Stroke Hospitalizations†	201	200.5	213	211.0	174	171.2	234	228.5
Stroke ED Discharges†			74	73.3	77	75.8	39	38.1
Diabetes Deaths†	21	20.9	15	14.9	15	14.8		
Diabetes Hospitalizations†	106	105.7	130	128.8	119	117.1	124	121.1
Diabetes ED Discharges†			142	140.6	166	163.3	141	137.7
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	48	47.9	55	54.5	69	67.9	58	56.6
Asthma ED Discharges†			269	266.4	267	262.7	262	255.8
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	53	52.9	39	38.6	48	47.2		
COPD Hospitalizations†	87	86.8	100	99.0	92	90.5	103	100.6
COPD ED Discharges†			116	114.9	181	178.1	343	334.9
All Cancer Deaths†	181	180.6	147	145.6	166	163.3		
Prostate Cancer Deaths (among males)†	8	16.0	5	9.9	8	15.8		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	9	17.9	9	17.8	11	21.6		
Colorectal Cancer Deaths†	22	21.9	28	27.7	18	17.7		
Lung Cancer Deaths†	37	36.9	26	25.8	39	38.4		
Arthritis Hospitalizations†	225	224.4	307	304.1	282	277.5	280	273.4
Arthritis ED Discharges†			288	285.3	318	312.9	340	332.0
Dorsopathies Hospitalizations†	152	151.6	169	167.4	154	151.5	151	147.4
Dorsopathies ED Discharges†			427	422.9	499	491.0	534	521.4
Tuberculosis Incidence†	10	10.0	<5	\$	6	5.9	<5	\$
Chronic Hepatitis C Reported†	84	83.8	106	105.0	155	152.5	144	140.6
Chlamydia Reported, Underestimate††	327	326.2	321	317.9	312	307.0	346	337.8
Gonorrhea Reported, Underestimate††	38	37.9	43	42.6	36	35.4	20	19.5
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	6	5.9	5	4.9
Live Births†, % of Region's births	1,917	25.9%	1,952	25.1%	2,056	26.2%		
Live Births to Girls, Ages 15-17†, % of SRA's births	74	3.9%	62	3.2%	78	3.8%		
Live Births with Early Prenatal Care†, % of SRA's births	1,533	82.2%	1,500	78.0%	1,501	73.3%		
Live Births born Preterm†, % of SRA's births	208	11.4%	203	10.8%	173	8.5%		
Low Birth Weight Births†, % of SRA's births	107	5.6%	122	6.3%	128	6.2%		
Very Low Birth Weight Births†, % of SRA's births	32	1.7%	23	1.2%	12	0.6%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	11	5.7	10	5.1	6	2.9		
Infant Mortality†, Rate per 1,000 live births	16	8.3	7	3.6	12	5.8		
Unintentional Injury Deaths†	35	34.9	25	24.8	39	38.4		
Unintentional Injury Hospitalizations†	660	658.4	696	689.4	612	602.2	649	633.6
Unintentional Injury ED Discharges†			5,127	5,078.0	4,888	4,809.9	4,908	4,791.8
Fall-related Deaths†	10	10.0	7	6.9	9	8.9		
Fall-related Hospitalizations†	322	321.2	319	316.0	285	280.4	315	307.5
Fall-related ED Discharges†			1,478	1,463.9	1,542	1,517.4	1,660	1,620.7
Overdose/Poisoning Deaths†	14	14.0	9	8.9	14	13.8		
Overdose/Poisoning Hospitalizations†	66	65.8	74	73.3	76	74.8	85	83.0
Overdose/Poisoning ED Discharges†			208	206.0	176	173.2	154	150.4
Deaths due to Motor Vehicle (MV) Injury†	11	11.0	7	6.9	15	14.8		
Hospitalizations due to MV Injury†	117	116.7	114	112.9	104	102.3	95	92.8
ED Discharges due to MV Injury†			630	624.0	554	545.1	518	505.7
Motor Vehicle Crash Injuries†	737	735.2	641	634.9	629	618.9		
Alcohol-involved MVC Injuries†	103	102.7	124	122.8	109	107.3		
Drinking Drivers Involved in MV Crashes†	70	69.8	80	79.2	79	77.7		
Active Restraint Use, % of MVO Injured, Ages 6+ †	462	77.5%	349	85.1%	284	89.0%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	10	71.4%	6	85.7%	5	41.7%		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	11	11.0	9	8.9	6	5.9	10	9.8
Pedestrian ED Discharges due to MVC†			33	32.7	35	34.4	31	30.3
Pedestrian Injuries due to MVC†	35	34.9	24	23.8	29	28.5		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	28	27.9	30	29.7	41	40.3	29	28.3
Assault Injury ED Discharges†			278	275.3	265	260.8	260	253.8
Suicide†	11	11.0	7	6.9	11	10.8		
Self-Inflicted Hospitalizations†	55	54.9	51	50.5	50	49.2	59	57.6
Self-Inflicted Injury ED Discharges†			57	56.5	75	73.8	85	83.0
Firearm-related Deaths†	9	9.0	6	5.9	6	5.9		
Firearm-related Hospitalizations†	7	7.0	<5	\$	7	6.9	<5	\$
Firearm-related ED Discharges†			9	8.9	20	19.7	7	6.8
Dental-related ED Discharges†			123	121.8	121	119.1	169	165.0

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Coastal

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	184	243.9	139	181.9	128	164.3	139	176.0	128	164.7
Coronary Heart Disease Hospitalizations†	386	511.8	398	520.8	393	504.5	335	424.1	314	404.1
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	43	57.0	59	77.2	48	61.6	45	57.0	50	64.4
Stroke Hospitalizations†	252	334.1	217	284.0	175	224.6	182	230.4	158	203.4
Stroke ED Discharges†										
Diabetes Deaths†	7	9.3	12	15.7	5	6.4	8	10.1	14	18.0
Diabetes Hospitalizations†	50	66.3	31	40.6	43	55.2	44	55.7	30	38.6
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	27	35.8	28	36.6	28	35.9	36	45.6	30	38.6
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	35	46.4	29	37.9	33	42.4	24	30.4	25	32.2
COPD Hospitalizations†	78	103.4	72	94.2	62	79.6	59	74.7	63	81.1
COPD ED Discharges†										
All Cancer Deaths†	163	216.1	144	188.4	136	174.6	153	193.7	168	216.2
Prostate Cancer Deaths (among males)†	17	43.9	11	28.1	14	35.2	12	29.8	8	20.2
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	14	38.2	14	37.5	16	42.0	15	38.8	12	31.5
Colorectal Cancer Deaths†	16	21.2	19	24.9	13	16.7	12	15.2	17	21.9
Lung Cancer Deaths†	38	50.4	32	41.9	30	38.5	33	41.8	46	59.2
Arthritis Hospitalizations†	219	290.4	213	278.7	223	286.3	261	330.4	241	310.2
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	129	171.0	166	217.2	141	181.0	143	181.0	127	163.5
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	91	120.6	74	96.8	49	62.9	72	91.1	56	72.1
Chlamydia Reported, Underestimate††	140	185.6	149	195.0	204	261.9	195	246.8	215	276.7
Gonorrhea Reported, Underestimate††	30	39.8	26	34.0	36	46.2	29	36.7	38	48.9
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	758	11.9%	709	11.2%	675	10.6%	760	11.7%	757	11.4%
Live Births to Girls, Ages 15-17†, % of SRA's births	6	0.8%	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	688	91.5%	662	94.2%	625	92.9%	705	93.1%	706	93.9%
Live Births born Preterm†, % of SRA's births	73	10.1%	43	6.4%	53	8.2%	88	12.0%	84	11.4%
Low Birth Weight Births†, % of SRA's births	50	6.6%	33	4.7%	35	5.2%	44	5.8%	57	7.5%
Very Low Birth Weight Births†, % of SRA's births	7	0.9%	<5	\$	6	0.9%	13	1.7%	11	1.5%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	5	6.6	<5	\$	<5	\$	5	6.6	<5	\$
Unintentional Injury Deaths†	27	35.8	15	19.6	24	30.8	17	21.5	22	28.3
Unintentional Injury Hospitalizations†	610	808.7	610	798.2	677	869.0	652	825.4	595	765.8
Unintentional Injury ED Discharges†										
Fall-related Deaths†	8	10.6	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	341	452.1	335	438.4	364	467.2	355	449.4	309	397.7
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	12	15.9	5	6.5	8	10.3	7	8.9	11	14.2
Overdose/Poisoning Hospitalizations†	72	95.5	75	98.1	59	75.7	57	72.2	62	79.8
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	5	6.6	<5	\$	13	16.7	7	8.9	<5	\$
Hospitalizations due to MV Injury†	103	136.6	77	100.8	97	124.5	88	111.4	69	88.8
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	988	1,309.9	987	1,291.5	1,042	1,337.6	926	1,172.2	1,071	1,378.4
Alcohol-involved MVC Injuries†	139	184.3	138	180.6	159	204.1	149	188.6	186	239.4
Drinking Drivers Involved in MV Crashes†	88	116.7	82	107.3	104	133.5	83	105.1	110	141.6
Active Restraint Use, % of MVO Injured, Ages 6+ †	632	89.1%	601	86.4%	648	86.2%	597	88.1%	636	87.5%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	15	19.9	18	23.6	16	20.5	14	17.7	12	15.4
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	58	76.9	70	91.6	56	71.9	45	57.0	71	91.4
Homicide†	<5	\$	<5	\$	5	6.4	<5	\$	<5	\$
Assault Hospitalizations†	22	29.2	24	31.4	37	47.5	39	49.4	33	42.5
Assault Injury ED Discharges†										
Suicide†	18	23.9	14	18.3	16	20.5	9	11.4	10	12.9
Self-Inflicted Hospitalizations†	53	70.3	56	73.3	36	46.2	33	41.8	29	37.3
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	8	10.6	10	13.1	11	14.1	6	7.6	<5	\$
Firearm-related Hospitalizations†	<5	\$	6	7.9	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA, SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Coastal

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	107	137.5	121	153.2	98	124.3		
Coronary Heart Disease Hospitalizations†	323	415.2	289	365.8	250	317.1	220	276.3
Coronary Heart Disease ED Discharges†			14	17.7	5	6.3	9	11.3
Stroke Deaths†	37	47.6	40	50.6	22	27.9		
Stroke Hospitalizations†	187	240.4	177	224.0	180	228.3	211	265.0
Stroke ED Discharges†			21	26.6	30	38.0	23	28.9
Diabetes Deaths†	11	14.1	11	13.9	8	10.1		
Diabetes Hospitalizations†	32	41.1	29	36.7	45	57.1	32	40.2
Diabetes ED Discharges†			33	41.8	42	53.3	25	31.4
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	24	30.9	24	30.4	31	39.3	25	31.4
Asthma ED Discharges†			113	143.0	111	140.8	107	134.4
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	35	45.0	33	41.8	24	30.4		
COPD Hospitalizations†	64	82.3	56	70.9	44	55.8	63	79.1
COPD ED Discharges†			110	139.2	73	92.6	88	110.5
All Cancer Deaths†	157	201.8	154	194.9	144	182.6		
Prostate Cancer Deaths (among males)†	13	32.7	10	24.8	10	24.9		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	16	42.0	11	28.4	11	28.5		
Colorectal Cancer Deaths†	12	15.4	13	16.5	10	12.7		
Lung Cancer Deaths†	31	39.8	48	60.8	30	38.0		
Arthritis Hospitalizations†	269	345.8	261	330.4	309	391.9	300	376.8
Arthritis ED Discharges†			259	327.8	235	298.0	281	352.9
Dorsopathies Hospitalizations†	129	165.8	155	196.2	138	175.0	154	193.4
Dorsopathies ED Discharges†			297	375.9	278	352.6	264	331.5
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	65	83.6	67	84.8	83	105.3	68	85.4
Chlamydia Reported, Underestimate††	263	338.1	247	312.6	339	429.9	276	346.6
Gonorrhea Reported, Underestimate††	38	48.8	30	38.0	35	44.4	29	36.4
Primary and Secondary Syphilis Reported†	<5	\$	5	6.3	6	7.6	<5	\$
Live Births†, % of Region's births	694	10.5%	715	10.4%	731	10.3%		
Live Births to Girls, Ages 15-17†, % of SRA's births	5	0.7%	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	659	95.2%	683	95.8%	675	92.6%		
Live Births born Preterm†, % of SRA's births	63	9.3%	62	8.9%	91	12.6%		
Low Birth Weight Births†, % of SRA's births	43	6.2%	49	6.9%	54	7.4%		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	5	0.7%	8	1.1%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	32	41.1	22	27.8	29	36.8		
Unintentional Injury Hospitalizations†	647	831.7	622	787.3	591	749.5	626	786.2
Unintentional Injury ED Discharges†			3,682	4,660.5	3,704	4,697.6	3,658	4,593.9
Fall-related Deaths†	10	12.9	9	11.4	12	15.2		
Fall-related Hospitalizations†	373	479.5	326	412.6	331	419.8	357	448.3
Fall-related ED Discharges†			1,169	1,479.7	1,193	1,513.0	1,219	1,530.9
Overdose/Poisoning Deaths†	9	11.6	7	8.9	8	10.1		
Overdose/Poisoning Hospitalizations†	48	61.7	49	62.0	50	63.4	42	52.7
Overdose/Poisoning ED Discharges†			101	127.8	97	123.0	95	119.3
Deaths due to Motor Vehicle (MV) Injury†	8	10.3	<5	\$	6	7.6		
Hospitalizations due to MV Injury†	69	88.7	93	117.7	77	97.7	70	87.9
ED Discharges due to MV Injury†			369	467.1	361	457.8	298	374.2
Motor Vehicle Crash Injuries†	914	1,174.9	835	1,056.9	827	1,048.9		
Alcohol-involved MVC Injuries†	145	186.4	154	194.9	161	204.2		
Drinking Drivers Involved in MV Crashes†	99	127.3	97	122.8	96	121.8		
Active Restraint Use, % of MVO Injured, Ages 6+ †	515	83.6%	327	84.9%	305	87.4%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	9	11.6	9	11.4	9	11.4	12	15.1
Pedestrian ED Discharges due to MVC†			27	34.2	32	40.6	15	18.8
Pedestrian Injuries due to MVC†	62	79.7	64	81.0	76	96.4		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	36	46.3	31	39.2	35	44.4	33	41.4
Assault Injury ED Discharges†			186	235.4	192	243.5	173	217.3
Suicide†	8	10.3	10	12.7	7	8.9		
Self-Inflicted Hospitalizations†	35	45.0	26	32.9	36	45.7	28	35.2
Self-Inflicted Injury ED Discharge†			47	59.5	41	52.0	27	33.9
Firearm-related Deaths†	<5	\$	<5	\$	7	8.9		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			67	84.8	74	93.9	61	76.6

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Del Mar-Mira Mesa

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	92	69.3	78	56.3	82	57.1	80	54.8	81	53.8
Coronary Heart Disease Hospitalizations†	362	272.5	378	272.7	391	272.3	384	263.1	375	249.3
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	38	28.6	26	18.8	35	24.4	35	24.0	25	16.6
Stroke Hospitalizations†	181	136.3	157	113.3	171	119.1	189	129.5	159	105.7
Stroke ED Discharges†										
Diabetes Deaths†	9	6.8	8	5.8	17	11.8	15	10.3	17	11.3
Diabetes Hospitalizations†	64	48.2	66	47.6	58	40.4	58	39.7	66	43.9
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	70	52.7	61	44.0	68	47.4	81	55.5	57	37.9
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	13	9.8	20	14.4	18	12.5	6	4.1	28	18.6
COPD Hospitalizations†	69	51.9	49	35.3	64	44.6	61	41.8	41	27.3
COPD ED Discharges†										
All Cancer Deaths†	122	91.8	100	72.1	125	87.1	107	73.3	109	72.5
Prostate Cancer Deaths (among males)†	9	13.5	<5	\$	6	8.4	<5	\$	6	8.0
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	11	16.6	13	18.7	7	9.7	7	9.5	6	7.9
Colorectal Cancer Deaths†	14	10.5	9	6.5	13	9.1	11	7.5	14	9.3
Lung Cancer Deaths†	22	16.6	24	17.3	28	19.5	26	17.8	25	16.6
Arthritis Hospitalizations†	131	98.6	190	137.1	175	121.9	211	144.6	233	154.9
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	99	74.5	155	111.8	154	107.2	142	97.3	186	123.6
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	9	6.8	17	12.3	17	11.8	11	7.5	14	9.3
Chronic Hepatitis C Reported†	74	55.7	42	30.3	60	41.8	56	38.4	63	41.9
Chlamydia Reported, Underestimate††	147	110.7	160	115.4	195	135.8	195	133.6	219	145.6
Gonorrhea Reported, Underestimate††	29	21.8	50	36.1	39	27.2	21	14.4	32	21.3
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,637	25.7%	1,672	26.3%	1,767	27.7%	1,794	27.6%	1,928	29.1%
Live Births to Girls, Ages 15-17†, % of SRA's births	13	0.8%	12	0.7%	11	0.6%	10	0.6%	8	0.4%
Live Births with Early Prenatal Care†, % of SRA's births	1,516	93.0%	1,545	93.0%	1,624	92.4%	1,674	93.7%	1,789	93.3%
Live Births born Preterm†, % of SRA's births	148	9.4%	158	9.9%	160	9.3%	196	11.3%	192	10.4%
Low Birth Weight Births†, % of SRA's births	116	7.1%	106	6.3%	110	6.2%	119	6.6%	129	6.7%
Very Low Birth Weight Births†, % of SRA's births	21	1.3%	18	1.1%	28	1.6%	19	1.1%	17	0.9%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	6	3.3	<5	\$
Infant Mortality†, Rate per 1,000 live births	9	5.5	12	7.2	<5	\$	<5	\$	8	4.1
Unintentional Injury Deaths†	16	12.0	13	9.4	12	8.4	17	11.6	25	16.6
Unintentional Injury Hospitalizations†	497	374.2	467	336.9	479	333.6	495	339.2	518	344.3
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	5	3.3
Fall-related Hospitalizations†	221	166.4	212	152.9	223	155.3	231	158.3	250	166.2
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	5	3.8	5	3.6	<5	\$	<5	\$	9	6.0
Overdose/Poisoning Hospitalizations†	70	52.7	69	49.8	43	29.9	47	32.2	66	43.9
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	7	5.3	6	4.3	6	4.2	9	6.2	12	8.0
Hospitalizations due to MV Injury†	101	76.0	86	62.0	95	66.2	91	62.4	98	65.1
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	741	557.9	716	516.5	782	544.6	894	612.6	932	619.6
Alcohol-involved MVC Injuries†	87	65.5	84	60.6	57	39.7	108	74.0	109	72.5
Drinking Drivers Involved in MV Crashes†	46	34.6	53	38.2	38	26.5	67	45.9	65	43.2
Active Restraint Use, % of MVO Injured, Ages 6+ †	467	84.1%	472	82.2%	534	84.9%	608	84.7%	636	86.8%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	15	78.9%	11	73.3%
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	5	3.5	5	3.4	<5	\$
Pedestrian Hospitalizations due to MVC†	6	4.5	9	6.5	14	9.7	8	5.5	14	9.3
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	32	24.1	28	20.2	34	23.7	31	21.2	23	15.3
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	15	11.3	13	9.4	12	8.4	18	12.3	29	19.3
Assault Injury ED Discharges†										
Suicide†	13	9.8	11	7.9	<5	\$	10	6.9	11	7.3
Self-Inflicted Hospitalizations†	52	39.1	56	40.4	31	21.6	35	24.0	50	33.2
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	6	4.5	6	4.3	5	3.5	11	7.5	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA, SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Del Mar-Mira Mesa

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	64	42.4	69	44.9	61	39.0		
Coronary Heart Disease Hospitalizations†	370	245.0	313	203.5	300	192.0	279	175.9
Coronary Heart Disease ED Discharges†			24	15.6	23	14.7	27	17.0
Stroke Deaths†	27	17.9	22	14.3	28	17.9		
Stroke Hospitalizations†	148	98.0	183	119.0	174	111.4	160	100.9
Stroke ED Discharges†			31	20.2	35	22.4	28	17.7
Diabetes Deaths†	7	4.6	18	11.7	15	9.6		
Diabetes Hospitalizations†	65	43.0	67	43.6	53	33.9	71	44.8
Diabetes ED Discharges†			65	42.3	106	67.9	79	49.8
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	49	32.5	48	31.2	54	34.6	67	42.3
Asthma ED Discharges†			205	133.3	255	163.2	206	129.9
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	20	13.2	17	11.1	14	9.0		
COPD Hospitalizations†	53	35.1	39	25.4	52	33.3	68	42.9
COPD ED Discharges†			111	72.2	105	67.2	141	88.9
All Cancer Deaths†	128	84.8	120	78.0	150	96.0		
Prostate Cancer Deaths (among males)†	5	6.7	7	9.2	8	10.3		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	11	14.5	6	7.8	15	19.1		
Colorectal Cancer Deaths†	11	7.3	7	4.6	9	5.8		
Lung Cancer Deaths†	28	18.5	28	18.2	35	22.4		
Arthritis Hospitalizations†	223	147.7	221	143.7	232	148.5	241	152.0
Arthritis ED Discharges†			295	191.8	285	182.4	294	185.4
Dorsopathies Hospitalizations†	132	87.4	154	100.1	174	111.4	138	87.0
Dorsopathies ED Discharges†			346	224.9	361	231.1	378	238.4
Tuberculosis Incidence†	22	14.6	16	10.4	16	10.2	13	8.2
Chronic Hepatitis C Reported†	83	55.0	70	45.5	89	57.0	55	34.7
Chlamydia Reported, Underestimate††	188	124.5	222	144.3	251	160.7	297	187.3
Gonorrhea Reported, Underestimate††	36	23.8	26	16.9	48	30.7	23	14.5
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,803	27.1%	1,808	26.4%	1,862	26.2%		
Live Births to Girls, Ages 15-17†, % of SRA's births	15	0.8%	12	0.7%	15	0.8%		
Live Births with Early Prenatal Care†, % of SRA's births	1,698	94.3%	1,712	94.8%	1,684	90.9%		
Live Births born Preterm†, % of SRA's births	193	10.9%	171	9.6%	197	10.7%		
Low Birth Weight Births†, % of SRA's births	141	7.8%	115	6.4%	150	8.1%		
Very Low Birth Weight Births†, % of SRA's births	17	0.9%	13	0.7%	23	1.2%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	7	3.9	5	2.8	7	3.7		
Infant Mortality†, Rate per 1,000 live births	<5	\$	7	3.9	8	4.3		
Unintentional Injury Deaths†	19	12.6	28	18.2	30	19.2		
Unintentional Injury Hospitalizations†	548	362.9	530	344.5	551	352.7	542	341.8
Unintentional Injury ED Discharges†			4,250	2,762.8	4,286	2,743.7	4,113	2,593.8
Fall-related Deaths†	5	3.3	11	7.2	5	3.2		
Fall-related Hospitalizations†	275	182.1	251	163.2	264	169.0	254	160.2
Fall-related ED Discharges†			1,274	828.2	1,339	857.2	1,317	830.6
Overdose/Poisoning Deaths†	6	4.0	<5	\$	11	7.0		
Overdose/Poisoning Hospitalizations†	41	27.2	69	44.9	48	30.7	67	42.3
Overdose/Poisoning ED Discharges†			129	83.9	140	89.6	121	76.3
Deaths due to Motor Vehicle (MV) Injury†	10	6.6	10	6.5	14	9.0		
Hospitalizations due to MV Injury†	109	72.2	99	64.4	96	61.5	87	54.9
ED Discharges due to MV Injury†			508	330.2	541	346.3	473	298.3
Motor Vehicle Crash Injuries†	835	553.0	691	449.2	765	489.7		
Alcohol-involved MVC Injuries†	76	50.3	83	54.0	108	69.1		
Drinking Drivers Involved in MV Crashes†	57	37.8	60	39.0	68	43.5		
Active Restraint Use, % of MVO Injured, Ages 6+ †	602	89.2%	420	88.1%	358	89.3%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	18	11.9	<5	\$	5	3.2	5	3.2
Pedestrian ED Discharges due to MVC†			23	15.0	33	21.1	17	10.7
Pedestrian Injuries due to MVC†	35	23.2	23	15.0	27	17.3		
Homicide†	5	3.3	<5	\$	<5	\$		
Assault Hospitalizations†	36	23.8	24	15.6	25	16.0	13	8.2
Assault Injury ED Discharges†			142	92.3	127	81.3	111	70.0
Suicide†	9	6.0	11	7.2	14	9.0		
Self-Inflicted Hospitalizations†	28	18.5	43	28.0	24	15.4	35	22.1
Self-Inflicted Injury ED Discharges†			68	44.2	63	40.3	48	30.3
Firearm-related Deaths†	<5	\$	6	3.9	5	3.2		
Firearm-related Hospitalizations†	5	3.3	<5	\$	5	3.2	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			87	56.6	80	51.2	71	44.8

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Elliot-Navajo

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	124	143.8	118	139.5	123	140.0	116	125.5	113	125.9
Coronary Heart Disease Hospitalizations†	452	524.3	404	477.8	449	511.2	380	411.2	357	397.6
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	45	52.2	40	47.3	41	46.7	37	40.0	44	49.0
Stroke Hospitalizations†	245	284.2	225	266.1	236	268.7	174	188.3	176	196.0
Stroke ED Discharges†										
Diabetes Deaths†	15	17.4	10	11.8	<5	\$	7	7.6	17	18.9
Diabetes Hospitalizations†	66	76.6	54	63.9	56	63.8	62	67.1	49	54.6
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	40	46.4	37	43.8	46	52.4	55	59.5	45	50.1
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	40	46.4	33	39.0	22	25.0	33	35.7	43	47.9
COPD Hospitalizations†	107	124.1	84	99.3	68	77.4	67	72.5	70	78.0
COPD ED Discharges†		#VALUE!								
All Cancer Deaths†	155	179.8	160	189.2	192	218.6	150	162.3	144	160.4
Prostate Cancer Deaths (among males)†	13	31.0	8	19.5	8	18.8	15	33.6	6	13.9
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	14	31.7	24	55.1	21	46.4	18	37.7	9	19.4
Colorectal Cancer Deaths†	19	22.0	8	9.5	19	21.6	9	9.7	17	18.9
Lung Cancer Deaths†	44	51.0	38	44.9	53	60.3	28	30.3	44	49.0
Arthritis Hospitalizations†	235	272.6	230	272.0	213	242.5	242	261.9	270	300.7
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	152	176.3	144	170.3	164	186.7	144	155.8	172	191.6
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	5	5.7	<5	\$	<5	\$
Chronic Hepatitis C Reported†	41	47.6	56	66.2	49	55.8	44	47.6	37	41.2
Chlamydia Reported, Underestimate††	100	116.0	113	133.6	137	156.0	128	138.5	143	159.3
Gonorrhea Reported, Underestimate††	22	25.5	24	28.4	25	28.5	24	26.0	45	50.1
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	954	15.0%	920	14.5%	852	13.4%	972	14.9%	923	13.9%
Live Births to Girls, Ages 15-17†, % of SRA's births	10	1.0%	13	1.4%	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	892	94.4%	857	93.5%	802	94.8%	911	94.1%	859	93.6%
Live Births born Preterm†, % of SRA's births	93	10.4%	84	9.7%	66	8.1%	118	12.7%	117	13.3%
Low Birth Weight Births†, % of SRA's births	69	7.2%	51	5.5%	39	4.6%	77	7.9%	64	6.9%
Very Low Birth Weight Births†, % of SRA's births	14	1.5%	7	0.8%	<5	\$	12	1.2%	7	0.8%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	6	6.1	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	5	5.4	<5	\$	6	6.2	7	7.6
Unintentional Injury Deaths†	7	8.1	14	16.6	12	13.7	21	22.7	16	17.8
Unintentional Injury Hospitalizations†	492	570.7	476	562.9	430	489.6	525	568.1	487	542.4
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	8	8.7	<5	\$
Fall-related Hospitalizations†	262	303.9	240	283.8	227	258.5	268	290.0	279	310.7
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	10	10.8	<5	\$
Overdose/Poisoning Hospitalizations†	39	45.2	51	60.3	46	52.4	56	60.6	46	51.2
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	8	9.5	5	5.7	5	5.4	8	8.9
Hospitalizations due to MV Injury†	74	85.8	67	79.2	54	61.5	65	70.3	63	70.2
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	404	468.6	468	553.5	468	532.8	469	507.5	458	510.1
Alcohol-involved MVC Injuries†	40	46.4	46	54.4	43	49.0	69	74.7	43	47.9
Drinking Drivers Involved in MV Crashes†	27	31.3	29	34.3	31	35.3	44	47.6	31	34.5
Active Restraint Use, % of MVO Injured, Ages 6+ †	270	82.6%	323	83.7%	336	84.4%	320	84.0%	316	85.6%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	7	77.8%	<5	\$	5	100.0%	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	8	9.3	<5	\$	<5	\$	7	7.6	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	17	19.7	22	26.0	19	21.6	17	18.4	18	20.0
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	17	19.7	17	20.1	9	10.2	16	17.3	20	22.3
Assault Injury ED Discharges†										
Suicide†	9	10.4	7	8.3	6	6.8	14	15.2	6	6.7
Self-Inflicted Hospitalizations†	30	34.8	50	59.1	36	41.0	36	39.0	26	29.0
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	6	7.0	8	9.5	<5	\$	6	6.5	5	5.6
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Elliot-Navajo

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	93	103.6	86	98.1	86	97.8		
Coronary Heart Disease Hospitalizations†	337	375.4	343	391.4	311	353.8	259	290.3
Coronary Heart Disease ED Discharges†			25	28.5	19	21.6	22	24.7
Stroke Deaths†	33	36.8	35	39.9	36	41.0		
Stroke Hospitalizations†	191	212.8	175	199.7	165	187.7	180	201.7
Stroke ED Discharges†			46	52.5	40	45.5	53	59.4
Diabetes Deaths†	16	17.8	16	18.3	9	10.2		
Diabetes Hospitalizations†	43	47.9	75	85.6	74	84.2	68	76.2
Diabetes ED Discharges†			72	82.2	81	92.1	65	72.9
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	51	56.8	45	51.3	45	51.2	53	59.4
Asthma ED Discharges†			154	175.7	176	200.2	163	182.7
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	26	29.0	32	36.5	24	27.3		
COPD Hospitalizations†	77	85.8	74	84.4	82	93.3	63	70.6
COPD ED Discharges†			89	101.6	127	144.5	122	136.7
All Cancer Deaths†	157	174.9	172	196.3	155	176.3		
Prostate Cancer Deaths (among males)†	11	25.3	9	21.3	11	25.9		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	13	28.0	16	35.3	8	17.6		
Colorectal Cancer Deaths†	18	20.1	16	18.3	11	12.5		
Lung Cancer Deaths†	46	51.2	38	43.4	48	54.6		
Arthritis Hospitalizations†	278	309.7	295	336.6	306	348.1	340	381.1
Arthritis ED Discharges†			229	261.3	274	311.7	268	300.4
Dorsopathies Hospitalizations†	149	166.0	152	173.4	176	200.2	172	192.8
Dorsopathies ED Discharges†			290	330.9	340	386.8	376	421.4
Tuberculosis Incidence†	<5	\$	5	5.7	<5	\$	<5	\$
Chronic Hepatitis C Reported†	69	76.9	62	70.7	59	67.1	56	62.8
Chlamydia Reported, Underestimate††	145	161.5	149	170.0	171	194.5	221	247.7
Gonorrhea Reported, Underestimate††	40	44.6	27	30.8	25	28.4	29	32.5
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	6	6.8	<5	\$
Live Births†, % of Region's births	1,019	15.3%	999	14.6%	1,044	14.7%		
Live Births to Girls, Ages 15-17†, % of SRA's births	7	0.7%	6	0.6%	6	0.6%		
Live Births with Early Prenatal Care†, % of SRA's births	956	94.2%	923	93.0%	944	90.7%		
Live Births born Preterm†, % of SRA's births	116	11.7%	119	12.4%	110	10.7%		
Low Birth Weight Births†, % of SRA's births	84	8.2%	74	7.4%	73	7.0%		
Very Low Birth Weight Births†, % of SRA's births	16	1.6%	16	1.6%	9	0.9%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	6	5.9	7	7.0	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	6	6.0	<5	\$		
Unintentional Injury Deaths†	20	22.3	17	19.4	18	20.5		
Unintentional Injury Hospitalizations†	518	577.0	525	599.1	522	593.8	554	620.9
Unintentional Injury ED Discharges†			3,493	3,985.9	3,585	4,077.9	3,597	4,031.6
Fall-related Deaths†	5	5.6	6	6.8	9	10.2		
Fall-related Hospitalizations†	243	270.7	290	330.9	284	323.1	321	359.8
Fall-related ED Discharges†			1,200	1,369.3	1,249	1,420.7	1,282	1,436.9
Overdose/Poisoning Deaths†	6	6.7	9	10.3	<5	\$		
Overdose/Poisoning Hospitalizations†	52	57.9	39	44.5	55	62.6	41	46.0
Overdose/Poisoning ED Discharges†			79	90.1	105	119.4	90	100.9
Deaths due to Motor Vehicle (MV) Injury†	8	8.9	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	60	66.8	71	81.0	75	85.3	59	66.1
ED Discharges due to MV Injury†			325	370.9	302	343.5	317	355.3
Motor Vehicle Crash Injuries†	456	508.0	358	408.5	423	481.2		
Alcohol-involved MVC Injuries†	62	69.1	63	71.9	81	92.1		
Drinking Drivers Involved in MV Crashes†	41	45.7	43	49.1	57	64.8		
Active Restraint Use, % of MVO Injured, Ages 6+ †	328	89.9%	220	90.9%	227	91.2%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	6	6.7	6	6.8	5	5.7	<5	\$
Pedestrian ED Discharges due to MVC†			20	22.8	16	18.2	16	17.9
Pedestrian Injuries due to MVC†	21	23.4	15	17.1	14	15.9		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	13	14.5	21	24.0	15	17.1	23	25.8
Assault Injury ED Discharges†			123	140.4	144	163.8	121	135.6
Suicide†	11	12.3	5	5.7	9	10.2		
Self-Inflicted Hospitalizations†	24	26.7	13	14.8	38	43.2	19	21.3
Self-Inflicted Injury ED Discharges†			38	43.4	61	69.4	52	58.3
Firearm-related Deaths†	6	6.7	<5	\$	7	8.0		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	6	6.8	<5	\$
Dental-related ED Discharges†			39	44.5	74	84.2	63	70.6

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Kearny Mesa

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	308	213.9	311	214.3	242	164.4	237	158.1	263	175.0
Coronary Heart Disease Hospitalizations†	863	599.3	762	525.2	752	511.0	731	487.6	630	419.1
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	101	70.1	111	76.5	84	57.1	100	66.7	103	68.5
Stroke Hospitalizations†	443	307.6	451	310.8	397	269.8	432	288.2	400	266.1
Stroke ED Discharges†										
Diabetes Deaths†	29	20.1	29	20.0	26	17.7	25	16.7	24	16.0
Diabetes Hospitalizations†	149	103.5	146	100.6	150	101.9	156	104.1	163	108.4
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	163	113.2	119	82.0	146	99.2	139	92.7	139	92.5
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	69	47.9	81	55.8	62	42.1	76	50.7	61	40.6
COPD Hospitalizations†	245	170.1	213	146.8	164	111.4	181	120.7	200	133.0
COPD ED Discharges†										
All Cancer Deaths†	327	227.1	277	190.9	308	209.3	354	236.1	296	196.9
Prostate Cancer Deaths (among males)†	23	32.2	18	25.1	20	27.6	19	25.8	13	17.6
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	29	39.9	22	30.0	34	45.6	22	28.9	20	26.1
Colorectal Cancer Deaths†	26	18.1	33	22.7	23	15.6	34	22.7	25	16.6
Lung Cancer Deaths†	97	67.4	67	46.2	93	63.2	89	59.4	81	53.9
Arthritis Hospitalizations†	408	283.3	458	315.7	411	279.3	455	303.5	439	292.0
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	240	166.7	273	188.2	293	199.1	302	201.5	233	155.0
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	14	9.7	18	12.4	13	8.8	14	9.3	14	9.3
Chronic Hepatitis C Reported†	174	120.8	149	102.7	142	96.5	159	106.1	136	90.5
Chlamydia Reported, Underestimate††	303	210.4	317	218.5	421	286.1	490	326.9	529	351.9
Gonorrhea Reported, Underestimate††	75	52.1	57	39.3	79	53.7	85	56.7	91	60.5
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	11	7.3	6	4.0
Live Births†, % of Region's births	2,159	33.9%	2,139	33.7%	2,161	33.9%	2,055	31.6%	2,052	30.9%
Live Births to Girls, Ages 15-17†, % of SRA's births	45	2.1%	46	2.2%	38	1.8%	41	2.0%	35	1.7%
Live Births with Early Prenatal Care†, % of SRA's births	1,921	89.4%	1,907	89.8%	1,916	89.2%	1,827	90.1%	1,834	90.0%
Live Births born Preterm†, % of SRA's births	231	11.3%	233	11.4%	228	11.1%	215	11.1%	200	10.2%
Low Birth Weight Births†, % of SRA's births	128	5.9%	150	7.0%	145	6.7%	135	6.6%	119	5.8%
Very Low Birth Weight Births†, % of SRA's births	33	1.5%	39	1.8%	29	1.3%	24	1.2%	19	0.9%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	5	2.3	6	2.8	8	3.7	8	3.9	10	4.8
Infant Mortality†, Rate per 1,000 live births	17	7.9	17	7.9	8	3.7	10	4.9	8	3.9
Unintentional Injury Deaths†	43	29.9	46	31.7	34	23.1	33	22.0	47	31.3
Unintentional Injury Hospitalizations†	1,016	705.5	1,138	784.3	1,166	792.3	1,098	732.4	1,163	773.7
Unintentional Injury ED Discharges†										
Fall-related Deaths†	8	5.6	<5	\$	16	10.9	10	6.7	19	12.6
Fall-related Hospitalizations†	541	375.7	549	378.4	596	405.0	546	364.2	559	371.9
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	14	9.7	19	13.1	13	8.8	13	8.7	17	11.3
Overdose/Poisoning Hospitalizations†	132	91.7	141	97.2	132	89.7	107	71.4	129	85.8
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	9	6.2	18	12.4	9	6.1	10	6.7	6	4.0
Hospitalizations due to MV Injury†	149	103.5	177	122.0	171	116.2	172	114.7	173	115.1
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	2,232	1,549.9	2,296	1,582.4	2,241	1,522.8	2,202	1,468.9	2,169	1,442.9
Alcohol-involved MVC Injuries†	253	175.7	267	184.0	238	161.7	230	153.4	238	158.3
Drinking Drivers Involved in MV Crashes†	161	111.8	182	125.4	163	110.8	146	97.4	154	102.4
Active Restraint Use, % of MVO Injured, Ages 6+ †	1,518	83.3%	1,602	85.0%	1,514	82.5%	1,490	83.8%	1,441	85.1%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	14	43.8%	13	44.8%	13	61.9%	13	52.0%	9	45.0%
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	13	9.0	18	12.4	22	14.9	11	7.3	12	8.0
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	75	52.1	85	58.6	71	48.2	68	45.4	84	55.9
Homicide†	5	3.5	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	69	47.9	64	44.1	61	41.5	60	40.0	57	37.9
Assault Injury ED Discharges†										
Suicide†	29	20.1	18	12.4	14	9.5	25	16.7	11	7.3
Self-Inflicted Hospitalizations†	95	66.0	107	73.7	113	76.8	99	66.0	74	49.2
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	19	13.2	10	6.9	<5	\$	13	8.7	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	6	4.1	5	3.3	6	4.0
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA, SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Kearny Mesa

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	264	175.0	230	149.9	209	135.0		
Coronary Heart Disease Hospitalizations†	637	422.2	511	333.1	528	341.2	526	336.6
Coronary Heart Disease ED Discharges†			48	31.3	44	28.4	55	35.2
Stroke Deaths†	80	53.0	74	48.2	72	46.5		
Stroke Hospitalizations†	362	239.9	383	249.6	345	222.9	368	235.5
Stroke ED Discharges†			61	39.8	68	43.9	87	55.7
Diabetes Deaths†	29	19.2	26	16.9	37	23.9		
Diabetes Hospitalizations†	175	116.0	189	123.2	193	124.7	191	122.2
Diabetes ED Discharges†			228	148.6	208	134.4	237	151.7
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	104	68.9	105	68.4	98	63.3	162	103.7
Asthma ED Discharges†			515	335.7	537	347.0	556	355.8
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	62	41.1	79	51.5	57	36.8		
COPD Hospitalizations†	161	106.7	113	73.7	140	90.5	207	132.5
COPD ED Discharges†			268	174.7	268	173.2	247	158.1
All Cancer Deaths†	302	200.2	283	184.5	268	173.2		
Prostate Cancer Deaths (among males)†	15	20.2	13	17.2	17	22.3		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	20	26.1	19	24.4	15	19.1		
Colorectal Cancer Deaths†	34	22.5	21	13.7	28	18.1		
Lung Cancer Deaths†	76	50.4	83	54.1	67	43.3		
Arthritis Hospitalizations†	495	328.1	461	300.5	479	309.5	518	331.5
Arthritis ED Discharges†			630	410.6	645	416.8	652	417.2
Dorsopathies Hospitalizations†	252	167.0	274	178.6	263	169.9	259	165.7
Dorsopathies ED Discharges†			888	578.8	911	588.7	876	560.6
Tuberculosis Incidence†	14	9.3	16	10.4	16	10.3	9	5.8
Chronic Hepatitis C Reported†	179	118.6	201	131.0	206	133.1	178	113.9
Chlamydia Reported, Underestimate††	476	315.5	552	359.8	582	376.1	586	375.0
Gonorrhea Reported, Underestimate††	97	64.3	96	62.6	80	51.7	49	31.4
Primary and Secondary Syphilis Reported†	<5	\$	14	9.1	20	12.9	15	9.6
Live Births†, % of Region's births	2,118	31.9%	2,306	33.7%	2,438	34.3%		
Live Births to Girls, Ages 15-17†, % of SRA's births	38	1.8%	39	1.7%	35	1.4%		
Live Births with Early Prenatal Care†, % of SRA's births	1,918	91.1%	2,116	92.0%	2,128	87.7%		
Live Births born Preterm†, % of SRA's births	258	12.6%	254	11.3%	274	11.4%		
Low Birth Weight Births†, % of SRA's births	144	6.8%	165	7.2%	161	6.6%		
Very Low Birth Weight Births†, % of SRA's births	30	1.4%	29	1.3%	26	1.1%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	13	6.1	20	8.6	10	4.1		
Infant Mortality†, Rate per 1,000 live births	11	5.2	12	5.2	9	3.7		
Unintentional Injury Deaths†	42	27.8	48	31.3	48	31.0		
Unintentional Injury Hospitalizations†	1,065	705.9	1,146	746.9	1,149	742.4	1,203	769.8
Unintentional Injury ED Discharges†			7,836	5,107.3	8,019	5,181.6	7,797	4,989.5
Fall-related Deaths†	7	4.6	8	5.2	10	6.5		
Fall-related Hospitalizations†	525	348.0	582	379.3	591	381.9	677	433.2
Fall-related ED Discharges†			2,469	1,609.2	2,588	1,672.3	2,674	1,711.2
Overdose/Poisoning Deaths†	19	12.6	23	15.0	21	13.6		
Overdose/Poisoning Hospitalizations†	96	63.6	107	69.7	118	76.2	110	70.4
Overdose/Poisoning ED Discharges†			214	139.5	259	167.4	255	163.2
Deaths due to Motor Vehicle (MV) Injury†	18	11.9	13	8.5	15	9.7		
Hospitalizations due to MV Injury†	148	98.1	198	129.1	163	105.3	164	104.9
ED Discharges due to MV Injury†			860	560.5	882	569.9	796	509.4
Motor Vehicle Crash Injuries†	2,069	1,371.4	1,971	1,284.7	1,950	1,260.0		
Alcohol-involved MVC Injuries†	241	159.7	274	178.6	247	159.6		
Drinking Drivers Involved in MV Crashes†	163	108.0	181	118.0	166	107.3		
Active Restraint Use, % of MVO Injured, Ages 6+ †	1,461	89.5%	1,207	91.0%	1,046	93.0%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	9	45.0%	7	63.6%	9	56.3%		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	16	10.6	18	11.7	26	16.8	17	10.9
Pedestrian ED Discharges due to MVC†			34	22.2	64	41.4	52	33.3
Pedestrian Injuries due to MVC†	73	48.4	74	48.2	93	60.1		
Homicide†	<5	\$	12	7.8	<5	\$		
Assault Hospitalizations†	67	44.4	77	50.2	78	50.4	69	44.2
Assault Injury ED Discharges†			379	247.0	397	256.5	367	234.9
Suicide†	21	13.9	22	14.3	18	11.6		
Self-Inflicted Hospitalizations†	69	45.7	71	46.3	70	45.2	56	35.8
Self-Inflicted Injury ED Discharges†			105	68.4	108	69.8	111	71.0
Firearm-related Deaths†	10	6.6	18	11.7	12	7.8		
Firearm-related Hospitalizations†	13	8.6	5	3.3	11	7.1	7	4.5
Firearm-related ED Discharges†			12	7.8	9	5.8	7	4.5
Dental-related ED Discharges†			206	134.3	205	132.5	210	134.4

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Miramar

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Coronary Heart Disease Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Stroke Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
COPD Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
COPD ED Discharges†										
All Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Arthritis Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chlamydia Reported, Underestimate††	69	1,066.0	49	816.8	46	747.7	29	382.2	37	499.8
Gonorrhea Reported, Underestimate††	13	200.8	10	166.7	14	227.6	6	79.1	8	108.1
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	<5	\$	<5	\$	<5	\$	<5	\$	5	0.1%
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	5	100.0%
Live Births born Preterm†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Hospitalizations†	12	185.4	7	116.7	11	178.8	8	105.4	7	94.6
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	7	108.1	<5	\$	7	113.8	7	92.3	6	81.0
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	171	2,641.7	189	3,150.5	150	2,438.2	151	1,990.2	183	2,472.0
Alcohol-involved MVC Injuries†	19	293.5	23	383.4	13	211.3	14	184.5	16	216.1
Drinking Drivers Involved in MV Crashes†	13	200.8	13	216.7	11	178.8	8	105.4	11	148.6
Active Restraint Use, % of MVO Injured, Ages 6+ †	126	80.3%	132	82.0%	113	86.3%	117	82.4%	133	82.1%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	<5	\$	6	100.0	<5	\$	<5	\$	<5	\$
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Miramar

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Coronary Heart Disease Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Coronary Heart Disease ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Stroke Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Stroke Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Stroke ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Asthma ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
COPD Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
COPD ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
All Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Arthritis Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Arthritis ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Dorsopathies Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Dorsopathies ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Chlamydia Reported, Underestimate††	22	313.6	40	752.2	36	676.4	62	1,156.1
Gonorrhea Reported, Underestimate††	<5	\$	5	94.0	<5	\$	7	130.5
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	<5	\$	<5	\$	<5	\$	<5	\$
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$
Live Births born Preterm†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$
Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Hospitalizations†	7	99.8	<5	\$	5	93.9	6	111.9
Unintentional Injury ED Discharges†			28	526.5	18	338.2	23	428.9
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related ED Discharges†	<5	\$	<5	\$	<5	\$	7	130.5
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning ED Discharges†	<5	\$	<5	\$	<5	\$	<5	\$
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	5	71.3	<5	\$	<5	\$	<5	\$
ED Discharges due to MV Injury†			11	206.8	9	169.1	8	149.2
Motor Vehicle Crash Injuries†	172	2,451.5	195	3,666.8	120	2,254.8		
Alcohol-involved MVC Injuries†	14	199.5	28	526.5	10	187.9		
Drinking Drivers Involved in MV Crashes†	10	142.5	20	376.1	7	131.5		
Active Restraint Use, % of MVO Injured, Ages 6+ †	139	90.3%	152	93.8%	86	90.5%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			<5	\$	<5	\$	<5	\$
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	5	93.9		
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Assault Injury ED Discharges†			<5	\$	5	93.9	<5	\$
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†			<5	\$	<5	\$	<5	\$
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			<5	\$	<5	\$	<5	\$

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Peninsula

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	98	160.4	81	133.7	84	138.8	69	111.8	67	108.3
Coronary Heart Disease Hospitalizations†	223	365.0	194	320.3	184	304.0	189	306.3	159	256.9
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	30	49.1	34	56.1	33	54.5	28	45.4	19	30.7
Stroke Hospitalizations†	149	243.9	131	216.3	111	183.4	100	162.1	88	142.2
Stroke ED Discharges†										
Diabetes Deaths†	9	14.7	<5	\$	<5	\$	5	8.1	<5	\$
Diabetes Hospitalizations†	31	50.7	33	54.5	33	54.5	31	50.2	28	45.2
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	26	42.6	26	42.9	23	38.0	40	64.8	24	38.8
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	12	19.6	22	36.3	18	29.7	23	37.3	12	19.4
COPD Hospitalizations†	56	91.7	43	71.0	40	66.1	39	63.2	21	33.9
COPD ED Discharges†										
All Cancer Deaths†	93	152.2	94	155.2	81	133.8	69	111.8	79	127.6
Prostate Cancer Deaths (among males)†	7	20.9	<5	\$	7	21.6	<5	\$	6	17.9
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	7	25.3	5	17.9	6	21.4	5	18.0	<5	\$
Colorectal Cancer Deaths†	11	18.0	12	19.8	<5	\$	7	11.3	5	8.1
Lung Cancer Deaths†	21	34.4	29	47.9	26	43.0	11	17.8	19	30.7
Arthritis Hospitalizations†	124	203.0	162	267.5	167	275.9	150	243.1	144	232.7
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	77	126.0	87	143.7	86	142.1	91	147.5	87	140.6
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	51	83.5	50	82.6	57	94.2	44	71.3	48	77.6
Chlamydia Reported, Underestimate††	89	145.7	100	165.1	109	180.1	107	173.4	120	193.9
Gonorrhea Reported, Underestimate††	15	24.6	25	41.3	18	29.7	20	32.4	22	35.5
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	426	6.7%	455	7.2%	461	7.2%	448	6.9%	490	7.4%
Live Births to Girls, Ages 15-17†, % of SRA's births	5	1.2%	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	385	92.1%	421	93.1%	426	93.2%	415	93.5%	462	95.1%
Live Births born Preterm†, % of SRA's births	35	8.7%	45	10.3%	49	11.2%	44	10.1%	44	9.3%
Low Birth Weight Births†, % of SRA's births	23	5.4%	27	5.9%	35	7.6%	26	5.8%	25	5.1%
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	8	1.7%	6	1.3%	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	19	31.1	18	29.7	18	29.7	12	19.4	22	35.5
Unintentional Injury Hospitalizations†	358	585.9	353	582.9	361	596.5	347	562.4	359	580.1
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	172	281.5	171	282.4	199	328.8	192	311.2	194	313.5
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	7	11.5	11	18.2	<5	\$	6	9.7	7	11.3
Overdose/Poisoning Hospitalizations†	35	57.3	40	66.0	27	44.6	26	42.1	25	40.4
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	5	8.2	<5	\$	8	13.2	<5	\$	7	11.3
Hospitalizations due to MV Injury†	65	106.4	50	82.6	49	81.0	47	76.2	63	101.8
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	290	474.6	269	444.2	270	446.1	218	353.3	278	449.2
Alcohol-involved MVC Injuries†	33	54.0	45	74.3	53	87.6	32	51.9	33	53.3
Drinking Drivers Involved in MV Crashes†	22	36.0	26	42.9	41	67.7	20	32.4	23	37.2
Active Restraint Use, % of MVO Injured, Ages 6+ †	190	88.4%	184	90.6%	171	86.8%	136	87.2%	167	86.1%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	7	11.5	<5	\$	5	8.3	6	9.7	11	17.8
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	14	22.9	13	21.5	22	36.3	15	24.3	21	33.9
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	25	40.9	16	26.4	14	23.1	19	30.8	14	22.6
Assault Injury ED Discharges†										
Suicide†	6	9.8	7	11.6	<5	\$	5	8.1	9	14.5
Self-Inflicted Hospitalizations†	27	44.2	28	46.2	20	33.0	16	25.9	18	29.1
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	5	8.1	6	9.7
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: Peninsula

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	76	122.6	58	99.5	50	85.2		
Coronary Heart Disease Hospitalizations†	158	255.0	174	298.6	139	236.8	122	206.7
Coronary Heart Disease ED Discharges†			10	17.2	14	23.9	15	25.4
Stroke Deaths†	24	38.7	22	37.8	18	30.7		
Stroke Hospitalizations†	87	140.4	91	156.2	98	167.0	105	177.9
Stroke ED Discharges†			19	32.6	27	46.0	25	42.4
Diabetes Deaths†	8	12.9	5	8.6	5	8.5		
Diabetes Hospitalizations†	18	29.0	31	53.2	36	61.3	33	55.9
Diabetes ED Discharges†			26	44.6	39	66.4	36	61.0
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	19	30.7	18	30.9	12	20.4	21	35.6
Asthma ED Discharges†			70	120.1	82	139.7	66	111.8
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	13	21.0	12	20.6	13	22.1		
COPD Hospitalizations†	41	66.2	21	36.0	18	30.7	31	52.5
COPD ED Discharges†			36	61.8	42	71.6	49	83.0
All Cancer Deaths†	83	133.9	87	149.3	97	165.2		
Prostate Cancer Deaths (among males)†	6	17.8	6	20.2	5	16.7		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	10	35.5	7	24.5	6	20.9		
Colorectal Cancer Deaths†	<5	\$	7	12.0	11	18.7		
Lung Cancer Deaths†	27	43.6	12	20.6	13	22.1		
Arthritis Hospitalizations†	142	229.1	171	293.5	148	252.1	176	298.2
Arthritis ED Discharges†			173	296.9	121	206.1	143	242.3
Dorsopathies Hospitalizations†	73	117.8	85	145.9	82	139.7	72	122.0
Dorsopathies ED Discharges†			196	336.4	180	306.6	187	316.8
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	50	80.7	63	108.1	42	71.6	38	64.4
Chlamydia Reported, Underestimate††	107	172.7	103	176.8	132	224.9	156	264.3
Gonorrhea Reported, Underestimate††	17	27.4	14	24.0	14	23.9	17	28.8
Primary and Secondary Syphilis Reported†	8	12.9	<5	\$	6	10.2	5	8.5
Live Births†, % of Region's births	525	7.9%	538	7.9%	531	7.5%		
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	491	94.4%	506	94.1%	482	90.9%		
Live Births born Preterm†, % of SRA's births	53	10.4%	64	12.2%	66	12.6%		
Low Birth Weight Births†, % of SRA's births	45	8.6%	41	7.6%	34	6.4%		
Very Low Birth Weight Births†, % of SRA's births	5	1.0%	<5	\$	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	11	17.7	18	30.9	20	34.1		
Unintentional Injury Hospitalizations†	335	540.6	358	614.4	350	596.3	377	638.7
Unintentional Injury ED Discharges†			1,880	3,226.2	1,765	3,006.9	1,878	3,181.7
Fall-related Deaths†	<5	\$	5	8.6	6	10.2		
Fall-related Hospitalizations†	182	293.7	178	305.5	193	328.8	229	388.0
Fall-related ED Discharges†			633	1,086.3	619	1,054.5	706	1,196.1
Overdose/Poisoning Deaths†	7	11.3	7	12.0	7	11.9		
Overdose/Poisoning Hospitalizations†	42	67.8	30	51.5	22	37.5	37	62.7
Overdose/Poisoning ED Discharges†			51	87.5	54	92.0	74	125.4
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	5	8.5		
Hospitalizations due to MV Injury†	44	71.0	60	103.0	40	68.1	40	67.8
ED Discharges due to MV Injury†			187	320.9	170	289.6	167	282.9
Motor Vehicle Crash Injuries†	228	367.9	238	408.4	235	400.3		
Alcohol-involved MVC Injuries†	54	87.1	64	109.8	45	76.7		
Drinking Drivers Involved in MV Crashes†	33	53.2	38	65.2	30	51.1		
Active Restraint Use, % of MVO Injured, Ages 6+ †	140	82.8%	87	80.6%	67	90.5%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	7	11.3	7	12.0	5	8.5	<5	\$
Pedestrian ED Discharges due to MVC†			8	13.7	5	8.5	10	16.9
Pedestrian Injuries due to MVC†	18	29.0	12	20.6	15	25.6		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	20	32.3	18	30.9	27	46.0	21	35.6
Assault Injury ED Discharges†			96	164.7	128	218.1	85	144.0
Suicide†	8	12.9	8	13.7	<5	\$		
Self-Inflicted Hospitalizations†	24	38.7	20	34.3	16	27.3	20	33.9
Self-Inflicted Injury ED Discharges†			28	48.1	24	40.9	28	47.4
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			40	68.6	29	49.4	32	54.2

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: University

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	57	114.7	53	103.0	35	66.0	40	72.8	44	79.2
Coronary Heart Disease Hospitalizations†	180	362.1	160	310.9	184	346.9	169	307.5	153	275.5
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	17	34.2	23	44.7	15	28.3	12	21.8	11	19.8
Stroke Hospitalizations†	88	177.0	63	122.4	85	160.2	66	120.1	56	100.9
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	6	11.7	5	9.4	<5	\$	5	9.0
Diabetes Hospitalizations†	17	34.2	18	35.0	17	32.0	28	50.9	24	43.2
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	14	28.2	19	36.9	12	22.6	18	32.7	12	21.6
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	10	20.1	18	35.0	14	26.4	10	18.2	13	23.4
COPD Hospitalizations†	39	78.5	41	79.7	29	54.7	24	43.7	24	43.2
COPD ED Discharges†										
All Cancer Deaths†	65	130.8	55	106.9	55	103.7	71	129.2	61	109.9
Prostate Cancer Deaths (among males)†	<5	\$	5	20.0	5	19.5	5	18.8	6	22.4
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	6	23.5	<5	\$	<5	\$	8	28.2	<5	\$
Colorectal Cancer Deaths†	5	10.1	10	19.4	5	9.4	<5	\$	<5	\$
Lung Cancer Deaths†	24	48.3	11	21.4	10	18.9	15	27.3	17	30.6
Arthritis Hospitalizations†	92	185.1	104	202.1	84	158.4	90	163.7	96	172.9
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	67	134.8	62	120.5	75	141.4	65	118.3	61	109.9
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	19	38.2	11	21.4	16	30.2	15	27.3	10	18.0
Chlamydia Reported, Underestimate††	31	62.4	38	73.8	62	116.9	58	105.5	93	167.5
Gonorrhea Reported, Underestimate††	6	12.1	10	19.4	12	22.6	11	20.0	10	18.0
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	432	6.8%	453	7.1%	451	7.1%	473	7.3%	478	7.2%
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	399	93.4%	429	94.9%	419	93.3%	443	94.1%	463	96.9%
Live Births born Preterm†, % of SRA's births	34	8.1%	34	7.7%	28	6.3%	38	8.2%	44	9.5%
Low Birth Weight Births†, % of SRA's births	25	5.8%	22	4.9%	18	4.0%	20	4.2%	30	6.3%
Very Low Birth Weight Births†, % of SRA's births	6	1.4%	8	1.8%	<5	\$	5	1.1%	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	5	10.1	8	15.5	12	22.6	<5	\$	10	18.0
Unintentional Injury Hospitalizations†	202	406.4	240	466.4	243	458.1	238	433.0	221	398.0
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	7	13.2	<5	\$	<5	\$
Fall-related Hospitalizations†	128	257.5	130	252.6	145	273.3	141	256.5	133	239.5
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	6	11.3	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	24	48.3	22	42.8	24	45.2	21	38.2	24	43.2
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	27	54.3	38	73.8	38	71.6	35	63.7	16	28.8
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	545	1,096.4	499	969.7	519	978.4	508	924.3	532	958.1
Alcohol-involved MVC Injuries†	42	84.5	45	87.4	44	82.9	51	92.8	30	54.0
Drinking Drivers Involved in MV Crashes†	24	48.3	35	68.0	29	54.7	28	50.9	19	34.2
Active Restraint Use, % of MVO Injured, Ages 6+ †	367	84.0%	345	83.3%	324	79.6%	354	83.5%	368	83.3%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	5	62.5%	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	5	9.4	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	16	32.2	14	27.2	17	32.0	13	23.7	15	27.0
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	7	14.1	6	11.7	11	20.7	8	14.6	9	16.2
Assault Injury ED Discharges†										
Suicide†	5	10.1	<5	\$	<5	\$	5	9.1	7	12.6
Self-Inflicted Hospitalizations†	18	36.2	21	40.8	18	33.9	19	34.6	14	25.2
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Central Region Subregional Areas (2000-2008)

SRA: University

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	40	72.8	44	82.3	32	59.1		
Coronary Heart Disease Hospitalizations†	148	269.2	117	219.0	129	238.4	103	183.5
Coronary Heart Disease ED Discharges†			9	16.8	10	18.5	9	16.0
Stroke Deaths†	14	25.5	10	18.7	13	24.0		
Stroke Hospitalizations†	78	141.9	83	155.3	93	171.8	79	140.8
Stroke ED Discharges†			9	16.8	9	16.6	15	26.7
Diabetes Deaths†	9	16.4	5	9.4	<5	\$		
Diabetes Hospitalizations†	28	50.9	15	28.1	17	31.4	18	32.1
Diabetes ED Discharges†			20	37.4	19	35.1	23	41.0
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	19	34.6	5	9.4	11	20.3	13	23.2
Asthma ED Discharges†			56	104.8	70	129.3	69	123.0
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	6	10.9	12	22.5	10	18.5		
COPD Hospitalizations†	21	38.2	26	48.7	30	55.4	29	51.7
COPD ED Discharges†			53	99.2	56	103.5	46	82.0
All Cancer Deaths†	62	112.8	63	117.9	53	97.9		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	5	17.6	6	21.8	<5	\$		
Colorectal Cancer Deaths†	<5	\$	<5	\$	5	9.2		
Lung Cancer Deaths†	11	20.0	14	26.2	14	25.9		
Arthritis Hospitalizations†	112	203.7	116	217.1	107	197.7	118	210.3
Arthritis ED Discharges†			140	262.0	160	295.6	156	278.0
Dorsopathies Hospitalizations†	63	114.6	71	132.9	49	90.5	62	110.5
Dorsopathies ED Discharges†			186	348.1	192	354.8	166	295.8
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	6	10.7
Chronic Hepatitis C Reported†	18	32.7	20	37.4	16	29.6	22	39.2
Chlamydia Reported, Underestimate††	201	365.6	140	262.0	81	149.7	96	171.1
Gonorrhea Reported, Underestimate††	41	74.6	15	28.1	19	35.1	7	12.5
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	5	8.9
Live Births†, % of Region's births	481	7.2%	473	6.9%	494	7.0%		
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	460	96.0%	448	94.7%	465	94.5%		
Live Births born Preterm†, % of SRA's births	48	10.2%	47	10.2%	41	8.4%		
Low Birth Weight Births†, % of SRA's births	27	5.6%	39	8.2%	39	7.9%		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	7	1.4%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	7	12.7	<5	\$	9	16.6		
Unintentional Injury Hospitalizations†	246	447.5	235	439.8	239	441.6	237	422.3
Unintentional Injury ED Discharges†			1,837	3,437.9	1,881	3,475.5	1,828	3,257.5
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	133	241.9	133	248.9	151	279.0	152	270.9
Fall-related ED Discharges†			561	1,049.9	582	1,075.3	597	1,063.8
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$		
Overdose/Poisoning Hospitalizations†	22	40.0	22	41.2	27	49.9	20	35.6
Overdose/Poisoning ED Discharges†			36	67.4	40	73.9	40	71.3
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	29	52.8	29	54.3	22	40.6	10	17.8
ED Discharges due to MV Injury†			197	368.7	184	340.0	190	338.6
Motor Vehicle Crash Injuries†	481	875.0	574	1,074.2	469	866.6		
Alcohol-involved MVC Injuries†	40	72.8	52	97.3	33	61.0		
Drinking Drivers Involved in MV Crashes†	25	45.5	39	73.0	26	48.0		
Active Restraint Use, % of MVO Injured, Ages 6+ †	319	83.9%	379	92.9%	257	89.2%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	5	9.4	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			8	15.0	10	18.5	13	23.2
Pedestrian Injuries due to MVC†	12	21.8	10	18.7	21	38.8		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	7	12.7	8	15.0	6	11.1	7	12.5
Assault Injury ED Discharges†			46	86.1	51	94.2	52	92.7
Suicide†	6	10.9	<5	\$	6	11.1		
Self-Inflicted Hospitalizations†	7	12.7	9	16.8	13	24.0	11	19.6
Self-Inflicted Injury ED Discharges†			15	28.1	20	37.0	18	32.1
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			43	80.5	58	107.2	22	39.2

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

Central Region Subregional Areas (2000-2008)

SRA: Central San Diego

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	289	185.5	263	164.1	270	169.8	241	151.0	234	144.1
Coronary Heart Disease Hospitalizations†	732	469.8	746	465.5	709	445.9	715	447.9	665	409.4
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	88	56.5	106	66.1	74	46.5	79	49.5	65	40.0
Stroke Hospitalizations†	422	270.8	417	260.2	362	227.7	321	201.1	299	184.1
Stroke ED Discharges†										
Diabetes Deaths†	36	23.1	45	28.1	30	18.9	30	18.8	33	20.3
Diabetes Hospitalizations†	258	165.6	240	149.8	255	160.4	265	166.0	209	128.7
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	193	123.9	193	120.4	190	119.5	189	118.4	182	112.0
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	57	36.6	59	36.8	45	28.3	41	25.7	59	36.3
COPD Hospitalizations†	282	181.0	306	190.9	259	162.9	249	156.0	204	125.6
COPD ED Discharges†										
All Cancer Deaths†	242	155.3	232	144.8	248	156.0	237	148.5	223	137.3
Prostate Cancer Deaths (among males)†	15	17.5	20	22.9	11	12.8	13	15.0	9	10.3
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	22	31.3	18	24.7	18	24.8	17	23.3	20	26.7
Colorectal Cancer Deaths†	25	16.0	19	11.9	22	13.8	21	13.2	16	9.9
Lung Cancer Deaths†	78	50.1	57	35.6	69	43.4	58	36.3	50	30.8
Arthritis Hospitalizations†	304	195.1	322	200.9	317	199.4	347	217.4	329	202.5
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	224	143.7	202	126.0	216	135.9	198	124.0	198	121.9
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	37	23.7	42	26.2	39	24.5	43	26.9	30	18.5
Chronic Hepatitis C Reported†	657	421.6	625	390.0	508	319.5	550	344.5	526	323.8
Chlamydia Reported, Underestimate††	521	334.3	639	398.7	739	464.8	709	444.1	706	434.6
Gonorrhea Reported, Underestimate††	267	171.3	327	204.0	405	254.7	290	181.7	357	219.8
Primary and Secondary Syphilis Reported†	7	4.5	11	6.9	14	8.8	49	30.7	61	37.6
Live Births†, % of Region's births	2,191	25.8%	2,215	27.1%	2,052	25.8%	2,131	26.3%	2,149	27.5%
Live Births to Girls, Ages 15-17†, % of SRA's births	115	5.2%	81	3.7%	67	3.3%	96	4.5%	76	3.5%
Live Births with Early Prenatal Care†, % of SRA's births	1,712	79.9%	1,772	81.4%	1,712	84.7%	1,788	86.1%	1,836	87.2%
Live Births born Preterm†, % of SRA's births	257	12.4%	244	11.6%	229	11.8%	244	12.1%	251	12.2%
Low Birth Weight Births†, % of SRA's births	153	7.0%	135	6.1%	125	6.1%	174	8.2%	146	6.8%
Very Low Birth Weight Births†, % of SRA's births	36	1.6%	24	1.1%	27	1.3%	32	1.5%	35	1.6%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	12	5.4	13	5.8	9	4.4	12	5.6	16	7.4
Infant Mortality†, Rate per 1,000 live births	15	6.8	18	8.1	10	4.9	8	3.8	13	6.0
Unintentional Injury Deaths†	68	43.6	52	32.4	55	34.6	65	40.7	55	33.9
Unintentional Injury Hospitalizations†	1,531	982.5	1,351	843.0	1,313	825.8	1,363	853.8	1,257	773.9
Unintentional Injury ED Discharges†										
Fall-related Deaths†	9	5.8	8	5.0	7	4.4	9	5.6	6	3.7
Fall-related Hospitalizations†	685	439.6	610	380.6	621	390.6	628	393.4	546	336.1
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	41	26.3	30	18.7	30	18.9	46	28.8	39	24.0
Overdose/Poisoning Hospitalizations†	251	161.1	271	169.1	240	150.9	242	151.6	233	143.4
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	10	6.4	11	6.9	18	11.3	10	6.3	13	8.0
Hospitalizations due to MV Injury†	306	196.4	231	144.1	229	144.0	216	135.3	217	133.6
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	2,071	1,329.0	1,887	1,177.5	1,936	1,217.7	1,827	1,144.5	2,033	1,251.6
Alcohol-involved MVC Injuries†	228	146.3	214	133.5	231	145.3	241	151.0	270	166.2
Drinking Drivers Involved in MV Crashes†	154	98.8	151	94.2	152	95.6	132	82.7	173	106.5
Active Restraint Use, % of MVO Injured, Ages 6+ †	1,304	84.5%	1,177	84.0%	1,182	85.0%	1,131	86.7%	1,188	83.7%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	11	30.6%	6	30.0%	13	41.9%	12	60.0%	15	62.5%
Pedestrian Deaths due to MVC†	7	4.5	6	3.7	11	6.9	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	55	35.3	48	30.0	53	33.3	35	21.9	39	24.0
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	148	95.0	170	106.1	178	112.0	168	105.2	184	113.3
Homicide†	14	9.0	12	7.5	6	3.8	13	8.1	12	7.4
Assault Hospitalizations†	250	160.4	178	111.1	155	97.5	221	138.4	212	130.5
Assault Injury ED Discharges†										
Suicide†	26	16.7	36	22.5	26	16.4	26	16.3	31	19.1
Self-Inflicted Hospitalizations†	187	120.0	213	132.9	213	134.0	188	117.8	178	109.6
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	14	9.0	25	15.6	9	5.7	18	11.3	15	9.2
Firearm-related Hospitalizations†	21	13.5	21	13.1	17	10.7	26	16.3	34	20.9
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

† Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

Central Region Subregional Areas (2000-2008)

SRA: Central San Diego

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	232	138.8	206	124.0	192	112.9		
Coronary Heart Disease Hospitalizations†	618	369.9	567	341.4	513	301.7	520	296.7
Coronary Heart Disease ED Discharges†			71	42.7	52	30.6	40	22.8
Stroke Deaths†	58	34.7	45	27.1	50	29.4		
Stroke Hospitalizations†	348	208.3	273	164.4	314	184.7	312	178.0
Stroke ED Discharges†			46	27.7	53	31.2	48	27.4
Diabetes Deaths†	32	19.2	32	19.3	25	14.7		
Diabetes Hospitalizations†	255	152.6	306	184.2	306	180.0	266	151.8
Diabetes ED Discharges†			397	239.0	313	184.1	352	200.9
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	142	85.0	142	85.5	166	97.6	160	91.3
Asthma ED Discharges†			643	387.1	767	451.1	707	403.4
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	40	23.9	43	25.9	40	23.5		
COPD Hospitalizations†	160	95.8	183	110.2	216	127.0	232	132.4
COPD ED Discharges†			535	322.1	550	323.5	583	332.7
All Cancer Deaths†	211	126.3	224	134.9	227	133.5		
Prostate Cancer Deaths (among males)†	13	14.3	12	13.3	10	10.9		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	17	22.3	16	21.0	15	19.2		
Colorectal Cancer Deaths†	20	12.0	23	13.8	26	15.3		
Lung Cancer Deaths†	60	35.9	46	27.7	61	35.9		
Arthritis Hospitalizations†	317	189.7	363	218.6	356	209.4	388	221.4
Arthritis ED Discharges†			1,021	614.7	1,090	641.1	1,154	658.5
Dorsopathies Hospitalizations†	213	127.5	209	125.8	237	139.4	206	117.6
Dorsopathies ED Discharges†			1,319	794.1	1,461	859.3	1,442	822.9
Tuberculosis Incidence†	35	20.9	46	27.7	23	13.5	27	15.4
Chronic Hepatitis C Reported†	534	319.6	499	300.4	489	287.6	443	252.8
Chlamydia Reported, Underestimate††	632	378.2	642	386.5	741	435.8	785	448.0
Gonorrhea Reported, Underestimate††	315	188.5	234	140.9	257	151.2	199	113.6
Primary and Secondary Syphilis Reported†	80	47.9	96	57.8	136	80.0	128	73.0
Live Births†, % of Region's births	2,167	27.3%	2,127	27.0%	2,120	26.4%		
Live Births to Girls, Ages 15-17†, % of SRA's births	84	3.9%	74	3.5%	78	3.7%		
Live Births with Early Prenatal Care†, % of SRA's births	1,834	85.8%	1,793	85.1%	1,788	84.9%		
Live Births born Preterm†, % of SRA's births	286	13.7%	272	13.2%	252	12.1%		
Low Birth Weight Births†, % of SRA's births	163	7.5%	144	6.8%	165	7.8%		
Very Low Birth Weight Births†, % of SRA's births	30	1.4%	28	1.3%	26	1.2%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	10	4.6	14	6.5	9	4.2		
Infant Mortality†, Rate per 1,000 live births	7	3.2	9	4.2	12	5.7		
Unintentional Injury Deaths†	75	44.9	54	32.5	54	31.8		
Unintentional Injury Hospitalizations†	1,331	796.6	1,362	820.0	1,344	790.5	1,358	774.9
Unintentional Injury ED Discharges†			8,457	5,091.7	8,036	4,726.7	8,292	4,731.8
Fall-related Deaths†	17	10.2	9	5.4	5	2.9		
Fall-related Hospitalizations†	608	363.9	600	361.2	603	354.7	651	371.5
Fall-related ED Discharges†			2,720	1,637.6	2,662	1,565.8	2,731	1,558.4
Overdose/Poisoning Deaths†	36	21.5	41	24.7	41	24.1		
Overdose/Poisoning Hospitalizations†	221	132.3	187	112.6	206	121.2	257	146.7
Overdose/Poisoning ED Discharges†			281	169.2	298	175.3	342	195.2
Deaths due to Motor Vehicle (MV) Injury†	19	11.4	8	4.8	10	5.9		
Hospitalizations due to MV Injury†	230	137.6	281	169.2	251	147.6	222	126.7
ED Discharges due to MV Injury†			837	503.9	857	504.1	853	486.8
Motor Vehicle Crash Injuries†	1,787	1,069.5	1,681	1,012.1	1,655	973.5		
Alcohol-involved MVC Injuries†	207	123.9	193	116.2	179	105.3		
Drinking Drivers Involved in MV Crashes†	142	85.0	146	87.9	133	78.2		
Active Restraint Use, % of MVO Injured, Ages 6+ †	1,039	81.4%	860	88.5%	742	90.4%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	6	35.3%	14	63.6%	8	88.9%		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	44	26.3	39	23.5	47	27.6	43	24.5
Pedestrian ED Discharges due to MVC†			83	50.0	89	52.3	86	49.1
Pedestrian Injuries due to MVC†	146	87.4	154	92.7	181	106.5		
Homicide†	9	5.4	16	9.6	8	4.7		
Assault Hospitalizations†	228	136.5	226	136.1	238	140.0	221	126.1
Assault Injury ED Discharges†			732	440.7	800	470.6	837	477.6
Suicide†	29	17.4	21	12.6	29	17.1		
Self-Inflicted Hospitalizations†	172	102.9	140	84.3	133	78.2	145	82.7
Self-Inflicted Injury ED Discharges†			152	91.5	160	94.1	185	105.6
Firearm-related Deaths†	17	10.2	16	9.6	12	7.1		
Firearm-related Hospitalizations†	26	15.6	30	18.1	30	17.6	22	12.6
Firearm-related ED Discharges†			8	4.8	13	7.6	14	8.0
Dental-related ED Discharges†			321	193.3	358	210.6	396	226.0

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

Central Region Subregional Areas (2000-2008)

SRA: Mid City

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	227	135.0	201	117.9	219	128.7	194	113.3	178	104.3
Coronary Heart Disease Hospitalizations†	713	424.1	653	383.1	609	358.0	580	338.8	495	290.1
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	92	54.7	97	56.9	68	40.0	80	46.7	62	36.3
Stroke Hospitalizations†	386	229.6	361	211.8	330	194.0	292	170.5	296	173.5
Stroke ED Discharges†										
Diabetes Deaths†	25	14.9	29	17.0	26	15.3	31	18.1	23	13.5
Diabetes Hospitalizations†	227	135.0	204	119.7	203	119.3	203	118.6	237	138.9
Diabetes ED Discharges†										
Asthma Deaths†	5	3.0	5	2.9	<5	\$	5	2.9	<5	\$
Asthma Hospitalizations†	196	116.6	274	160.8	234	137.5	249	145.4	202	118.4
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	47	28.0	49	28.7	35	20.6	49	28.6	48	28.1
COPD Hospitalizations†	241	143.3	196	115.0	202	118.7	176	102.8	163	95.5
COPD ED Discharges†										
All Cancer Deaths†	227	135.0	244	143.2	210	123.4	214	125.0	217	127.2
Prostate Cancer Deaths (among males)†	9	10.8	19	22.5	22	26.1	16	18.9	12	14.2
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	18	21.3	19	22.1	16	18.6	10	11.6	24	27.9
Colorectal Cancer Deaths†	18	10.7	17	10.0	24	14.1	10	5.8	26	15.2
Lung Cancer Deaths†	66	39.3	81	47.5	57	33.5	60	35.0	52	30.5
Arthritis Hospitalizations†	270	160.6	250	146.7	268	157.5	298	174.0	278	162.9
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	170	101.1	192	112.6	201	118.1	192	112.1	168	98.5
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	43	25.6	40	23.5	37	21.7	26	15.2	24	14.1
Chronic Hepatitis C Reported†	322	191.5	239	140.2	260	152.8	205	119.7	271	158.8
Chlamydia Reported, Underestimate††	660	392.6	697	408.9	793	466.1	780	455.6	790	463.0
Gonorrhea Reported, Underestimate††	152	90.4	199	116.8	203	119.3	157	91.7	212	124.3
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	22	12.8	27	15.8
Live Births†, % of Region's births	3,317	39.1%	3,093	37.8%	3,021	37.9%	3,045	37.6%	2,896	37.1%
Live Births to Girls, Ages 15-17†, % of SRA's births	125	3.8%	118	3.8%	132	4.4%	103	3.4%	109	3.8%
Live Births with Early Prenatal Care†, % of SRA's births	2,609	80.0%	2,421	80.2%	2,512	84.2%	2,560	86.0%	2,451	85.8%
Live Births born Preterm†, % of SRA's births	352	11.3%	355	12.3%	365	12.7%	353	12.4%	344	12.6%
Low Birth Weight Births†, % of SRA's births	202	6.1%	215	7.0%	192	6.4%	206	6.8%	183	6.3%
Very Low Birth Weight Births†, % of SRA's births	47	1.4%	38	1.2%	32	1.1%	36	1.2%	33	1.1%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	12	3.6	16	5.1	20	6.6	16	5.2	12	4.1
Infant Mortality†, Rate per 1,000 live births	19	5.7	24	7.8	15	5.0	16	5.3	17	5.9
Unintentional Injury Deaths†	39	23.2	38	22.3	56	32.9	37	21.6	41	24.0
Unintentional Injury Hospitalizations†	1,098	653.1	1,131	663.5	1,095	643.6	1,125	657.1	1,011	592.6
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	5	2.9	7	4.1	6	3.5	<5	\$
Fall-related Hospitalizations†	473	281.3	478	280.4	466	273.9	491	286.8	417	244.4
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	20	11.9	14	8.2	26	15.3	21	12.3	22	12.9
Overdose/Poisoning Hospitalizations†	180	107.1	178	104.4	191	112.3	156	91.1	160	93.8
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	10	5.9	12	7.0	18	10.6	11	6.4	13	7.6
Hospitalizations due to MV Injury†	242	143.9	236	138.5	247	145.2	245	143.1	219	128.4
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	1,345	800.0	1,358	796.7	1,348	792.4	1,275	744.7	1,052	616.6
Alcohol-involved MVC Injuries†	125	74.3	167	98.0	145	85.2	146	85.3	108	63.3
Drinking Drivers Involved in MV Crashes†	74	44.0	103	60.4	109	64.1	75	43.8	72	42.2
Active Restraint Use, % of MVO Injured, Ages 6+ †	815	85.8%	856	84.8%	831	86.4%	819	89.2%	599	85.8%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	9	42.9%	7	30.4%	14	48.3%	8	47.1%	<5	\$
Pedestrian Deaths due to MVC†	7	4.2	<5	\$	9	5.3	<5	\$	7	4.1
Pedestrian Hospitalizations due to MVC†	49	29.1	43	25.2	37	21.7	45	26.3	33	19.3
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	125	74.3	106	62.2	115	67.6	107	62.5	94	55.1
Homicide†	8	4.8	10	5.9	9	5.3	13	7.6	14	8.2
Assault Hospitalizations†	130	77.3	139	81.6	136	79.9	152	88.8	163	95.5
Assault Injury ED Discharges†										
Suicide†	16	9.5	21	12.3	18	10.6	12	7.0	15	8.8
Self-Inflicted Hospitalizations†	142	84.5	127	74.5	140	82.3	124	72.4	114	66.8
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	16	9.5	13	7.6	14	8.2	9	5.3	12	7.0
Firearm-related Hospitalizations†	18	10.7	26	15.3	14	8.2	17	9.9	29	17.0
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

† Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

Central Region Subregional Areas (2000-2008)

SRA: Mid City

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	173	102.6	167	97.0	157	91.0		
Coronary Heart Disease Hospitalizations†	506	300.0	443	257.4	427	247.4	377	216.0
Coronary Heart Disease ED Discharges†			39	22.7	37	21.4	28	16.0
Stroke Deaths†	56	33.2	49	28.5	45	26.1		
Stroke Hospitalizations†	300	177.9	257	149.3	273	158.2	347	198.8
Stroke ED Discharges†			40	23.2	55	31.9	58	33.2
Diabetes Deaths†	29	17.2	30	17.4	29	16.8		
Diabetes Hospitalizations†	249	147.6	234	135.9	259	150.1	286	163.9
Diabetes ED Discharges†			273	158.6	292	169.2	317	181.6
Asthma Deaths†	<5	\$	6	3.5	<5	\$		
Asthma Hospitalizations†	177	104.9	145	84.2	165	95.6	155	88.8
Asthma ED Discharges†			741	430.5	748	433.4	730	418.3
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	41	24.3	49	28.5	40	23.2		
COPD Hospitalizations†	138	81.8	134	77.9	164	95.0	160	91.7
COPD ED Discharges†			347	201.6	331	191.8	422	241.8
All Cancer Deaths†	209	123.9	208	120.8	221	128.0		
Prostate Cancer Deaths (among males)†	7	8.4	13	15.3	13	15.2		
Cervical Cancer Deaths (among females)†	5	5.9	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	18	21.1	14	16.1	23	26.4		
Colorectal Cancer Deaths†	28	16.6	18	10.5	17	9.8		
Lung Cancer Deaths†	48	28.5	39	22.7	46	26.7		
Arthritis Hospitalizations†	255	151.2	289	167.9	304	176.1	312	178.8
Arthritis ED Discharges†			764	443.9	683	395.7	728	417.1
Dorsopathies Hospitalizations†	166	98.4	178	103.4	174	100.8	184	105.4
Dorsopathies ED Discharges†			1,092	634.4	984	570.1	1,057	605.7
Tuberculosis Incidence†	25	14.8	35	20.3	30	17.4	27	15.5
Chronic Hepatitis C Reported†	283	167.8	291	169.1	271	157.0	226	129.5
Chlamydia Reported, Underestimate††	751	445.2	793	460.7	772	447.3	913	523.1
Gonorrhea Reported, Underestimate††	190	112.6	186	108.1	164	95.0	163	93.4
Primary and Secondary Syphilis Reported†	30	17.8	39	22.7	70	40.6	60	34.4
Live Births†, % of Region's births	2,916	36.7%	2,977	37.8%	2,941	36.6%		
Live Births to Girls, Ages 15-17†, % of SRA's births	113	3.9%	106	3.6%	110	3.7%		
Live Births with Early Prenatal Care†, % of SRA's births	2,485	86.6%	2,501	85.1%	2,395	82.0%		
Live Births born Preterm†, % of SRA's births	377	13.4%	362	12.6%	371	12.8%		
Low Birth Weight Births†, % of SRA's births	200	6.9%	206	6.9%	221	7.5%		
Very Low Birth Weight Births†, % of SRA's births	39	1.3%	41	1.4%	35	1.2%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	14	4.8	24	8.0	17	5.7		
Infant Mortality†, Rate per 1,000 live births	11	3.8	15	5.0	14	4.8		
Unintentional Injury Deaths†	55	32.6	47	27.3	47	27.2		
Unintentional Injury Hospitalizations†	992	588.1	1,007	585.0	1,075	622.8	1,110	636.0
Unintentional Injury ED Discharges†			7,789	4,525.3	7,710	4,466.8	8,072	4,625.2
Fall-related Deaths†	14	8.3	6	3.5	7	4.1		
Fall-related Hospitalizations†	424	251.4	416	241.7	444	257.2	534	306.0
Fall-related ED Discharges†			2,323	1,349.6	2,291	1,327.3	2,541	1,456.0
Overdose/Poisoning Deaths†	22	13.0	21	12.2	24	13.9		
Overdose/Poisoning Hospitalizations†	139	82.4	124	72.0	151	87.5	139	79.6
Overdose/Poisoning ED Discharges†			213	123.7	215	124.6	247	141.5
Deaths due to Motor Vehicle (MV) Injury†	15	8.9	15	8.7	15	8.7		
Hospitalizations due to MV Injury†	190	112.6	220	127.8	230	133.3	200	114.6
ED Discharges due to MV Injury†			1,063	617.6	976	565.4	973	557.5
Motor Vehicle Crash Injuries†	1,030	610.7	938	545.0	886	513.3		
Alcohol-involved MVC Injuries†	90	53.4	113	65.7	101	58.5		
Drinking Drivers Involved in MV Crashes†	78	46.2	70	40.7	74	42.9		
Active Restraint Use, % of MVO Injured, Ages 6+ †	617	82.4%	458	91.1%	308	89.3%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	7	50.0%	9	81.8%	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	8	4.6		
Pedestrian Hospitalizations due to MVC†	29	17.2	41	23.8	40	23.2	46	26.4
Pedestrian ED Discharges due to MVC†			76	44.2	69	40.0	72	41.3
Pedestrian Injuries due to MVC†	75	44.5	94	54.6	101	58.5		
Homicide†	6	3.6	7	4.1	14	8.1		
Assault Hospitalizations†	120	71.1	160	93.0	148	85.7	161	92.3
Assault Injury ED Discharges†			550	319.5	544	315.2	578	331.2
Suicide†	17	10.1	17	9.9	14	8.1		
Self-Inflicted Hospitalizations†	93	55.1	92	53.5	89	51.6	90	51.6
Self-Inflicted Injury ED Discharges†			87	50.5	108	62.6	127	72.8
Firearm-related Deaths†	8	4.7	11	6.4	14	8.1		
Firearm-related Hospitalizations†	27	16.0	38	22.1	23	13.3	15	8.6
Firearm-related ED Discharges†			16	9.3	18	10.4	16	9.2
Dental-related ED Discharges†			210	122.0	251	145.4	293	167.9

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

Central Region Subregional Areas (2000-2008)

SRA: Southeastern San Diego

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	187	119.7	187	118.3	187	118.7	165	105.0	193	120.7
Coronary Heart Disease Hospitalizations†	820	524.7	758	479.5	756	479.9	743	472.7	722	451.7
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	64	41.0	61	38.6	69	43.8	63	40.1	70	43.8
Stroke Hospitalizations†	367	234.9	374	236.6	366	232.3	344	218.9	336	210.2
Stroke ED Discharges†										
Diabetes Deaths†	49	31.4	39	24.7	38	24.1	35	22.3	45	28.2
Diabetes Hospitalizations†	302	193.3	245	155.0	281	178.4	288	183.2	271	169.5
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	252	161.3	263	166.4	261	165.7	255	162.2	225	140.8
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	32	20.5	37	23.4	31	19.7	19	12.1	36	22.5
COPD Hospitalizations†	235	150.4	235	148.7	210	133.3	214	136.2	169	105.7
COPD ED Discharges†										
All Cancer Deaths†	207	132.5	187	118.3	214	135.8	210	133.6	182	113.9
Prostate Cancer Deaths (among males)†	13	17.0	12	15.6	12	15.6	13	17.0	16	20.6
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	5	6.1
Female Breast Cancer Deaths (among females)†	17	21.3	12	14.8	21	26.0	23	28.5	12	14.6
Colorectal Cancer Deaths†	17	10.9	18	11.4	24	15.2	25	15.9	18	11.3
Lung Cancer Deaths†	48	30.7	59	37.3	57	36.2	50	31.8	41	25.6
Arthritis Hospitalizations†	233	149.1	249	157.5	273	173.3	240	152.7	283	177.0
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	138	88.3	145	91.7	158	100.3	126	80.2	158	98.8
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	29	18.6	34	21.5	38	24.1	36	22.9	39	24.4
Chronic Hepatitis C Reported†	222	142.1	220	139.2	212	134.6	189	120.3	188	117.6
Chlamydia Reported, Underestimate††	648	414.7	667	422.0	804	510.4	725	461.3	821	513.6
Gonorrhea Reported, Underestimate††	175	112.0	145	91.7	145	92.0	138	87.8	179	112.0
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	5	3.2	6	3.8
Live Births†, % of Region's births	2,978	35.1%	2,875	35.1%	2,892	36.3%	2,931	36.2%	2,771	35.5%
Live Births to Girls, Ages 15-17†, % of SRA's births	175	5.9%	135	4.7%	158	5.5%	133	4.5%	147	5.3%
Live Births with Early Prenatal Care†, % of SRA's births	2,243	76.1%	2,217	78.2%	2,357	82.4%	2,437	84.1%	2,292	84.0%
Live Births born Preterm†, % of SRA's births	359	12.9%	356	13.2%	358	13.1%	346	12.4%	335	12.8%
Low Birth Weight Births†, % of SRA's births	221	7.4%	217	7.5%	204	7.1%	201	6.9%	209	7.5%
Very Low Birth Weight Births†, % of SRA's births	55	1.8%	40	1.4%	41	1.4%	36	1.2%	37	1.3%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	20	6.7	19	6.6	14	4.8	14	4.8	22	7.9
Infant Mortality†, Rate per 1,000 live births	28	9.4	17	5.9	23	8.0	11	3.8	17	6.1
Unintentional Injury Deaths†	35	22.4	34	21.5	38	24.1	41	26.1	34	21.3
Unintentional Injury Hospitalizations†	839	536.9	885	559.9	882	559.9	895	569.4	894	559.3
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	325	208.0	341	215.7	326	206.9	316	201.1	324	202.7
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	9	5.8	21	13.3	24	15.2	17	10.8	23	14.4
Overdose/Poisoning Hospitalizations†	145	92.8	121	76.5	113	71.7	128	81.4	124	77.6
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	14	9.0	12	7.6	11	7.0	14	8.9	10	6.3
Hospitalizations due to MV Injury†	200	128.0	215	136.0	225	142.8	238	151.4	228	142.6
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	797	510.0	787	497.9	853	541.5	835	531.3	727	454.8
Alcohol-involved MVC Injuries†	86	55.0	99	62.6	77	48.9	98	62.4	92	57.6
Drinking Drivers Involved in MV Crashes†	59	37.8	65	41.1	58	36.8	55	35.0	66	41.3
Active Restraint Use, % of MVO Injured, Ages 6+ †	443	81.4%	455	84.3%	490	83.2%	499	82.1%	406	81.5%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	6	33.3%	<5	\$	13	68.4%	9	39.1%	7	43.8%
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	25	16.0	26	16.4	41	26.0	31	19.7	32	20.0
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	71	45.4	64	40.5	75	47.6	55	35.0	52	32.5
Homicide†	14	9.0	12	7.6	12	7.6	21	13.4	27	16.9
Assault Hospitalizations†	130	83.2	163	103.1	154	97.8	178	113.3	179	112.0
Assault Injury ED Discharges†										
Suicide†	12	7.7	15	9.5	12	7.6	14	8.9	10	6.3
Self-Inflicted Hospitalizations†	94	60.2	89	56.3	80	50.8	88	56.0	95	59.4
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	13	8.3	14	8.9	13	8.3	20	12.7	26	16.3
Firearm-related Hospitalizations†	35	22.4	43	27.2	37	23.5	51	32.4	76	47.5
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

Central Region Subregional Areas (2000-2008)

SRA: Southeastern San Diego

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	160	100.5	138	85.9	158	98.1		
Coronary Heart Disease Hospitalizations†	658	413.1	583	363.1	549	340.9	628	386.2
Coronary Heart Disease ED Discharges†			34	21.2	30	18.6	36	22.1
Stroke Deaths†	56	35.2	46	28.6	56	34.8		
Stroke Hospitalizations†	329	206.6	297	185.0	348	216.1	337	207.2
Stroke ED Discharges†			58	36.1	47	29.2	53	32.6
Diabetes Deaths†	38	23.9	43	26.8	30	18.6		
Diabetes Hospitalizations†	292	183.3	300	186.8	369	229.1	370	227.5
Diabetes ED Discharges†			369	229.8	321	199.3	396	243.5
Asthma Deaths†	6	3.8	<5	\$	<5	\$		
Asthma Hospitalizations†	229	143.8	221	137.6	197	122.3	237	145.7
Asthma ED Discharges†			1,066	663.9	816	506.7	972	597.7
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	32	20.1	19	11.8	32	19.9		
COPD Hospitalizations†	188	118.0	181	112.7	161	100.0	178	109.5
COPD ED Discharges†			467	290.8	330	204.9	495	304.4
All Cancer Deaths†	194	121.8	206	128.3	188	116.7		
Prostate Cancer Deaths (among males)†	15	19.3	10	12.8	13	16.6		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	19	23.3	9	10.9	9	10.9		
Colorectal Cancer Deaths†	23	14.4	21	13.1	13	8.1		
Lung Cancer Deaths†	49	30.8	47	29.3	52	32.3		
Arthritis Hospitalizations†	278	174.5	275	171.3	315	195.6	277	170.3
Arthritis ED Discharges†			852	530.6	728	452.1	932	573.1
Dorsopathies Hospitalizations†	153	96.1	158	98.4	156	96.9	167	102.7
Dorsopathies ED Discharges†			1,138	708.7	905	562.0	1,207	742.2
Tuberculosis Incidence†	25	15.7	37	23.0	29	18.0	23	14.1
Chronic Hepatitis C Reported†	176	110.5	210	130.8	187	116.1	180	110.7
Chlamydia Reported, Underestimate††	782	491.0	868	540.6	948	588.7	1,030	633.4
Gonorrhea Reported, Underestimate††	196	123.1	192	119.6	151	93.8	141	86.7
Primary and Secondary Syphilis Reported†	9	5.7	6	3.7	8	5.0	24	14.8
Live Births†, % of Region's births	2,860	36.0%	2,771	35.2%	2,983	37.1%		
Live Births to Girls, Ages 15-17†, % of SRA's births	155	5.4%	153	5.5%	163	5.5%		
Live Births with Early Prenatal Care†, % of SRA's births	2,402	85.1%	2,321	84.9%	2,409	81.2%		
Live Births born Preterm†, % of SRA's births	370	13.5%	329	12.4%	360	12.3%		
Low Birth Weight Births†, % of SRA's births	227	7.9%	205	7.4%	217	7.3%		
Very Low Birth Weight Births†, % of SRA's births	47	1.6%	36	1.3%	39	1.3%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	12	4.2	8	2.9	19	6.3		
Infant Mortality†, Rate per 1,000 live births	27	9.4	23	8.3	17	5.7		
Unintentional Injury Deaths†	44	27.6	47	29.3	47	29.2		
Unintentional Injury Hospitalizations†	890	558.8	872	543.1	921	571.9	953	586.0
Unintentional Injury ED Discharges†			8,303	5,170.9	7,037	4,369.9	8,507	5,231.0
Fall-related Deaths†	6	3.8	7	4.4	9	5.6		
Fall-related Hospitalizations†	334	209.7	307	191.2	364	226.0	416	255.8
Fall-related ED Discharges†			2,440	1,519.6	2,076	1,289.2	2,635	1,620.3
Overdose/Poisoning Deaths†	18	11.3	18	11.2	20	12.4		
Overdose/Poisoning Hospitalizations†	110	69.1	115	71.6	145	90.0	133	81.8
Overdose/Poisoning ED Discharges†			200	124.6	186	115.5	201	123.6
Deaths due to Motor Vehicle (MV) Injury†	13	8.2	15	9.3	13	8.1		
Hospitalizations due to MV Injury†	246	154.4	191	118.9	201	124.8	187	115.0
ED Discharges due to MV Injury†			1,098	683.8	892	553.9	970	596.5
Motor Vehicle Crash Injuries†	763	479.0	653	406.7	616	382.5		
Alcohol-involved MVC Injuries†	86	54.0	79	49.2	87	54.0		
Drinking Drivers Involved in MV Crashes†	59	37.0	52	32.4	57	35.4		
Active Restraint Use, % of MVO Injured, Ages 6+ †	444	79.1%	324	86.2%	238	86.2%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	8	88.9%	6	66.7%		
Pedestrian Deaths due to MVC†	<5	\$	5	3.1	<5	\$		
Pedestrian Hospitalizations due to MVC†	42	26.4	24	14.9	38	23.6	26	16.0
Pedestrian ED Discharges due to MVC†			65	40.5	64	39.7	77	47.3
Pedestrian Injuries due to MVC†	68	42.7	46	28.6	52	32.3		
Homicide†	18	11.3	19	11.8	16	9.9		
Assault Hospitalizations†	172	108.0	161	100.3	180	111.8	181	111.3
Assault Injury ED Discharges†			618	384.9	466	289.4	670	412.0
Suicide†	9	5.7	5	3.1	13	8.1		
Self-Inflicted Hospitalizations†	95	59.6	73	45.5	93	57.8	90	55.3
Self-Inflicted Injury ED Discharges†			70	43.6	50	31.0	76	46.7
Firearm-related Deaths†	20	12.6	15	9.3	19	11.8		
Firearm-related Hospitalizations†	55	34.5	46	28.6	43	26.7	37	22.8
Firearm-related ED Discharges†			17	10.6	29	18.0	25	15.4
Dental-related ED Discharges†			243	151.3	272	168.9	332	204.1

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

South Region Subregional Areas (2000-2008)

SRA: Chula Vista

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	302	277.3	322	291.4	266	238.5	272	243.6	270	241.1
Coronary Heart Disease Hospitalizations†	968	888.8	929	840.7	994	891.2	868	777.3	942	841.2
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	90	82.6	88	79.6	68	61.0	90	80.6	74	66.1
Stroke Hospitalizations†	461	423.3	463	419.0	424	380.2	454	406.6	377	336.7
Stroke ED Discharges†										
Diabetes Deaths†	27	24.8	26	23.5	32	28.7	40	35.8	26	23.2
Diabetes Hospitalizations†	210	192.8	208	188.2	222	199.0	243	217.6	264	235.8
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	164	150.6	129	116.7	139	124.6	179	160.3	115	102.7
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	56	51.4	55	49.8	54	48.4	56	50.2	61	54.5
COPD Hospitalizations†	246	225.9	301	272.4	294	263.6	252	225.7	173	154.5
COPD ED Discharges†										
All Cancer Deaths†	257	236.0	286	258.8	231	207.1	262	234.6	263	234.9
Prostate Cancer Deaths (among males)†	20	38.0	15	28.2	12	22.4	26	48.5	16	29.8
Cervical Cancer Deaths (among females)†	<5	\$	5	8.7	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	19	33.7	27	47.1	19	32.8	18	31.0	24	41.2
Colorectal Cancer Deaths†	26	23.9	24	21.7	17	15.2	22	19.7	24	21.4
Lung Cancer Deaths†	55	50.5	71	64.3	55	49.3	54	48.4	65	58.0
Arthritis Hospitalizations†	287	263.5	307	277.8	361	323.7	362	324.2	361	322.4
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	169	155.2	209	189.1	240	215.2	240	214.9	238	212.5
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	23	21.1	22	19.9	27	24.2	16	14.3	24	21.4
Chronic Hepatitis C Reported†	116	106.5	163	147.5	160	143.5	135	120.9	157	140.2
Chlamydia Reported, Underestimate††	331	303.9	393	355.6	503	451.0	502	449.6	495	442.0
Gonorrhea Reported, Underestimate††	43	39.5	41	37.1	72	64.6	72	64.5	82	73.2
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	2,862	37.4%	2,965	37.8%	2,834	35.5%	2,918	35.5%	2,910	34.3%
Live Births to Girls, Ages 15-17†, % of SRA's births	80	2.8%	99	3.3%	78	2.8%	68	2.3%	80	2.7%
Live Births with Early Prenatal Care†, % of SRA's births	2,362	83.1%	2,458	83.3%	2,453	86.7%	2,614	89.8%	2,601	89.6%
Live Births born Preterm†, % of SRA's births	291	10.8%	293	10.4%	271	10.0%	260	9.3%	256	9.2%
Low Birth Weight Births†, % of SRA's births	179	6.3%	176	5.9%	161	5.7%	158	5.4%	167	5.7%
Very Low Birth Weight Births†, % of SRA's births	35	1.2%	31	1.0%	32	1.1%	32	1.1%	20	0.7%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	19	6.6	16	5.4	16	5.6	15	5.1	12	4.1
Infant Mortality†, Rate per 1,000 live births	14	4.9	14	4.7	11	3.9	7	2.4	8	2.7
Unintentional Injury Deaths†	43	39.5	37	33.5	34	30.5	34	30.4	36	32.1
Unintentional Injury Hospitalizations†	901	827.3	950	859.7	1,006	902.0	1,070	958.2	1,067	952.8
Unintentional Injury ED Discharges†										
Fall-related Deaths†	8	7.3	5	4.5	10	9.0	10	9.0	9	8.0
Fall-related Hospitalizations†	420	385.7	447	404.5	464	416.0	499	446.9	523	467.0
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	18	16.5	5	4.5	8	7.2	13	11.6	10	8.9
Overdose/Poisoning Hospitalizations†	124	113.9	126	114.0	117	104.9	99	88.7	102	91.1
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	10	9.2	22	19.9	13	11.7	9	8.1	10	8.9
Hospitalizations due to MV Injury†	174	159.8	173	156.6	190	170.4	211	189.0	211	188.4
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	1,165	1,069.7	1,281	1,159.3	1,367	1,225.6	1,416	1,268.1	1,383	1,235.0
Alcohol-involved MVC Injuries†	145	133.1	142	128.5	139	124.6	176	157.6	163	145.6
Drinking Drivers Involved in MV Crashes†	82	75.3	93	84.2	95	85.2	98	87.8	105	93.8
Active Restraint Use, % of MVO Injured, Ages 6+ †	814	85.1%	893	81.6%	956	83.9%	883	78.6%	822	85.5%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	20	60.6%	12	42.9%	13	56.5%	12	50.0%	13	50.0%
Pedestrian Deaths due to MVC†	<5	\$	5	4.5	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	23	21.1	19	17.2	21	18.8	29	26.0	29	25.9
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	68	62.4	67	60.6	72	64.6	86	77.0	68	60.7
Homicide†	<5	\$	8	7.2	<5	\$	9	8.1	8	7.1
Assault Hospitalizations†	55	50.5	62	56.1	66	59.2	88	78.8	105	93.8
Assault Injury ED Discharges†										
Suicide†	16	14.7	18	16.3	9	8.1	11	9.9	12	10.7
Self-Inflicted Hospitalizations†	96	88.1	138	124.9	99	88.8	84	75.2	81	72.3
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	8	7.3	20	18.1	7	6.3	8	7.2	11	9.8
Firearm-related Hospitalizations†	8	7.3	9	8.1	12	10.8	9	8.1	18	16.1
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

South Region Subregional Areas (2000-2008)

SRA: Chula Vista

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	267	235.4	238	213.3	255	226.1		
Coronary Heart Disease Hospitalizations†	862	760.1	887	794.9	846	750.2	767	674.4
Coronary Heart Disease ED Discharges†			92	82.4	59	52.3	49	43.1
Stroke Deaths†	71	62.6	71	63.6	67	59.4		
Stroke Hospitalizations†	431	380.1	445	398.8	418	370.7	420	369.3
Stroke ED Discharges†			63	56.5	61	54.1	80	70.3
Diabetes Deaths†	40	35.3	41	36.7	46	40.8		
Diabetes Hospitalizations†	279	246.0	348	311.9	371	329.0	315	277.0
Diabetes ED Discharges†			319	285.9	320	283.8	359	315.7
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	104	91.7	102	91.4	132	117.1	120	105.5
Asthma ED Discharges†			766	686.5	765	678.4	622	546.9
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	56	49.4	49	43.9	51	45.2		
COPD Hospitalizations†	173	152.6	145	129.9	199	176.5	252	221.6
COPD ED Discharges†			505	452.6	520	461.1	549	482.7
All Cancer Deaths†	314	276.9	251	224.9	244	216.4		
Prostate Cancer Deaths (among males)†	18	33.0	16	29.8	20	36.8		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	26	44.2	20	34.6	16	27.4		
Colorectal Cancer Deaths†	27	23.8	19	17.0	20	17.7		
Lung Cancer Deaths†	68	60.0	58	52.0	56	49.7		
Arthritis Hospitalizations†	361	318.3	403	361.2	383	339.6	367	322.7
Arthritis ED Discharges†			803	719.6	751	665.9	821	721.9
Dorsopathies Hospitalizations†	200	176.4	201	180.1	234	207.5	194	170.6
Dorsopathies ED Discharges†			1,164	1,043.1	1,077	955.0	1,030	905.6
Tuberculosis Incidence†	23	20.3	18	16.1	17	15.1	14	12.3
Chronic Hepatitis C Reported†	177	156.1	248	222.2	253	224.3	199	175.0
Chlamydia Reported, Underestimate††	483	425.9	502	449.9	616	546.2	626	550.4
Gonorrhea Reported, Underestimate††	82	72.3	86	77.1	72	63.8	54	47.5
Primary and Secondary Syphilis Reported†	<5	\$	5	4.5	14	12.4	12	10.6
Live Births†, % of Region's births	2,963	34.2%	2,933	33.1%	2,860	32.4%		
Live Births to Girls, Ages 15-17†, % of SRA's births	76	2.6%	114	3.9%	90	3.1%		
Live Births with Early Prenatal Care†, % of SRA's births	2,626	88.7%	2,600	88.9%	2,479	87.1%		
Live Births born Preterm†, % of SRA's births	303	10.5%	284	9.9%	264	9.3%		
Low Birth Weight Births†, % of SRA's births	186	6.3%	193	6.6%	181	6.3%		
Very Low Birth Weight Births†, % of SRA's births	39	1.3%	26	0.9%	43	1.5%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	18	6.0	10	3.4	14	4.9		
Infant Mortality†, Rate per 1,000 live births	13	4.4	6	2.0	27	9.4		
Unintentional Injury Deaths†	34	30.0	35	31.4	49	43.5		
Unintentional Injury Hospitalizations†	990	873.0	1,111	995.6	1,131	1,002.9	1,215	1,068.3
Unintentional Injury ED Discharges†			8,378	7,508.0	8,100	7,182.6	8,310	7,306.7
Fall-related Deaths†	7	6.2	8	7.2	15	13.3		
Fall-related Hospitalizations†	509	448.8	566	507.2	566	501.9	634	557.5
Fall-related ED Discharges†			2,680	2,401.7	2,617	2,320.6	2,961	2,603.5
Overdose/Poisoning Deaths†	9	7.9	13	11.7	18	16.0		
Overdose/Poisoning Hospitalizations†	121	106.7	99	88.7	117	103.7	123	108.1
Overdose/Poisoning ED Discharges†			200	179.2	215	190.7	264	232.1
Deaths due to Motor Vehicle (MV) Injury†	10	8.8	9	8.1	10	8.9		
Hospitalizations due to MV Injury†	179	157.8	204	182.8	198	175.6	179	157.4
ED Discharges due to MV Injury†			898	804.8	837	742.2	844	742.1
Motor Vehicle Crash Injuries†	1,248	1,100.5	1,047	938.3	1,005	891.2		
Alcohol-involved MVC Injuries†	143	126.1	120	107.5	121	107.3		
Drinking Drivers Involved in MV Crashes†	101	89.1	79	70.8	86	76.3		
Active Restraint Use, % of MVO Injured, Ages 6+ †	927	88.5%	744	89.6%	716	89.8%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	13	54.2%	7	53.8%	9	50.0%		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	19	16.8	27	24.2	32	28.4	23	20.2
Pedestrian ED Discharges due to MVC†			49	43.9	61	54.1	65	57.2
Pedestrian Injuries due to MVC†	55	48.5	59	52.9	82	72.7		
Homicide†	9	7.9	5	4.5	6	5.3		
Assault Hospitalizations†	95	83.8	95	85.1	103	91.3	118	103.8
Assault Injury ED Discharges†			453	406.0	454	402.6	505	444.0
Suicide†	12	10.6	8	7.2	9	8.0		
Self-Inflicted Hospitalizations†	91	80.2	74	66.3	86	76.3	87	76.5
Self-Inflicted Injury ED Discharges†			78	69.9	103	91.3	120	105.5
Firearm-related Deaths†	15	13.2	<5	\$	7	6.2		
Firearm-related Hospitalizations†	7	6.2	12	10.8	10	8.9	13	11.4
Firearm-related ED Discharges†			11	9.9	18	16.0	16	14.1
Dental-related ED Discharges†			182	163.1	328	290.9	239	210.1

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

South Region Subregional Areas (2000-2008)

SRA: Coronado

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	54	224.1	45	188.6	43	167.4	39	146.6	24	90.3
Coronary Heart Disease Hospitalizations†	137	568.5	133	557.5	96	373.7	93	349.5	90	338.5
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	15	62.2	22	92.2	16	62.3	9	33.8	13	48.9
Stroke Hospitalizations†	95	394.2	70	293.4	50	194.6	55	206.7	71	267.0
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	18	74.7	12	50.3	11	42.8	8	30.1	10	37.6
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	6	24.9	<5	\$	5	19.5	5	18.8	6	22.6
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	8	33.2	8	33.5	7	27.2	9	33.8	<5	\$
COPD Hospitalizations†	42	174.3	30	125.7	24	93.4	33	124.0	27	101.5
COPD ED Discharges†										
All Cancer Deaths†	39	161.8	40	167.7	50	194.6	39	146.6	57	214.4
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	5	31.1	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	6	59.1	6	57.6	<5	\$	<5	\$
Colorectal Cancer Deaths†	7	29.0	<5	\$	5	19.5	<5	\$	<5	\$
Lung Cancer Deaths†	9	37.3	7	29.3	12	46.7	9	33.8	12	45.1
Arthritis Hospitalizations†	75	311.2	64	268.3	81	315.3	65	244.3	83	312.1
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	31	128.6	54	226.3	55	214.1	29	109.0	44	165.5
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	15	62.2	9	37.7	7	27.2	7	26.3	6	22.6
Chlamydia Reported, Underestimate††	64	265.6	47	197.0	60	233.6	49	184.1	53	199.3
Gonorrhea Reported, Underestimate††	15	62.2	16	67.1	20	77.9	12	45.1	6	22.6
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	192	2.5%	174	2.2%	216	2.7%	186	2.3%	151	1.8%
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	184	95.8%	165	95.4%	204	94.4%	173	94.5%	142	95.3%
Live Births born Preterm†, % of SRA's births	16	8.6%	20	12.0%	14	6.7%	15	8.2%	15	10.2%
Low Birth Weight Births†, % of SRA's births	11	5.7%	8	4.6%	10	4.6%	8	4.3%	8	5.3%
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	7	29.0	6	25.1	6	23.4	6	22.5	<5	\$
Unintentional Injury Hospitalizations†	155	643.2	164	687.4	175	681.2	141	529.9	181	680.7
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	91	377.6	92	385.6	107	416.5	75	281.8	105	394.9
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	14	58.1	18	75.4	9	35.0	11	41.3	18	67.7
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	21	87.1	19	79.6	24	93.4	18	67.6	15	56.4
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	118	489.6	155	649.7	131	509.9	127	477.2	118	443.8
Alcohol-involved MVC Injuries†	10	41.5	27	113.2	19	74.0	11	41.3	10	37.6
Drinking Drivers Involved in MV Crashes†	8	33.2	13	54.5	13	50.6	9	33.8	10	37.6
Active Restraint Use, % of MVO Injured, Ages 6+ †	79	84.9%	98	84.5%	85	88.5%	72	78.3%	61	77.2%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	5	20.7	<5	\$	9	35.0	5	18.8	7	26.3
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	6	22.5	<5	\$
Assault Injury ED Discharges†										
Suicide†	5	20.7	<5	\$	<5	\$	6	22.5	<5	\$
Self-Inflicted Hospitalizations†	10	41.5	11	46.1	11	42.8	6	22.5	9	33.8
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

South Region Subregional Areas (2000-2008)

SRA: Coronado

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	32	119.0	22	96.1	35	152.4		
Coronary Heart Disease Hospitalizations†	98	364.3	83	362.4	56	243.8	60	259.7
Coronary Heart Disease ED Discharges†			<5	\$	<5	\$	<5	\$
Stroke Deaths†	16	59.5	16	69.9	8	34.8		
Stroke Hospitalizations†	73	271.4	70	305.6	56	243.8	47	203.5
Stroke ED Discharges†			<5	\$	<5	\$	7	30.3
Diabetes Deaths†	<5	\$	<5	\$	<5	\$		
Diabetes Hospitalizations†	9	33.5	5	21.8	5	21.8	7	30.3
Diabetes ED Discharges†			<5	\$	5	21.8	<5	\$
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	6	22.3	<5	\$	9	39.2	5	21.6
Asthma ED Discharges†			7	30.6	11	47.9	9	39.0
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	10	37.2	13	56.8	8	34.8		
COPD Hospitalizations†	24	89.2	36	157.2	18	78.4	23	99.6
COPD ED Discharges†			5	21.8	8	34.8	6	26.0
All Cancer Deaths†	48	178.4	50	218.3	52	226.4		
Prostate Cancer Deaths (among males)†	<5	\$	7	54.9	6	46.9		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	6	56.4	<5	\$	<5	\$		
Colorectal Cancer Deaths†	<5	\$	<5	\$	5	21.8		
Lung Cancer Deaths†	14	52.0	5	21.8	12	52.2		
Arthritis Hospitalizations†	84	312.2	88	384.2	86	374.4	91	393.9
Arthritis ED Discharges†			22	96.1	22	95.8	19	82.2
Dorsopathies Hospitalizations†	37	137.5	41	179.0	36	156.7	36	155.8
Dorsopathies ED Discharges†			27	117.9	17	74.0	13	56.3
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	12	44.6	14	61.1	9	39.2	8	34.6
Chlamydia Reported, Underestimate††	28	104.1	20	87.3	41	178.5	42	181.8
Gonorrhea Reported, Underestimate††	6	22.3	<5	\$	8	34.8	6	26.0
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	191	2.2%	187	2.1%	185	2.1%		
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	182	95.3%	178	95.7%	172	94.0%		
Live Births born Preterm†, % of SRA's births	11	5.9%	12	6.6%	13	7.1%		
Low Birth Weight Births†, % of SRA's births	10	5.2%	9	4.8%	11	5.9%		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	5	18.6	7	30.6	11	47.9		
Unintentional Injury Hospitalizations†	178	661.7	160	698.6	194	844.7	153	662.3
Unintentional Injury ED Discharges†			234	1,021.7	238	1,036.2	211	913.4
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	106	394.0	99	432.3	114	496.3	81	350.6
Fall-related ED Discharges†			82	358.0	85	370.1	69	298.7
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$		
Overdose/Poisoning Hospitalizations†	13	48.3	10	43.7	10	43.5	17	73.6
Overdose/Poisoning ED Discharges†			8	34.9	6	26.1	9	39.0
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	19	70.6	22	96.1	16	69.7	22	95.2
ED Discharges due to MV Injury†			25	109.2	19	82.7	26	112.5
Motor Vehicle Crash Injuries†	100	371.7	112	489.0	147	640.0		
Alcohol-involved MVC Injuries†	12	44.6	16	69.9	21	91.4		
Drinking Drivers Involved in MV Crashes†	9	33.5	12	52.4	13	56.6		
Active Restraint Use, % of MVO Injured, Ages 6+ †	63	86.3%	52	78.8%	75	75.8%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	5	21.8	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			5	21.8	<5	\$	<5	\$
Pedestrian Injuries due to MVC†	5	18.6	15	65.5	7	30.5		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	7	30.3
Assault Injury ED Discharges†			7	30.6	11	47.9	9	39.0
Suicide†	7	26.0	<5	\$	<5	\$		
Self-Inflicted Hospitalizations†	6	22.3	8	34.9	5	21.8	8	34.6
Self-Inflicted Injury ED Discharges†			<5	\$	<5	\$	<5	\$
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			<5	\$	10	43.5	<5	\$

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

South Region Subregional Areas (2000-2008)

SRA: National City

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	100	185.6	93	167.6	115	199.5	85	144.7	107	191.2
Coronary Heart Disease Hospitalizations†	373	692.4	393	708.3	418	725.2	388	660.3	358	639.8
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	35	65.0	35	63.1	36	62.5	24	40.8	29	51.8
Stroke Hospitalizations†	187	347.1	203	365.9	157	272.4	157	267.2	155	277.0
Stroke ED Discharges†										
Diabetes Deaths†	12	22.3	15	27.0	14	24.3	15	25.5	23	41.1
Diabetes Hospitalizations†	96	178.2	98	176.6	127	220.3	110	187.2	140	250.2
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	70	129.9	48	86.5	59	102.4	85	144.7	67	119.7
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	28	52.0	23	41.5	14	24.3	17	28.9	17	30.4
COPD Hospitalizations†	133	246.9	128	230.7	104	180.4	130	221.2	116	207.3
COPD ED Discharges†										
All Cancer Deaths†	65	120.7	79	142.4	74	128.4	62	105.5	89	159.1
Prostate Cancer Deaths (among males)†	6	22.0	5	17.7	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	9	33.1	6	21.5	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	10	17.3	7	11.9	9	16.1
Lung Cancer Deaths†	19	35.3	20	36.0	11	19.1	18	30.6	22	39.3
Arthritis Hospitalizations†	90	167.1	84	151.4	115	199.5	106	180.4	112	200.2
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	54	100.2	69	124.4	74	128.4	53	90.2	63	112.6
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	16	29.7	15	27.0	13	22.6	13	22.1	12	21.4
Chronic Hepatitis C Reported†	57	105.8	74	133.4	62	107.6	81	137.9	74	132.3
Chlamydia Reported, Underestimate††	159	295.2	158	284.8	216	374.8	211	359.1	230	411.1
Gonorrhea Reported, Underestimate††	24	44.6	21	37.9	34	59.0	33	56.2	31	55.4
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,117	14.6%	1,077	13.7%	1,073	13.4%	1,054	12.8%	1,026	12.1%
Live Births to Girls, Ages 15-17†, % of SRA's births	48	4.3%	47	4.4%	46	4.3%	41	3.9%	50	4.9%
Live Births with Early Prenatal Care†, % of SRA's births	819	73.9%	825	77.0%	848	79.5%	859	82.4%	840	82.6%
Live Births born Preterm†, % of SRA's births	119	11.4%	125	12.2%	111	11.0%	113	11.3%	111	11.4%
Low Birth Weight Births†, % of SRA's births	61	5.5%	57	5.3%	68	6.3%	73	6.9%	71	6.9%
Very Low Birth Weight Births†, % of SRA's births	10	0.9%	12	1.1%	9	0.8%	17	1.6%	15	1.5%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	7	6.5	6	5.6	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	8	7.2	6	5.6	6	5.6	7	6.6	<5	\$
Unintentional Injury Deaths†	10	18.6	8	14.4	20	34.7	18	30.6	7	12.5
Unintentional Injury Hospitalizations†	407	755.5	358	645.3	403	699.2	412	701.2	417	745.3
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	183	339.7	169	304.6	185	321.0	191	325.1	199	355.6
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	5	9.3	5	9.0	6	10.4	6	10.2	<5	\$
Overdose/Poisoning Hospitalizations†	44	81.7	46	82.9	62	107.6	62	105.5	50	89.4
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	5	8.7	9	15.3	<5	\$
Hospitalizations due to MV Injury†	83	154.1	75	135.2	77	133.6	89	151.5	72	128.7
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	630	1,169.5	580	1,045.4	613	1,063.6	597	1,016.0	674	1,204.6
Alcohol-involved MVC Injuries†	118	219.0	72	129.8	85	147.5	73	124.2	96	171.6
Drinking Drivers Involved in MV Crashes†	63	116.9	47	84.7	58	100.6	45	76.6	60	107.2
Active Restraint Use, % of MVO Injured, Ages 6+ †	443	87.0%	407	87.2%	408	85.5%	421	88.3%	423	82.8%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	5	31.3%	<5	\$	<5	\$	<5	\$	5	41.7%
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	11	20.4	12	21.6	14	24.3	15	25.5	13	23.2
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	42	78.0	39	70.3	34	59.0	39	66.4	43	76.8
Homicide†	<5	\$	<5	\$	<5	\$	11	18.7	<5	\$
Assault Hospitalizations†	39	72.4	46	82.9	43	74.6	34	57.9	48	85.8
Assault Injury ED Discharges†										
Suicide†	<5	\$	8	14.4	7	12.1	5	8.5	<5	\$
Self-Inflicted Hospitalizations†	31	57.5	32	57.7	52	90.2	53	90.2	56	100.1
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	12	20.4	<5	\$
Firearm-related Hospitalizations†	<5	\$	9	16.2	14	24.3	12	20.4	7	12.5
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

South Region Subregional Areas (2000-2008)

SRA: National City

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	78	122.9	61	100.6	74	122.0		
Coronary Heart Disease Hospitalizations†	323	508.8	264	435.3	348	573.8	290	477.1
Coronary Heart Disease ED Discharges†			29	47.8	12	19.8	20	32.9
Stroke Deaths†	24	37.8	24	39.6	24	39.6		
Stroke Hospitalizations†	177	278.8	167	275.4	150	247.3	177	291.2
Stroke ED Discharges†			35	57.7	24	39.6	25	41.1
Diabetes Deaths†	25	39.4	12	19.8	18	29.7		
Diabetes Hospitalizations†	103	162.3	149	245.7	133	219.3	164	269.8
Diabetes ED Discharges†			146	240.7	121	199.5	114	187.6
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	62	97.7	42	69.3	70	115.4	79	130.0
Asthma ED Discharges†			297	489.7	277	456.7	300	493.6
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	20	31.5	17	28.0	10	16.5		
COPD Hospitalizations†	114	179.6	67	110.5	85	140.1	95	156.3
COPD ED Discharges†			178	293.5	124	204.4	168	276.4
All Cancer Deaths†	73	115.0	73	120.4	56	92.3		
Prostate Cancer Deaths (among males)†	<5	\$	6	18.7	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	8	27.1	<5	\$	6	21.0		
Colorectal Cancer Deaths†	<5	\$	5	8.2	6	9.9		
Lung Cancer Deaths†	19	29.9	20	33.0	12	19.8		
Arthritis Hospitalizations†	146	230.0	93	153.4	102	168.2	130	213.9
Arthritis ED Discharges†			302	498.0	262	432.0	318	523.2
Dorsopathies Hospitalizations†	51	80.3	51	84.1	50	82.4	61	100.4
Dorsopathies ED Discharges†			361	595.3	339	558.9	395	649.9
Tuberculosis Incidence†	10	15.8	17	28.0	13	21.4	13	21.4
Chronic Hepatitis C Reported†	79	124.5	91	150.1	78	128.6	67	110.2
Chlamydia Reported, Underestimate††	237	373.4	240	395.8	229	377.6	290	477.1
Gonorrhea Reported, Underestimate††	44	69.3	33	54.4	38	62.7	26	42.8
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,054	12.2%	1,010	11.4%	1,075	12.2%		
Live Births to Girls, Ages 15-17†, % of SRA's births	40	3.8%	50	5.0%	55	5.1%		
Live Births with Early Prenatal Care†, % of SRA's births	889	85.0%	855	85.4%	872	81.4%		
Live Births born Preterm†, % of SRA's births	123	12.2%	114	11.7%	137	12.9%		
Low Birth Weight Births†, % of SRA's births	70	6.6%	69	6.8%	74	6.9%		
Very Low Birth Weight Births†, % of SRA's births	18	1.7%	14	1.4%	12	1.1%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	12	11.3	7	6.9	6	5.6		
Infant Mortality†, Rate per 1,000 live births	5	4.7	6	5.9	7	6.5		
Unintentional Injury Deaths†	20	31.5	19	31.3	14	23.1		
Unintentional Injury Hospitalizations†	399	628.6	415	684.3	369	608.4	460	756.8
Unintentional Injury ED Discharges†			3,269	5,390.5	2,521	4,156.6	3,055	5,026.4
Fall-related Deaths†	6	9.5	5	8.2	5	8.2		
Fall-related Hospitalizations†	197	310.3	190	313.3	174	286.9	231	380.1
Fall-related ED Discharges†			1,042	1,718.2	784	1,292.6	1,113	1,831.2
Overdose/Poisoning Deaths†	<5	\$	6	9.9	7	11.5		
Overdose/Poisoning Hospitalizations†	44	69.3	33	54.4	47	77.5	65	106.9
Overdose/Poisoning ED Discharges†			80	131.9	59	97.3	93	153.0
Deaths due to Motor Vehicle (MV) Injury†	9	14.2	7	11.5	<5	\$		
Hospitalizations due to MV Injury†	71	111.8	81	133.6	74	122.0	91	149.7
ED Discharges due to MV Injury†			352	580.4	290	478.1	320	526.5
Motor Vehicle Crash Injuries†	631	994.0	522	860.8	460	758.4		
Alcohol-involved MVC Injuries†	74	116.6	70	115.4	62	102.2		
Drinking Drivers Involved in MV Crashes†	49	77.2	44	72.6	48	79.1		
Active Restraint Use, % of MVO Injured, Ages 6+ †	434	84.4%	361	94.3%	259	91.2%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	7	63.6%	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	15	23.6	18	29.7	14	23.1	12	19.7
Pedestrian ED Discharges due to MVC†			25	41.2	16	26.4	23	37.8
Pedestrian Injuries due to MVC†	29	45.7	27	44.5	25	41.2		
Homicide†	<5	\$	<5	\$	8	13.2		
Assault Hospitalizations†	51	80.3	50	82.4	44	72.5	52	85.6
Assault Injury ED Discharges†			183	301.8	146	240.7	205	337.3
Suicide†	<5	\$	<5	\$	5	8.2		
Self-Inflicted Hospitalizations†	39	61.4	26	42.9	37	61.0	47	77.3
Self-Inflicted Injury ED Discharges†			20	33.0	16	26.4	24	39.5
Firearm-related Deaths†	6	9.5	<5	\$	8	13.2		
Firearm-related Hospitalizations†	<5	\$	8	13.2	10	16.5	11	18.1
Firearm-related ED Discharges†			9	14.8	<5	\$	9	14.8
Dental-related ED Discharges†			114	188.0	91	150.0	96	157.9

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

South Region Subregional Areas (2000-2008)

SRA: South Bay

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	168	135.5	152	119.8	165	128.7	141	107.7	146	106.8
Coronary Heart Disease Hospitalizations†	615	495.9	551	434.4	641	500.0	611	466.7	637	466.0
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	44	35.5	52	41.0	38	29.6	51	39.0	40	29.3
Stroke Hospitalizations†	273	220.1	272	214.4	251	195.8	325	248.2	311	227.5
Stroke ED Discharges†										
Diabetes Deaths†	17	13.7	24	18.9	18	14.0	23	17.6	30	21.9
Diabetes Hospitalizations†	216	174.2	189	149.0	200	156.0	231	176.4	260	190.2
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	5	3.9	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	147	118.5	109	85.9	129	100.6	121	92.4	111	81.2
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	20	16.1	19	15.0	18	14.0	27	20.6	26	19.0
COPD Hospitalizations†	174	140.3	178	140.3	155	120.9	118	90.1	142	103.9
COPD ED Discharges†										
All Cancer Deaths†	144	116.1	152	119.8	145	113.1	159	121.4	141	103.2
Prostate Cancer Deaths (among males)†	6	9.4	11	16.9	<5	\$	10	15.0	9	12.9
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	10	16.6	13	21.1	10	16.0	11	17.2	9	13.4
Colorectal Cancer Deaths†	9	7.3	14	11.0	13	10.1	17	13.0	11	8.0
Lung Cancer Deaths†	51	41.1	42	33.1	37	28.9	39	29.8	40	29.3
Arthritis Hospitalizations†	196	158.0	223	175.8	225	175.5	238	181.8	247	180.7
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	127	102.4	164	129.3	184	143.5	174	132.9	158	115.6
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	27	21.8	37	29.2	31	24.2	31	23.7	43	31.5
Chronic Hepatitis C Reported†	271	218.5	654	515.6	298	232.4	223	170.3	296	216.6
Chlamydia Reported, Underestimate††	365	294.3	439	346.1	479	373.6	490	374.3	540	395.1
Gonorrhea Reported, Underestimate††	44	35.5	63	49.7	55	42.9	84	64.2	70	51.2
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	2,736	35.8%	2,723	34.8%	2,730	34.2%	2,849	34.7%	2,948	34.7%
Live Births to Girls, Ages 15-17†, % of SRA's births	113	4.1%	124	4.6%	108	4.0%	107	3.8%	108	3.7%
Live Births with Early Prenatal Care†, % of SRA's births	2,141	78.7%	2,142	79.5%	2,267	83.3%	2,473	87.1%	2,609	88.7%
Live Births born Preterm†, % of SRA's births	259	10.1%	234	9.1%	248	9.5%	237	8.6%	251	8.9%
Low Birth Weight Births†, % of SRA's births	135	4.9%	136	5.0%	155	5.7%	155	5.4%	172	5.8%
Very Low Birth Weight Births†, % of SRA's births	27	1.0%	30	1.1%	24	0.9%	31	1.1%	46	1.6%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	12	4.4	15	5.5	10	3.6	12	4.2	11	3.7
Infant Mortality†, Rate per 1,000 live births	15	5.5	10	3.7	10	3.7	15	5.3	23	7.8
Unintentional Injury Deaths†	31	25.0	19	15.0	42	32.8	29	22.1	41	30.0
Unintentional Injury Hospitalizations†	701	565.2	661	521.1	695	542.1	793	605.7	842	616.0
Unintentional Injury ED Discharges†										
Fall-related Deaths†	7	5.6	<5	\$	<5	\$	7	5.3	<5	\$
Fall-related Hospitalizations†	260	209.6	276	217.6	272	212.2	300	229.1	324	237.0
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	11	8.9	7	5.5	14	10.9	11	8.4	14	10.2
Overdose/Poisoning Hospitalizations†	75	60.5	97	76.5	91	71.0	85	64.9	93	68.0
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	12	9.7	12	9.5	17	13.3	11	8.4	22	16.1
Hospitalizations due to MV Injury†	187	150.8	142	111.9	147	114.7	174	132.9	202	147.8
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	705	568.5	720	567.6	697	543.7	796	608.0	726	531.1
Alcohol-involved MVC Injuries†	123	99.2	98	77.3	75	58.5	111	84.8	129	94.4
Drinking Drivers Involved in MV Crashes†	66	53.2	70	55.2	45	35.1	64	48.9	84	61.5
Active Restraint Use, % of MVO Injured, Ages 6+ †	433	82.8%	447	85.5%	409	80.8%	459	80.8%	393	80.7%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	7	46.7%	6	50.0%	<5	\$	11	50.0%	5	55.6%
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	7	5.5	5	3.8	<5	\$
Pedestrian Hospitalizations due to MVC†	21	16.9	16	12.6	18	14.0	26	19.9	23	16.8
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	54	43.5	61	48.1	45	35.1	58	44.3	57	41.7
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	5	3.7
Assault Hospitalizations†	76	61.3	67	52.8	64	49.9	94	71.8	79	57.8
Assault Injury ED Discharges†										
Suicide†	14	11.3	9	7.1	12	9.4	11	8.4	<5	\$
Self-Inflicted Hospitalizations†	57	46.0	80	63.1	76	59.3	56	42.8	51	37.3
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	7	5.6	8	6.3	5	3.9	8	6.1	6	4.4
Firearm-related Hospitalizations†	<5	\$	7	5.5	9	7.0	13	9.9	18	13.2
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

South Region Subregional Areas (2000-2008)

SRA: South Bay

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	132	96.5	113	82.5	127	92.3		
Coronary Heart Disease Hospitalizations†	585	427.6	671	489.9	604	438.8	579	415.3
Coronary Heart Disease ED Discharges†			42	30.7	35	25.4	50	35.9
Stroke Deaths†	46	33.6	39	28.5	35	25.4		
Stroke Hospitalizations†	284	207.6	315	230.0	294	213.6	297	213.1
Stroke ED Discharges†			46	33.6	50	36.3	47	33.7
Diabetes Deaths†	29	21.2	31	22.6	27	19.6		
Diabetes Hospitalizations†	272	198.8	275	200.8	270	196.2	282	202.3
Diabetes ED Discharges†			255	186.2	235	170.7	249	178.6
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	100	73.1	105	76.7	93	67.6	113	81.1
Asthma ED Discharges†			566	413.2	557	404.7	540	387.4
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	26	19.0	29	21.2	33	24.0		
COPD Hospitalizations†	136	99.4	100	73.0	136	98.8	162	116.2
COPD ED Discharges†			312	227.8	357	259.4	397	284.8
All Cancer Deaths†	161	117.7	161	117.5	186	135.1		
Prostate Cancer Deaths (among males)†	6	8.6	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	5	7.4	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	15	22.3	11	15.3	9	12.4		
Colorectal Cancer Deaths†	17	12.4	16	11.7	20	14.5		
Lung Cancer Deaths†	39	28.5	36	26.3	43	31.2		
Arthritis Hospitalizations†	232	169.6	242	176.7	254	184.5	251	180.1
Arthritis ED Discharges†			560	408.9	545	395.9	602	431.8
Dorsopathies Hospitalizations†	144	105.3	159	116.1	158	114.8	168	120.5
Dorsopathies ED Discharges†			740	540.3	761	552.9	740	530.8
Tuberculosis Incidence†	27	19.7	34	24.8	24	17.4	22	15.8
Chronic Hepatitis C Reported†	316	231.0	294	214.6	660	479.5	276	198.0
Chlamydia Reported, Underestimate††	496	362.5	495	361.4	553	401.8	644	462.0
Gonorrhea Reported, Underestimate††	89	65.1	88	64.2	75	54.5	56	40.2
Primary and Secondary Syphilis Reported†	8	5.8	12	8.8	13	9.4	12	8.6
Live Births†, % of Region's births	2,874	33.2%	2,961	33.4%	2,927	33.1%		
Live Births to Girls, Ages 15-17†, % of SRA's births	108	3.8%	113	3.8%	103	3.5%		
Live Births with Early Prenatal Care†, % of SRA's births	2,522	87.9%	2,586	87.6%	2,449	84.0%		
Live Births born Preterm†, % of SRA's births	293	10.5%	252	8.7%	271	9.4%		
Low Birth Weight Births†, % of SRA's births	178	6.2%	152	5.1%	191	6.5%		
Very Low Birth Weight Births†, % of SRA's births	33	1.1%	39	1.3%	34	1.2%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	15	5.2	15	5.0	13	4.4		
Infant Mortality†, Rate per 1,000 live births	14	4.9	16	5.4	15	5.1		
Unintentional Injury Deaths†	22	16.1	23	16.8	32	23.2		
Unintentional Injury Hospitalizations†	827	604.5	828	604.5	784	569.6	937	672.2
Unintentional Injury ED Discharges†			6,187	4,517.1	6,269	4,554.5	6,033	4,327.7
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	355	259.5	343	250.4	338	245.6	417	299.1
Fall-related ED Discharges†			1,968	1,436.8	1,981	1,439.2	2,030	1,456.2
Overdose/Poisoning Deaths†	10	7.3	10	7.3	20	14.5		
Overdose/Poisoning Hospitalizations†	79	57.7	96	70.1	88	63.9	113	81.1
Overdose/Poisoning ED Discharges†			156	113.9	195	141.7	190	136.3
Deaths due to Motor Vehicle (MV) Injury†	8	5.8	10	7.3	9	6.5		
Hospitalizations due to MV Injury†	172	125.7	165	120.5	141	102.4	142	101.9
ED Discharges due to MV Injury†			683	498.7	725	526.7	611	438.3
Motor Vehicle Crash Injuries†	628	459.0	623	454.9	593	430.8		
Alcohol-involved MVC Injuries†	105	76.7	78	56.9	121	87.9		
Drinking Drivers Involved in MV Crashes†	69	50.4	60	43.8	78	56.7		
Active Restraint Use, % of MVO Injured, Ages 6+ †	382	84.7%	331	83.2%	258	87.5%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	7	53.8%	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	22	16.1	18	13.1	10	7.3	16	11.5
Pedestrian ED Discharges due to MVC†			40	29.2	44	32.0	35	25.1
Pedestrian Injuries due to MVC†	48	35.1	44	32.1	43	31.2		
Homicide†	6	4.4	<5	\$	6	4.4		
Assault Hospitalizations†	69	50.4	142	103.7	140	101.7	149	106.9
Assault Injury ED Discharges†			415	303.0	472	342.9	449	322.1
Suicide†	8	5.8	9	6.6	7	5.1		
Self-Inflicted Hospitalizations†	51	37.3	61	44.5	67	48.7	76	54.5
Self-Inflicted Injury ED Discharges†			79	57.7	75	54.5	111	79.6
Firearm-related Deaths†	9	6.6	5	3.7	<5	\$		
Firearm-related Hospitalizations†	12	8.8	15	11.0	15	10.9	14	10.0
Firearm-related ED Discharges†			13	9.5	11	8.0	15	10.8
Dental-related ED Discharges†			151	110.2	131	95.2	157	112.6

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

South Region Subregional Areas (2000-2008)

SRA: Sweetwater

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	45	60.5	36	44.6	42	47.1	61	62.3	42	40.2
Coronary Heart Disease Hospitalizations†	158	212.4	174	215.6	226	253.7	196	200.2	239	228.6
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	15	20.2	20	24.8	17	19.1	16	16.3	22	21.0
Stroke Hospitalizations†	87	117.0	87	107.8	102	114.5	119	121.6	93	89.0
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	5	5.6	5	5.1	12	11.5
Diabetes Hospitalizations†	13	17.5	32	39.7	36	40.4	25	25.5	27	25.8
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	33	44.4	33	40.9	33	37.0	36	36.8	27	25.8
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	5	6.2	5	5.6	7	7.2	9	8.6
COPD Hospitalizations†	24	32.3	27	33.5	48	53.9	34	34.7	32	30.6
COPD ED Discharges†										
All Cancer Deaths†	52	69.9	57	70.6	54	60.6	81	82.8	64	61.2
Prostate Cancer Deaths (among males)†	7	19.2	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	8	21.1	5	12.1	5	10.9	8	15.9	9	16.7
Colorectal Cancer Deaths†	<5	\$	7	8.7	6	6.7	11	11.2	9	8.6
Lung Cancer Deaths†	11	14.8	11	13.6	7	7.9	17	17.4	11	10.5
Arthritis Hospitalizations†	60	80.7	57	70.6	91	102.2	106	108.3	98	93.7
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	42	56.5	60	74.4	67	75.2	66	67.4	82	78.4
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	5	5.1	7	6.7
Chronic Hepatitis C Reported†	19	25.5	19	23.5	26	29.2	20	20.4	52	49.7
Chlamydia Reported, Underestimate††	37	49.7	62	76.8	96	107.8	112	114.4	141	134.9
Gonorrhea Reported, Underestimate††	5	6.7	11	13.6	10	11.2	19	19.4	19	18.2
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	743	9.7%	895	11.4%	1,130	14.2%	1,214	14.8%	1,455	17.1%
Live Births to Girls, Ages 15-17†, % of SRA's births	5	0.7%	10	1.1%	5	0.4%	7	0.6%	10	0.7%
Live Births with Early Prenatal Care†, % of SRA's births	680	92.3%	828	92.9%	1,051	93.3%	1,158	95.5%	1,361	93.7%
Live Births born Preterm†, % of SRA's births	64	9.0%	97	11.3%	102	9.4%	113	9.7%	167	12.0%
Low Birth Weight Births†, % of SRA's births	41	5.5%	60	6.7%	55	4.9%	80	6.6%	101	6.9%
Very Low Birth Weight Births†, % of SRA's births	<5	\$	8	0.9%	11	1.0%	19	1.6%	22	1.5%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	6	6.7	7	6.2	7	5.7	5	3.4
Infant Mortality†, Rate per 1,000 live births	<5	\$	6	6.7	<5	\$	<5	\$	7	4.8
Unintentional Injury Deaths†	6	8.1	8	9.9	12	13.5	5	5.1	6	5.7
Unintentional Injury Hospitalizations†	185	248.7	199	246.6	243	272.8	280	286.1	313	299.4
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	77	103.5	79	97.9	107	120.1	109	111.4	133	127.2
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	5	5.6	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	22	29.6	33	40.9	27	30.3	26	26.6	28	26.8
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	7	7.9	<5	\$	<5	\$
Hospitalizations due to MV Injury†	41	55.1	48	59.5	55	61.7	73	74.6	70	67.0
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	209	281.0	236	292.5	248	278.4	257	262.6	343	328.1
Alcohol-involved MVC Injuries†	16	21.5	17	21.1	19	21.3	34	34.7	39	37.3
Drinking Drivers Involved in MV Crashes†	11	14.8	15	18.6	16	18.0	20	20.4	28	26.8
Active Restraint Use, % of MVO Injured, Ages 6+ †	142	81.6%	158	80.2%	154	75.9%	148	71.5%	202	80.8%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	5	5.1	5	4.8
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	12	16.1	8	9.9	10	11.2	6	6.1	6	5.7
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	10	13.4	7	8.7	9	10.1	12	12.3	12	11.5
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	8	7.7
Self-Inflicted Hospitalizations†	11	14.8	30	37.2	25	28.1	36	36.8	20	19.1
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

South Region Subregional Areas (2000-2008)

SRA: Sweetwater

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	46	41.5	60	50.1	67	54.8		
Coronary Heart Disease Hospitalizations†	240	216.5	257	214.8	275	224.8	271	217.5
Coronary Heart Disease ED Discharges†			22	18.4	23	18.8	20	16.1
Stroke Deaths†	17	15.3	16	13.4	23	18.8		
Stroke Hospitalizations†	125	112.8	137	114.5	149	121.8	130	104.3
Stroke ED Discharges†			33	27.6	19	15.5	30	24.1
Diabetes Deaths†	8	7.2	7	5.8	7	5.7		
Diabetes Hospitalizations†	46	41.5	70	58.5	71	58.0	63	50.6
Diabetes ED Discharges†			73	61.0	70	57.2	63	50.6
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	34	30.7	44	36.8	32	26.2	40	32.1
Asthma ED Discharges†			189	157.9	208	170.1	226	181.4
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	13	11.7	11	9.2	12	9.8		
COPD Hospitalizations†	44	39.7	29	24.2	51	41.7	56	44.9
COPD ED Discharges†			127	106.1	141	115.3	139	111.6
All Cancer Deaths†	71	64.0	84	70.2	85	69.5		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	7	12.3	7	11.4	7	11.1		
Colorectal Cancer Deaths†	<5	\$	12	10.0	8	6.5		
Lung Cancer Deaths†	13	11.7	14	11.7	20	16.4		
Arthritis Hospitalizations†	127	114.6	142	118.7	152	124.3	172	138.0
Arthritis ED Discharges†			225	188.0	268	219.1	257	206.3
Dorsopathies Hospitalizations†	79	71.3	82	68.5	72	58.9	121	97.1
Dorsopathies ED Discharges†			410	342.6	341	278.8	409	328.3
Tuberculosis Incidence†	9	8.1	8	6.7	7	5.7	12	9.6
Chronic Hepatitis C Reported†	47	42.4	59	49.3	63	51.5	52	41.7
Chlamydia Reported, Underestimate††	148	133.5	218	182.2	211	172.5	238	191.0
Gonorrhea Reported, Underestimate††	16	14.4	30	25.1	25	20.4	20	16.1
Primary and Secondary Syphilis Reported†	5	4.5	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,578	18.2%	1,763	19.9%	1,783	20.2%		
Live Births to Girls, Ages 15-17†, % of SRA's births	9	0.6%	15	0.9%	28	1.6%		
Live Births with Early Prenatal Care†, % of SRA's births	1,488	94.4%	1,650	93.6%	1,609	90.6%		
Live Births born Preterm†, % of SRA's births	179	11.6%	173	10.0%	201	11.5%		
Low Birth Weight Births†, % of SRA's births	121	7.7%	107	6.1%	121	6.8%		
Very Low Birth Weight Births†, % of SRA's births	13	0.8%	19	1.1%	24	1.3%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	5	2.8	<5	\$		
Infant Mortality†, Rate per 1,000 live births	11	7.0	5	2.8	9	5.0		
Unintentional Injury Deaths†	10	9.0	15	12.5	15	12.3		
Unintentional Injury Hospitalizations†	332	299.5	344	287.4	352	287.8	369	296.2
Unintentional Injury ED Discharges†			3,258	2,722.4	3,484	2,848.4	3,455	2,773.0
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	152	137.1	140	117.0	165	134.9	153	122.8
Fall-related ED Discharges†			924	772.1	1,064	869.9	1,043	837.1
Overdose/Poisoning Deaths†	5	4.5	<5	\$	5	4.1		
Overdose/Poisoning Hospitalizations†	19	17.1	30	25.1	27	22.1	29	23.3
Overdose/Poisoning ED Discharges†			74	61.8	72	58.9	94	75.4
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	7	5.8	<5	\$		
Hospitalizations due to MV Injury†	89	80.3	80	66.8	69	56.4	94	75.4
ED Discharges due to MV Injury†			430	359.3	401	327.8	390	313.0
Motor Vehicle Crash Injuries†	298	268.8	358	299.1	325	265.7		
Alcohol-involved MVC Injuries†	37	33.4	39	32.6	44	36.0		
Drinking Drivers Involved in MV Crashes†	25	22.6	30	25.1	29	23.7		
Active Restraint Use, % of MVO Injured, Ages 6+ †	215	90.0%	242	87.1%	229	89.5%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	5	83.3%	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	6	5.4	<5	\$	<5	\$	7	5.6
Pedestrian ED Discharges due to MVC†			8	6.7	14	11.4	17	13.6
Pedestrian Injuries due to MVC†	7	6.3	15	12.5	11	9.0		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	17	15.3	14	11.7	21	17.2	24	19.3
Assault Injury ED Discharges†			111	92.8	121	98.9	116	93.1
Suicide†	7	6.3	<5	\$	6	4.9		
Self-Inflicted Hospitalizations†	16	14.4	18	15.0	22	18.0	24	19.3
Self-Inflicted Injury ED Discharges†			37	30.9	29	23.7	37	29.7
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	7	5.8	<5	\$	6	4.8
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			59	49.3	57	46.6	56	44.9

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Alpine

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	17	119.8	30	207.2	28	190.8	18	122.6	26	174.2
Coronary Heart Disease Hospitalizations†	107	754.2	94	649.4	92	626.9	74	504.2	81	542.7
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	8	56.4	12	82.9	12	81.8	9	61.3	11	73.7
Stroke Hospitalizations†	43	303.1	42	290.1	34	231.7	33	224.9	33	221.1
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	12	84.6	17	117.4	17	115.8	20	136.3	33	221.1
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	11	77.5	11	76.0	9	61.3	11	75.0	9	60.3
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	5	35.2	12	82.9	9	61.3	11	75.0	8	53.6
COPD Hospitalizations†	12	84.6	26	179.6	37	252.1	27	184.0	16	107.2
COPD ED Discharges†										
All Cancer Deaths†	19	133.9	29	200.3	34	231.7	28	190.8	29	194.3
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Lung Cancer Deaths†	6	42.3	11	76.0	7	47.7	12	81.8	8	53.6
Arthritis Hospitalizations†	45	317.2	52	359.2	50	340.7	52	354.3	75	502.5
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	43	303.1	32	221.1	51	347.5	48	327.1	59	395.3
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	11	77.5	8	55.3	12	81.8	10	68.1	11	73.7
Chlamydia Reported, Underestimate††	13	91.6	22	152.0	25	170.4	26	177.2	20	134.0
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	164	2.6%	151	2.4%	171	2.8%	171	2.7%	173	2.6%
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	157	95.7%	134	89.9%	151	89.3%	145	86.3%	158	92.9%
Live Births born Preterm†, % of SRA's births	13	8.4%	17	12.4%	21	13.1%	8	5.0%	20	12.3%
Low Birth Weight Births†, % of SRA's births	<5	\$	8	5.3%	14	8.2%	<5	\$	14	8.1%
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	6	42.3	6	41.4	<5	\$	5	34.1	<5	\$
Unintentional Injury Hospitalizations†	122	859.9	125	863.5	132	899.5	134	913.1	126	844.2
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	43	303.1	37	255.6	48	327.1	62	422.5	53	355.1
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	<5	\$	12	82.9	18	122.7	9	61.3	10	67.0
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	15	105.7	28	193.4	24	163.5	16	109.0	27	180.9
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	165	1,163.0	212	1,464.5	146	994.9	182	1,240.1	128	857.6
Alcohol-involved MVC Injuries†	31	218.5	65	449.0	25	170.4	22	149.9	17	113.9
Drinking Drivers Involved in MV Crashes†	22	155.1	24	165.8	14	95.4	20	136.3	14	93.8
Active Restraint Use, % of MVO Injured, Ages 6+ †	105	75.0%	108	65.1%	84	68.3%	93	66.4%	74	74.7%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	<5	\$	5	34.5	<5	\$	6	40.9	<5	\$
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	6	40.9	6	40.2
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	6	42.3	6	41.4	16	109.0	6	40.9	8	53.6
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Alpine

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	9	60.1	17	114.0	12	79.2		
Coronary Heart Disease Hospitalizations†	65	433.8	80	536.5	74	488.3	61	397.0
Coronary Heart Disease ED Discharges†			<5	\$	7	46.2	<5	\$
Stroke Deaths†	5	33.4	6	40.2	7	46.2		
Stroke Hospitalizations†	29	193.6	40	268.3	35	230.9	48	312.4
Stroke ED Discharges†			<5	\$	<5	\$	<5	\$
Diabetes Deaths†	<5	\$	5	33.5	5	33.0		
Diabetes Hospitalizations†	14	93.4	20	134.1	26	171.6	43	279.8
Diabetes ED Discharges†			18	120.7	17	112.2	20	130.1
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	13	86.8	13	87.2	6	39.6	10	65.1
Asthma ED Discharges†			28	187.8	32	211.2	34	221.3
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	12	80.1	5	33.5	9	59.4		
COPD Hospitalizations†	22	146.8	22	147.5	20	132.0	20	130.1
COPD ED Discharges†			19	127.4	18	118.8	19	123.6
All Cancer Deaths†	33	220.2	29	194.5	39	257.3		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Colorectal Cancer Deaths†	7	46.7	6	40.2	7	46.2		
Lung Cancer Deaths†	10	66.7	5	33.5	10	66.0		
Arthritis Hospitalizations†	53	353.7	76	509.7	70	461.9	71	462.0
Arthritis ED Discharges†			53	355.4	64	422.3	59	383.9
Dorsopathies Hospitalizations†	49	327.0	62	415.8	63	415.7	55	357.9
Dorsopathies ED Discharges†			99	663.9	90	593.9	93	605.2
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	9	60.1	18	120.7	18	118.8	19	123.6
Chlamydia Reported, Underestimate††	21	140.2	22	147.5	24	158.4	26	169.2
Gonorrhea Reported, Underestimate††	<5	\$	5	33.5	5	33.0	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	190	3.0%	167	2.6%	152	2.3%		
Live Births to Girls, Ages 15-17†, % of SRA's births	5	2.6%	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	163	89.1%	133	83.1%	130	85.5%		
Live Births born Preterm†, % of SRA's births	11	6.3%	16	9.9%	22	14.6%		
Low Birth Weight Births†, % of SRA's births	15	7.9%	7	4.2%	8	5.3%		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	7	46.7	<5	\$	7	46.2		
Unintentional Injury Hospitalizations†	142	947.7	120	804.8	131	864.4	135	878.5
Unintentional Injury ED Discharges†			844	5,660.3	930	6,136.6	889	5,785.1
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	61	407.1	63	422.5	46	303.5	58	377.4
Fall-related ED Discharges†			245	1,643.1	314	2,071.9	260	1,691.9
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$		
Overdose/Poisoning Hospitalizations†	13	86.8	13	87.2	10	66.0	13	84.6
Overdose/Poisoning ED Discharges†			26	174.4	25	165.0	25	162.7
Deaths due to Motor Vehicle (MV) Injury†	5	33.4	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	18	120.1	13	87.2	22	145.2	17	110.6
ED Discharges due to MV Injury†			110	737.7	93	613.7	114	741.8
Motor Vehicle Crash Injuries†	167	1,114.6	131	878.5	113	745.6		
Alcohol-involved MVC Injuries†	17	113.5	30	201.2	28	184.8		
Drinking Drivers Involved in MV Crashes†	14	93.4	23	154.2	25	165.0		
Active Restraint Use, % of MVO Injured, Ages 6+ †	122	83.6%	95	91.3%	81	93.1%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			<5	\$	5	33.0	<5	\$
Pedestrian Injuries due to MVC†	6	40.0	<5	\$	<5	\$		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	7	46.7	5	33.5	5	33.0	6	39.0
Assault Injury ED Discharges†			41	275.0	48	316.7	28	182.2
Suicide†	<5	\$	<5	\$	<5	\$		
Self-Inflicted Hospitalizations†	7	46.7	7	46.9	6	39.6	12	78.1
Self-Inflicted Injury ED Discharges†			15	100.6	13	85.8	22	143.2
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			17	114.0	26	171.6	18	117.1

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: El Cajon

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	177	148.6	209	173.5	177	146.5	195	160.9	159	129.6
Coronary Heart Disease Hospitalizations†	636	534.0	587	487.4	505	417.9	523	431.6	443	361.1
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	56	47.0	67	55.6	49	40.6	55	45.4	63	51.3
Stroke Hospitalizations†	260	218.3	259	215.0	241	199.4	256	211.3	251	204.6
Stroke ED Discharges†										
Diabetes Deaths†	16	13.4	29	24.1	23	19.0	25	20.6	27	22.0
Diabetes Hospitalizations†	133	111.7	117	97.1	156	129.1	149	123.0	133	108.4
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	99	83.1	87	72.2	90	74.5	99	81.7	97	79.1
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	50	42.0	51	42.3	45	37.2	53	43.7	46	37.5
COPD Hospitalizations†	143	120.1	151	125.4	173	143.2	134	110.6	150	122.3
COPD ED Discharges†										
All Cancer Deaths†	168	141.1	171	142.0	152	125.8	162	133.7	165	134.5
Prostate Cancer Deaths (among males)†	9	15.4	7	11.9	9	15.3	11	18.6	8	13.4
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	16	26.3	15	24.3	10	16.2	8	12.9	14	22.2
Colorectal Cancer Deaths†	10	8.4	12	10.0	11	9.1	15	12.4	14	11.4
Lung Cancer Deaths†	50	42.0	52	43.2	47	38.9	41	33.8	52	42.4
Arthritis Hospitalizations†	270	226.7	231	191.8	270	223.4	257	212.1	313	255.1
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	196	164.6	189	156.9	192	158.9	197	162.6	217	176.9
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	5	4.1	7	5.8	6	4.9
Chronic Hepatitis C Reported†	77	64.6	63	52.3	88	72.8	78	64.4	88	71.7
Chlamydia Reported, Underestimate††	196	164.6	272	225.8	280	231.7	277	228.6	287	233.9
Gonorrhea Reported, Underestimate††	46	38.6	51	42.3	63	52.1	58	47.9	71	57.9
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,515	24.0%	1,498	24.1%	1,484	24.5%	1,497	23.4%	1,493	22.8%
Live Births to Girls, Ages 15-17†, % of SRA's births	34	2.2%	41	2.7%	45	3.0%	37	2.5%	38	2.5%
Live Births with Early Prenatal Care†, % of SRA's births	1,276	84.9%	1,330	90.2%	1,314	89.4%	1,310	88.6%	1,292	88.1%
Live Births born Preterm†, % of SRA's births	143	10.1%	138	10.0%	158	11.4%	132	9.4%	175	12.4%
Low Birth Weight Births†, % of SRA's births	122	8.1%	87	5.8%	82	5.5%	73	4.9%	100	6.7%
Very Low Birth Weight Births†, % of SRA's births	21	1.4%	23	1.5%	18	1.2%	15	1.0%	19	1.3%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	6	3.9	<5	\$	7	4.7	7	4.7	12	8.0
Infant Mortality†, Rate per 1,000 live births	11	7.3	12	8.0	13	8.8	6	4.0	12	8.0
Unintentional Injury Deaths†	24	20.2	35	29.1	28	23.2	21	17.3	28	22.8
Unintentional Injury Hospitalizations†	791	664.1	711	590.3	777	643.0	753	621.4	797	649.6
Unintentional Injury ED Discharges†										
Fall-related Deaths†	6	5.0	6	5.0	5	4.1	5	4.1	5	4.1
Fall-related Hospitalizations†	346	290.5	311	258.2	348	288.0	316	260.8	389	317.0
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	9	7.6	11	9.1	8	6.6	11	9.1	8	6.5
Overdose/Poisoning Hospitalizations†	108	90.7	85	70.6	86	71.2	78	64.4	55	44.8
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	6	5.0	15	12.5	12	9.9	6	5.0	12	9.8
Hospitalizations due to MV Injury†	130	109.1	97	80.5	128	105.9	106	87.5	131	106.8
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	877	736.3	925	768.0	985	815.1	879	725.4	847	690.3
Alcohol-involved MVC Injuries†	78	65.5	82	68.1	96	79.4	77	63.5	89	72.5
Drinking Drivers Involved in MV Crashes†	57	47.9	53	44.0	71	58.8	48	39.6	57	46.5
Active Restraint Use, % of MVO Injured, Ages 6+ †	619	87.2%	642	85.1%	655	81.0%	533	75.4%	512	78.6%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	10	45.5%	9	50.0%	5	41.7%	9	75.0%	6	66.7%
Pedestrian Deaths due to MVC†	<5	\$	8	6.6	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	11	9.2	14	11.6	14	11.6	7	5.8	14	11.4
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	41	34.4	41	34.0	43	35.6	43	35.5	37	30.2
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	6	4.9
Assault Hospitalizations†	41	34.4	40	33.2	36	29.8	40	33.0	38	31.0
Assault Injury ED Discharges†										
Suicide†	8	6.7	17	14.1	19	15.7	18	14.9	8	6.5
Self-Inflicted Hospitalizations†	75	63.0	68	56.5	62	51.3	75	61.9	38	31.0
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	9	7.5	16	13.2	12	9.9	11	9.0
Firearm-related Hospitalizations†	<5	\$	10	8.3	6	5.0	8	6.6	9	7.3
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

† Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: El Cajon

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	199	162.8	145	119.3	156	127.8		
Coronary Heart Disease Hospitalizations†	456	373.0	461	379.3	420	344.2	401	326.2
Coronary Heart Disease ED Discharges†			24	19.7	36	29.5	40	32.5
Stroke Deaths†	51	41.7	60	49.4	49	40.2		
Stroke Hospitalizations†	262	214.3	271	223.0	253	207.3	266	216.4
Stroke ED Discharges†			35	28.8	47	38.5	51	41.5
Diabetes Deaths†	26	21.3	35	28.8	34	27.9		
Diabetes Hospitalizations†	134	109.6	132	108.6	161	131.9	184	149.7
Diabetes ED Discharges†			149	122.6	173	141.8	134	109.0
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	86	70.3	80	65.8	97	79.5	119	96.8
Asthma ED Discharges†			268	220.5	358	293.4	292	237.5
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	46	37.6	53	43.6	55	45.1		
COPD Hospitalizations†	174	142.3	189	155.5	184	150.8	201	163.5
COPD ED Discharges†			184	151.4	191	156.5	264	214.7
All Cancer Deaths†	174	142.3	174	143.2	196	160.6		
Prostate Cancer Deaths (among males)†	15	25.1	<5	\$	11	18.4		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	16	25.6	20	32.1	11	17.6		
Colorectal Cancer Deaths†	11	9.0	22	18.1	25	20.5		
Lung Cancer Deaths†	45	36.8	43	35.4	38	31.1		
Arthritis Hospitalizations†	296	242.1	325	267.4	342	280.3	325	264.4
Arthritis ED Discharges†			416	342.3	418	342.5	441	358.7
Dorsopathies Hospitalizations†	213	174.2	195	160.4	208	170.4	220	179.0
Dorsopathies ED Discharges†			690	567.7	651	533.5	721	586.5
Tuberculosis Incidence†	8	6.5	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	105	85.9	152	125.1	138	113.1	97	78.9
Chlamydia Reported, Underestimate††	263	215.1	318	261.6	327	268.0	327	266.0
Gonorrhea Reported, Underestimate††	62	50.7	72	59.2	47	38.5	43	35.0
Primary and Secondary Syphilis Reported†	7	5.7	5	4.1	<5	\$	<5	\$
Live Births†, % of Region's births	1,417	22.2%	1,397	21.8%	1,428	21.5%		
Live Births to Girls, Ages 15-17†, % of SRA's births	34	2.4%	36	2.6%	33	2.3%		
Live Births with Early Prenatal Care†, % of SRA's births	1,192	85.4%	1,085	80.9%	1,091	77.2%		
Live Births born Preterm†, % of SRA's births	138	10.3%	165	12.5%	171	12.3%		
Low Birth Weight Births†, % of SRA's births	84	5.9%	108	7.7%	100	7.0%		
Very Low Birth Weight Births†, % of SRA's births	16	1.1%	23	1.6%	11	0.8%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	6	4.2	9	6.4	5	3.5		
Infant Mortality†, Rate per 1,000 live births	9	6.4	9	6.4	7	4.9		
Unintentional Injury Deaths†	33	27.0	32	26.3	27	22.1		
Unintentional Injury Hospitalizations†	789	645.4	819	673.8	793	649.8	873	710.1
Unintentional Injury ED Discharges†			5,328	4,383.5	5,384	4,412.0	5,355	4,355.9
Fall-related Deaths†	<5	\$	7	5.8	7	5.7		
Fall-related Hospitalizations†	342	279.7	402	330.7	384	314.7	450	366.0
Fall-related ED Discharges†			1,742	1,433.2	1,809	1,482.4	1,836	1,493.4
Overdose/Poisoning Deaths†	15	12.3	10	8.2	12	9.8		
Overdose/Poisoning Hospitalizations†	87	71.2	90	74.0	95	77.8	87	70.8
Overdose/Poisoning ED Discharges†			154	126.7	155	127.0	191	155.4
Deaths due to Motor Vehicle (MV) Injury†	11	9.0	14	11.5	10	8.2		
Hospitalizations due to MV Injury†	111	90.8	97	79.8	90	73.8	106	86.2
ED Discharges due to MV Injury†			565	464.8	631	517.1	535	435.2
Motor Vehicle Crash Injuries†	775	633.9	783	644.2	689	564.6		
Alcohol-involved MVC Injuries†	97	79.3	91	74.9	79	64.7		
Drinking Drivers Involved in MV Crashes†	62	50.7	51	42.0	57	46.7		
Active Restraint Use, % of MVO Injured, Ages 6+ †	541	85.9%	571	94.1%	477	92.4%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	12	92.3%	6	66.7%	7	77.8%		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	9	7.4	13	10.7	10	8.2	12	9.8
Pedestrian ED Discharges due to MVC†			36	29.6	49	40.2	26	21.1
Pedestrian Injuries due to MVC†	28	22.9	38	31.3	37	30.3		
Homicide†	<5	\$	7	5.8	<5	\$		
Assault Hospitalizations†	53	43.4	51	42.0	50	41.0	60	48.8
Assault Injury ED Discharges†			266	218.8	329	269.6	264	214.7
Suicide†	11	9.0	13	10.7	16	13.1		
Self-Inflicted Hospitalizations†	39	31.9	54	44.4	44	36.1	46	37.4
Self-Inflicted Injury ED Discharges†			78	64.2	96	78.7	108	87.8
Firearm-related Deaths†	7	5.7	10	8.2	7	5.7		
Firearm-related Hospitalizations†	11	9.0	<5	\$	10	8.2	<5	\$
Firearm-related ED Discharges†			10	8.2	5	4.1	7	5.7
Dental-related ED Discharges†			119	97.9	160	131.1	174	141.5

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Harbison-Crest/EI Cajon

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	314	234.8	333	246.4	317	233.4	315	231.9	261	189.8
Coronary Heart Disease Hospitalizations†	1,061	793.4	967	715.5	895	659.1	858	631.5	804	584.7
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	107	80.0	115	85.1	82	60.4	96	70.7	98	71.3
Stroke Hospitalizations†	423	316.3	458	338.9	419	308.5	428	315.0	414	301.1
Stroke ED Discharges†										
Diabetes Deaths†	34	25.4	45	33.3	40	29.5	36	26.5	41	29.8
Diabetes Hospitalizations†	206	154.0	183	135.4	238	175.3	226	166.3	215	156.4
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	168	125.6	148	109.5	165	121.5	199	146.5	170	123.6
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	81	60.6	101	74.7	83	61.1	73	53.7	81	58.9
COPD Hospitalizations†	249	186.2	274	202.7	289	212.8	240	176.7	251	182.6
COPD ED Discharges†										
All Cancer Deaths†	298	222.8	312	230.8	272	200.3	276	203.2	278	202.2
Prostate Cancer Deaths (among males)†	14	21.3	15	22.7	16	24.1	17	25.6	13	19.4
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	27	39.6	24	34.7	19	27.4	19	27.3	21	29.8
Colorectal Cancer Deaths†	24	17.9	22	16.3	26	19.1	23	16.9	23	16.7
Lung Cancer Deaths†	93	69.5	96	71.0	80	58.9	78	57.4	90	65.5
Arthritis Hospitalizations†	407	304.3	390	288.6	452	332.8	452	332.7	504	366.6
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	315	235.5	323	239.0	334	246.0	355	261.3	395	287.3
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	5	3.7	<5	\$	5	3.7	7	5.2	10	7.3
Chronic Hepatitis C Reported†	135	100.9	118	87.3	161	118.6	134	98.6	156	113.5
Chlamydia Reported, Underestimate††	328	245.3	450	332.9	439	323.3	473	348.2	496	360.7
Gonorrhea Reported, Underestimate††	77	57.6	76	56.2	97	71.4	89	65.5	117	85.1
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	2,513	39.9%	2,456	39.5%	2,482	41.0%	2,458	38.4%	2,517	38.4%
Live Births to Girls, Ages 15-17†, % of SRA's births	58	2.3%	67	2.7%	66	2.7%	66	2.7%	71	2.8%
Live Births with Early Prenatal Care†, % of SRA's births	2,131	85.5%	2,165	89.4%	2,202	89.5%	2,133	87.7%	2,162	87.3%
Live Births born Preterm†, % of SRA's births	249	10.5%	233	10.3%	286	12.4%	231	10.1%	308	13.0%
Low Birth Weight Births†, % of SRA's births	190	7.6%	135	5.5%	154	6.2%	138	5.6%	191	7.6%
Very Low Birth Weight Births†, % of SRA's births	36	1.4%	35	1.4%	30	1.2%	27	1.1%	38	1.5%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	11	4.4	8	3.2	9	3.6	14	5.7	14	5.5
Infant Mortality†, Rate per 1,000 live births	22	8.8	22	9.0	16	6.4	12	4.9	16	6.4
Unintentional Injury Deaths†	45	33.6	47	34.8	48	35.3	43	31.7	40	29.1
Unintentional Injury Hospitalizations†	1,320	987.0	1,224	905.6	1,346	991.2	1,255	923.8	1,284	933.9
Unintentional Injury ED Discharges†										
Fall-related Deaths†	10	7.5	9	6.7	8	5.9	8	5.9	6	4.4
Fall-related Hospitalizations†	578	432.2	528	390.7	583	429.3	525	386.4	624	453.8
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	18	13.5	18	13.3	17	12.5	22	16.2	17	12.4
Overdose/Poisoning Hospitalizations†	189	141.3	157	116.2	170	125.2	149	109.7	112	81.5
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	11	8.2	15	11.1	17	12.5	15	11.0	12	8.7
Hospitalizations due to MV Injury†	225	168.2	168	124.3	231	170.1	193	142.1	194	141.1
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	1,513	1,131.4	1,610	1,191.2	1,628	1,198.8	1,540	1,133.5	1,508	1,096.8
Alcohol-involved MVC Injuries†	160	119.6	176	130.2	159	117.1	178	131.0	182	132.4
Drinking Drivers Involved in MV Crashes†	107	80.0	120	88.8	110	81.0	105	77.3	113	82.2
Active Restraint Use, % of MVO Injured, Ages 6+ †	1,092	87.4%	1,098	84.7%	1,077	80.5%	927	75.6%	938	79.8%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	18	47.4%	14	48.3%	11	47.8%	20	71.4%	14	70.0%
Pedestrian Deaths due to MVC†	<5	\$	8	5.9	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	23	17.2	21	15.5	27	19.9	18	13.2	23	16.7
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	58	43.4	73	54.0	68	50.1	70	51.5	67	48.7
Homicide†	6	4.5	5	3.7	<5	\$	8	5.9	10	7.3
Assault Hospitalizations†	59	44.1	78	57.7	65	47.9	61	44.9	73	53.1
Assault Injury ED Discharges†										
Suicide†	23	17.2	25	18.5	27	19.9	29	21.3	18	13.1
Self-Inflicted Hospitalizations†	133	99.5	127	94.0	114	83.9	130	95.7	78	56.7
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	9	6.7	13	9.6	21	15.5	21	15.5	16	11.6
Firearm-related Hospitalizations†	6	4.5	15	11.1	11	8.1	11	8.1	11	8.0
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

† Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Harbison-Crest/EI Cajon

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	308	224.7	227	166.2	262	190.5		
Coronary Heart Disease Hospitalizations†	751	548.0	775	567.3	710	516.2	688	495.9
Coronary Heart Disease ED Discharges†			37	27.1	58	42.2	66	47.6
Stroke Deaths†	82	59.8	90	65.9	69	50.2		
Stroke Hospitalizations†	409	298.4	427	312.6	397	288.6	432	311.4
Stroke ED Discharges†			62	45.4	81	58.9	85	61.3
Diabetes Deaths†	39	28.5	60	43.9	45	32.7		
Diabetes Hospitalizations†	223	162.7	244	178.6	296	215.2	324	233.5
Diabetes ED Discharges†			233	170.6	289	210.1	244	175.9
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	157	114.6	139	101.8	153	111.2	212	152.8
Asthma ED Discharges†			492	360.2	599	435.5	492	354.6
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	79	57.6	86	63.0	88	64.0		
COPD Hospitalizations†	267	194.8	297	217.4	294	213.7	326	235.0
COPD ED Discharges†			323	236.4	347	252.3	422	304.2
All Cancer Deaths†	294	214.5	296	216.7	332	241.4		
Prostate Cancer Deaths (among males)†	22	32.8	12	18.0	18	26.8		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	30	42.8	40	57.2	21	29.9		
Colorectal Cancer Deaths†	21	15.3	29	21.2	36	26.2		
Lung Cancer Deaths†	80	58.4	79	57.8	75	54.5		
Arthritis Hospitalizations†	483	352.4	507	371.1	579	421.0	526	379.1
Arthritis ED Discharges†			740	541.7	757	550.4	791	570.1
Dorsopathies Hospitalizations†	362	264.1	318	232.8	362	263.2	375	270.3
Dorsopathies ED Discharges†			1,245	911.4	1,168	849.2	1,279	921.8
Tuberculosis Incidence†	9	6.6	<5	\$	6	4.4	<5	\$
Chronic Hepatitis C Reported†	184	134.3	261	191.1	255	185.4	202	145.6
Chlamydia Reported, Underestimate††	435	317.4	504	368.9	551	400.6	607	437.5
Gonorrhea Reported, Underestimate††	99	72.2	120	87.8	81	58.9	64	46.1
Primary and Secondary Syphilis Reported†	9	6.6	8	5.9	6	4.4	<5	\$
Live Births†, % of Region's births	2,424	37.9%	2,339	36.4%	2,504	37.7%		
Live Births to Girls, Ages 15-17†, % of SRA's births	59	2.4%	71	3.0%	70	2.8%		
Live Births with Early Prenatal Care†, % of SRA's births	2,033	85.0%	1,797	80.3%	1,885	76.0%		
Live Births born Preterm†, % of SRA's births	257	11.1%	286	13.0%	306	12.7%		
Low Birth Weight Births†, % of SRA's births	145	6.0%	181	7.7%	189	7.5%		
Very Low Birth Weight Births†, % of SRA's births	28	1.2%	39	1.7%	30	1.2%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	12	4.9	15	6.4	11	4.4		
Infant Mortality†, Rate per 1,000 live births	11	4.5	14	6.0	16	6.4		
Unintentional Injury Deaths†	47	34.3	51	37.3	45	32.7		
Unintentional Injury Hospitalizations†	1,295	944.9	1,314	961.9	1,326	964.0	1,443	1,040.0
Unintentional Injury ED Discharges†			9,196	6,731.7	9,218	6,701.8	9,263	6,676.2
Fall-related Deaths†	<5	\$	11	8.1	10	7.3		
Fall-related Hospitalizations†	563	410.8	614	449.5	589	428.2	721	519.7
Fall-related ED Discharges†			2,945	2,155.8	3,025	2,199.3	3,115	2,245.1
Overdose/Poisoning Deaths†	21	15.3	22	16.1	22	16.0		
Overdose/Poisoning Hospitalizations†	143	104.3	141	103.2	157	114.1	150	108.1
Overdose/Poisoning ED Discharges†			282	206.4	285	207.2	342	246.5
Deaths due to Motor Vehicle (MV) Injury†	17	12.4	19	13.9	14	10.2		
Hospitalizations due to MV Injury†	198	144.5	168	123.0	169	122.9	173	124.7
ED Discharges due to MV Injury†			1,010	739.3	1,133	823.7	1,013	730.1
Motor Vehicle Crash Injuries†	1,390	1,014.2	1,261	923.1	1,131	822.3		
Alcohol-involved MVC Injuries†	191	139.4	149	109.1	153	111.2		
Drinking Drivers Involved in MV Crashes†	119	86.8	88	64.4	104	75.6		
Active Restraint Use, % of MVO Injured, Ages 6+ †	969	86.0%	921	94.1%	767	92.4%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	18	85.7%	13	65.0%	10	76.9%		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	22	16.1	25	18.3	14	10.2	23	16.6
Pedestrian ED Discharges due to MVC†			57	41.7	79	57.4	49	35.3
Pedestrian Injuries due to MVC†	59	43.0	58	42.5	66	48.0		
Homicide†	5	3.6	9	6.6	7	5.1		
Assault Hospitalizations†	84	61.3	77	56.4	85	61.8	102	73.5
Assault Injury ED Discharges†			447	327.2	535	389.0	465	335.1
Suicide†	15	10.9	23	16.8	33	24.0		
Self-Inflicted Hospitalizations†	80	58.4	77	56.4	70	50.9	88	63.4
Self-Inflicted Injury ED Discharges†			137	100.3	188	136.7	221	159.3
Firearm-related Deaths†	11	8.0	13	9.5	14	10.2		
Firearm-related Hospitalizations†	20	14.6	7	5.1	14	10.2	7	5.0
Firearm-related ED Discharges†			15	11.0	8	5.8	16	11.5
Dental-related ED Discharges†			222	162.5	277	201.4	315	227.0

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Jamul

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	23	187.6	14	112.3	26	204.8	25	192.4	19	132.7
Coronary Heart Disease Hospitalizations†	87	709.7	90	722.1	98	772.0	71	546.5	108	754.5
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	8	65.3	14	112.3	<5	\$	5	38.5	<5	\$
Stroke Hospitalizations†	29	236.6	36	288.8	46	362.4	39	300.2	33	230.5
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	11	89.7	9	72.2	16	126.0	20	153.9	17	118.8
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	7	57.1	6	48.1	14	110.3	6	46.2	8	55.9
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	10	81.6	12	96.3	5	39.4	<5	\$	8	55.9
COPD Hospitalizations†	19	155.0	22	176.5	18	141.8	20	153.9	24	167.7
COPD ED Discharges†										
All Cancer Deaths†	24	195.8	32	256.7	30	236.3	31	238.6	32	223.6
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	5	40.1	<5	\$	<5	\$	5	34.9
Lung Cancer Deaths†	8	65.3	8	64.2	11	86.7	8	61.6	11	76.8
Arthritis Hospitalizations†	28	228.4	50	401.2	55	433.3	43	331.0	59	412.2
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	37	301.8	41	328.9	36	283.6	39	300.2	48	335.3
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	8	65.3	15	120.3	15	118.2	9	69.3	14	97.8
Chlamydia Reported, Underestimate††	8	65.3	16	128.4	22	173.3	35	269.4	37	258.5
Gonorrhea Reported, Underestimate††	<5	\$	7	56.2	<5	\$	5	38.5	5	34.9
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	197	3.1%	193	3.1%	166	2.7%	209	3.3%	233	3.6%
Live Births to Girls, Ages 15-17†, % of SRA's births	7	3.6%	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	173	88.7%	175	91.6%	156	94.5%	186	90.7%	210	91.3%
Live Births born Preterm†, % of SRA's births	17	8.9%	21	12.1%	14	9.1%	25	13.0%	26	11.9%
Low Birth Weight Births†, % of SRA's births	12	6.1%	9	4.7%	8	4.8%	9	4.3%	20	8.6%
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	<5	\$	<5	\$	8	63.0	6	46.2	6	41.9
Unintentional Injury Hospitalizations†	98	799.5	125	1,002.9	128	1,008.4	134	1,031.4	118	824.4
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	29	236.6	45	361.0	39	307.2	40	307.9	40	279.4
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	14	114.2	17	136.4	15	118.2	14	107.8	9	62.9
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	5	34.9
Hospitalizations due to MV Injury†	24	195.8	26	208.6	32	252.1	28	215.5	25	174.7
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	189	1,541.9	151	1,211.5	149	1,173.8	171	1,316.2	251	1,753.5
Alcohol-involved MVC Injuries†	21	171.3	16	128.4	21	165.4	24	184.7	26	181.6
Drinking Drivers Involved in MV Crashes†	15	122.4	12	96.3	16	126.0	14	107.8	20	139.7
Active Restraint Use, % of MVO Injured, Ages 6+ †	135	80.8%	88	76.5%	82	71.9%	104	76.5%	151	75.1%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	6	48.1	<5	\$	6	46.2	7	48.9
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	6	46.2	<5	\$
Self-Inflicted Hospitalizations†	8	65.3	12	96.3	9	70.9	7	53.9	5	34.9
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Jamul

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	20	137.6	13	87.1	22	140.2		
Coronary Heart Disease Hospitalizations†	90	619.0	80	535.8	73	465.1	80	511.3
Coronary Heart Disease ED Discharges†			7	46.9	6	38.2	7	44.7
Stroke Deaths†	6	41.3	9	60.3	5	31.9		
Stroke Hospitalizations†	34	233.9	42	281.3	43	273.9	34	217.3
Stroke ED Discharges†			<5	\$	7	44.6	7	44.7
Diabetes Deaths†	<5	\$	<5	\$	<5	\$		
Diabetes Hospitalizations†	14	96.3	11	73.7	28	178.4	20	127.8
Diabetes ED Discharges†			13	87.1	19	121.0	20	127.8
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	<5	\$	6	40.2	15	95.6	15	95.9
Asthma ED Discharges†			32	214.3	33	210.2	39	249.3
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	5	34.4	7	46.9	5	31.9		
COPD Hospitalizations†	23	158.2	13	87.1	24	152.9	15	95.9
COPD ED Discharges†			27	180.8	24	152.9	35	223.7
All Cancer Deaths†	23	158.2	38	254.5	31	197.5		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	7	96.2	<5	\$		
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Lung Cancer Deaths†	8	55.0	7	46.9	8	51.0		
Arthritis Hospitalizations†	61	419.6	66	442.0	64	407.7	76	485.8
Arthritis ED Discharges†			52	348.2	60	382.2	61	389.9
Dorsopathies Hospitalizations†	46	316.4	50	334.9	37	235.7	35	223.7
Dorsopathies ED Discharges†			91	609.4	83	528.8	102	652.0
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	13	89.4	25	167.4	30	191.1	20	127.8
Chlamydia Reported, Underestimate††	33	227.0	31	207.6	39	248.5	50	319.6
Gonorrhea Reported, Underestimate††	8	55.0	8	53.6	8	51.0	5	32.0
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	210	3.3%	199	3.1%	210	3.2%		
Live Births to Girls, Ages 15-17†, % of SRA's births	7	3.3%	7	3.5%	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	184	88.0%	164	83.7%	168	81.6%		
Live Births born Preterm†, % of SRA's births	23	11.3%	27	14.1%	26	12.9%		
Low Birth Weight Births†, % of SRA's births	15	7.1%	18	9.0%	17	8.1%		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	5	2.5%	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	9	61.9	7	46.9	13	82.8		
Unintentional Injury Hospitalizations†	136	935.4	111	743.4	121	770.8	134	856.5
Unintentional Injury ED Discharges†			878	5,880.0	964	6,141.3	912	5,829.3
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	59	405.8	43	288.0	45	286.7	58	370.7
Fall-related ED Discharges†			242	1,620.7	288	1,834.7	285	1,821.7
Overdose/Poisoning Deaths†	<5	\$	<5	\$	5	31.9		
Overdose/Poisoning Hospitalizations†	12	82.5	17	113.8	13	82.8	7	44.7
Overdose/Poisoning ED Discharges†			28	187.5	27	172.0	29	185.4
Deaths due to Motor Vehicle (MV) Injury†	5	34.4	<5	\$	7	44.6		
Hospitalizations due to MV Injury†	19	130.7	28	187.5	28	178.4	21	134.2
ED Discharges due to MV Injury†			122	817.0	137	872.8	118	754.2
Motor Vehicle Crash Injuries†	190	1,306.8	201	1,346.1	195	1,242.3		
Alcohol-involved MVC Injuries†	19	130.7	23	154.0	22	140.2		
Drinking Drivers Involved in MV Crashes†	11	75.7	17	113.8	16	101.9		
Active Restraint Use, % of MVO Injured, Ages 6+ †	145	86.8%	131	81.4%	152	91.6%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			<5	\$	<5	\$	<5	\$
Pedestrian Injuries due to MVC†	<5	\$	5	33.5	5	31.9		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	<5	\$	9	60.3	7	44.6	<5	\$
Assault Injury ED Discharges†			30	200.9	41	261.2	37	236.5
Suicide†	<5	\$	<5	\$	<5	\$		
Self-Inflicted Hospitalizations†	9	61.9	13	87.1	12	76.4	8	51.1
Self-Inflicted Injury ED Discharges†			15	100.5	11	70.1	16	102.3
Firearm-related Deaths†	<5	\$	6	40.2	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			13	87.1	16	101.9	22	140.6

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: La Mesa

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	184	324.7	167	291.7	172	298.5	174	300.6	144	248.1
Coronary Heart Disease Hospitalizations†	492	868.2	425	742.3	406	704.5	395	682.5	343	591.0
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	76	134.1	49	85.6	76	131.9	70	120.9	46	79.3
Stroke Hospitalizations†	246	434.1	244	426.2	238	413.0	233	402.6	202	348.1
Stroke ED Discharges†										
Diabetes Deaths†	16	28.2	14	24.5	12	20.8	13	22.5	15	25.8
Diabetes Hospitalizations†	83	146.5	65	113.5	83	144.0	63	108.8	62	106.8
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	59	104.1	57	99.6	47	81.6	52	89.8	46	79.3
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	39	68.8	49	85.6	34	59.0	43	74.3	40	68.9
COPD Hospitalizations†	130	229.4	95	165.9	99	171.8	130	224.6	99	170.6
COPD ED Discharges†										
All Cancer Deaths†	187	330.0	158	276.0	152	263.7	184	317.9	156	268.8
Prostate Cancer Deaths (among males)†	15	56.1	6	22.3	13	48.0	11	40.4	10	36.6
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	16	53.5	15	49.5	16	52.4	13	42.4	16	52.1
Colorectal Cancer Deaths†	21	37.1	19	33.2	14	24.3	18	31.1	15	25.8
Lung Cancer Deaths†	47	82.9	33	57.6	38	65.9	47	81.2	41	70.6
Arthritis Hospitalizations†	211	372.4	201	351.1	214	371.3	249	430.2	244	420.5
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	119	210.0	152	265.5	147	255.1	139	240.2	155	267.1
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	45	79.4	52	90.8	57	98.9	43	74.3	62	106.8
Chlamydia Reported, Underestimate††	119	210.0	149	260.2	140	242.9	160	276.4	199	342.9
Gonorrhea Reported, Underestimate††	21	37.1	21	36.7	31	53.8	34	58.7	48	82.7
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	831	13.2%	790	12.7%	734	12.1%	852	13.3%	915	14.0%
Live Births to Girls, Ages 15-17†, % of SRA's births	14	1.7%	13	1.6%	9	1.2%	8	0.9%	9	1.0%
Live Births with Early Prenatal Care†, % of SRA's births	754	91.2%	713	90.8%	662	90.6%	771	91.4%	852	93.8%
Live Births born Preterm†, % of SRA's births	79	10.1%	83	11.2%	80	11.6%	74	9.3%	98	11.2%
Low Birth Weight Births†, % of SRA's births	49	5.9%	62	7.8%	46	6.3%	57	6.7%	61	6.7%
Very Low Birth Weight Births†, % of SRA's births	14	1.7%	15	1.9%	6	0.8%	9	1.1%	5	0.5%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	5	6.3	7	9.4	<5	\$	5	5.4
Infant Mortality†, Rate per 1,000 live births	<5	\$	9	11.4	<5	\$	6	7.0	<5	\$
Unintentional Injury Deaths†	21	37.1	12	21.0	6	10.4	18	31.1	23	39.6
Unintentional Injury Hospitalizations†	553	975.9	589	1,028.7	587	1,018.5	640	1,105.8	576	992.5
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	7	12.1
Fall-related Hospitalizations†	324	571.8	314	548.4	311	539.6	352	608.2	312	537.6
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	9	15.9	6	10.5	5	8.7	11	19.0	9	15.5
Overdose/Poisoning Hospitalizations†	51	90.0	79	138.0	70	121.5	54	93.3	64	110.3
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	7	12.4	<5	\$	<5	\$	5	8.6	5	8.6
Hospitalizations due to MV Injury†	63	111.2	66	115.3	72	124.9	61	105.4	70	120.6
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	634	1,118.8	639	1,116.1	672	1,166.0	654	1,130.0	639	1,101.1
Alcohol-involved MVC Injuries†	72	127.1	91	158.9	88	152.7	71	122.7	68	117.2
Drinking Drivers Involved in MV Crashes†	52	91.8	60	104.8	53	92.0	54	93.3	43	74.1
Active Restraint Use, % of MVO Injured, Ages 6+ †	447	78.8%	451	81.4%	457	78.4%	442	79.1%	409	75.5%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	8	66.7%	<5	\$	5	50.0%
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	5	8.8	<5	\$	8	13.9	5	8.6	10	17.2
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	12	21.2	16	27.9	18	31.2	15	25.9	19	32.7
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	12	21.2	18	31.4	15	26.0	27	46.6	21	36.2
Assault Injury ED Discharges†										
Suicide†	8	14.1	7	12.2	9	15.6	10	17.3	5	8.6
Self-Inflicted Hospitalizations†	35	61.8	46	80.3	49	85.0	43	74.3	38	65.5
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	6	10.4	6	10.4	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	6	10.4	8	13.8	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: La Mesa

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	140	242.3	118	204.1	133	228.0		
Coronary Heart Disease Hospitalizations†	338	584.9	278	480.8	298	510.8	305	519.2
Coronary Heart Disease ED Discharges†			17	29.4	19	32.6	29	49.4
Stroke Deaths†	52	90.0	36	62.3	41	70.3		
Stroke Hospitalizations†	209	361.6	218	377.0	229	392.6	212	360.9
Stroke ED Discharges†			34	58.8	51	87.4	44	74.9
Diabetes Deaths†	20	34.6	24	41.5	9	15.4		
Diabetes Hospitalizations†	117	202.5	112	193.7	103	176.6	100	170.2
Diabetes ED Discharges†			101	174.7	91	156.0	81	137.9
Asthma Deaths†	<5	\$	<5	\$	6	10.3		
Asthma Hospitalizations†	56	96.9	60	103.8	54	92.6	59	100.4
Asthma ED Discharges†			149	257.7	164	281.1	172	292.8
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	45	77.9	40	69.2	45	77.1		
COPD Hospitalizations†	107	185.1	108	186.8	96	164.6	104	177.0
COPD ED Discharges†			137	236.9	126	216.0	133	226.4
All Cancer Deaths†	141	244.0	141	243.8	145	248.6		
Prostate Cancer Deaths (among males)†	11	40.2	14	51.1	13	47.0		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	10	32.8	9	29.6	17	55.5		
Colorectal Cancer Deaths†	9	15.6	10	17.3	10	17.1		
Lung Cancer Deaths†	27	46.7	24	41.5	35	60.0		
Arthritis Hospitalizations†	299	517.4	283	489.4	288	493.7	272	463.0
Arthritis ED Discharges†			332	574.2	275	471.4	319	543.0
Dorsopathies Hospitalizations†	173	299.4	164	283.6	174	298.3	125	212.8
Dorsopathies ED Discharges†			557	963.3	421	721.7	432	735.4
Tuberculosis Incidence†	5	8.7	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	71	122.9	84	145.3	88	150.9	57	97.0
Chlamydia Reported, Underestimate††	136	235.3	157	271.5	185	317.1	236	401.7
Gonorrhea Reported, Underestimate††	42	72.7	33	57.1	29	49.7	29	49.4
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	7	12.0	5	8.5
Live Births†, % of Region's births	878	13.7%	909	14.2%	864	13.0%		
Live Births to Girls, Ages 15-17†, % of SRA's births	7	0.8%	12	1.3%	9	1.0%		
Live Births with Early Prenatal Care†, % of SRA's births	772	88.7%	772	87.5%	727	84.4%		
Live Births born Preterm†, % of SRA's births	98	11.7%	90	10.4%	74	8.8%		
Low Birth Weight Births†, % of SRA's births	72	8.2%	46	5.1%	53	6.1%		
Very Low Birth Weight Births†, % of SRA's births	18	2.1%	6	0.7%	11	1.3%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	6	6.9		
Infant Mortality†, Rate per 1,000 live births	7	8.0	<5	\$	8	9.3		
Unintentional Injury Deaths†	20	34.6	19	32.9	19	32.6		
Unintentional Injury Hospitalizations†	592	1,024.4	643	1,112.0	635	1,088.5	651	1,108.1
Unintentional Injury ED Discharges†			3,512	6,073.6	3,546	6,078.7	3,545	6,034.4
Fall-related Deaths†	7	12.1	5	8.6	8	13.7		
Fall-related Hospitalizations†	338	584.9	337	582.8	374	641.1	380	646.8
Fall-related ED Discharges†			1,191	2,059.7	1,310	2,245.7	1,311	2,231.6
Overdose/Poisoning Deaths†	6	10.4	6	10.4	6	10.3		
Overdose/Poisoning Hospitalizations†	47	81.3	50	86.5	55	94.3	48	81.7
Overdose/Poisoning ED Discharges†			121	209.3	111	190.3	124	211.1
Deaths due to Motor Vehicle (MV) Injury†	7	12.1	7	12.1	7	12.0		
Hospitalizations due to MV Injury†	50	86.5	60	103.8	64	109.7	65	110.6
ED Discharges due to MV Injury†			364	629.5	357	612.0	323	549.8
Motor Vehicle Crash Injuries†	575	995.0	551	952.9	563	965.1		
Alcohol-involved MVC Injuries†	58	100.4	61	105.5	64	109.7		
Drinking Drivers Involved in MV Crashes†	44	76.1	44	76.1	49	84.0		
Active Restraint Use, % of MVO Injured, Ages 6+ †	415	84.9%	393	87.7%	458	95.0%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	6	10.4	6	10.4	5	8.6	8	13.6
Pedestrian ED Discharges due to MVC†			17	29.4	20	34.3	26	44.3
Pedestrian Injuries due to MVC†	21	36.3	14	24.2	19	32.6		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	25	43.3	43	74.4	34	58.3	30	51.1
Assault Injury ED Discharges†			160	276.7	160	274.3	160	272.4
Suicide†	9	15.6	7	12.1	8	13.7		
Self-Inflicted Hospitalizations†	28	48.5	26	45.0	22	37.7	27	46.0
Self-Inflicted Injury ED Discharges†			54	93.4	75	128.6	78	132.8
Firearm-related Deaths†	<5	\$	8	13.8	<5	\$		
Firearm-related Hospitalizations†	5	8.7	7	12.1	5	8.6	6	10.2
Firearm-related ED Discharges†			5	8.6	<5	\$	<5	\$
Dental-related ED Discharges†			89	153.9	96	164.6	108	183.8

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Laguna-Pine Valley

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	6	114.9	<5	\$	<5	\$	<5	\$	<5	\$
Coronary Heart Disease Hospitalizations†	6	114.9	9	172.6	8	153.8	12	239.9	14	278.7
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Stroke Hospitalizations†	<5	\$	<5	\$	6	115.3	<5	\$	<5	\$
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
COPD Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
COPD ED Discharges†										
All Cancer Deaths†	<5	\$	5	95.9	<5	\$	<5	\$	8	159.3
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Arthritis Hospitalizations†	<5	\$	6	115.1	9	173.0	13	259.9	11	219.0
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	<5	\$	5	95.9	<5	\$	8	159.9	8	159.3
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chlamydia Reported, Underestimate††	5	95.7	<5	\$	<5	\$	6	120.0	5	99.5
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	22	0.3%	29	0.5%	18	0.3%	20	0.3%	23	0.4%
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	17	77.3%	27	96.4%	13	76.5%	18	94.7%	20	90.9%
Live Births born Preterm†, % of SRA's births	<5	\$	5	18.5%	<5	\$	<5	\$	<5	\$
Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Hospitalizations†	23	440.4	15	287.7	19	365.2	19	379.8	22	438.0
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	5	95.7	6	115.1	10	192.2	<5	\$	11	219.0
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	<5	\$	<5	\$	<5	\$	5	100.0	<5	\$
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	31	593.5	25	479.6	20	384.4	16	319.9	24	477.8
Alcohol-involved MVC Injuries†	<5	\$	5	95.9	<5	\$	6	120.0	<5	\$
Drinking Drivers Involved in MV Crashes†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Active Restraint Use, % of MVO Injured, Ages 6+ †	16	76.2%	11	78.6%	7	41.2%	8	72.7%	13	72.2%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Laguna-Pine Valley

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	<5	\$	6	119.0	<5	\$		
Coronary Heart Disease Hospitalizations†	7	137.4	8	158.6	10	196.8	12	232.8
Coronary Heart Disease ED Discharges†			<5	\$	<5	\$	<5	\$
Stroke Deaths†	<5	\$	<5	\$	<5	\$		
Stroke Hospitalizations†	<5	\$	6	119.0	<5	\$	<5	\$
Stroke ED Discharges†			<5	\$	<5	\$	<5	\$
Diabetes Deaths†	<5	\$	<5	\$	<5	\$		
Diabetes Hospitalizations†	<5	\$	<5	\$	<5	\$	7	135.8
Diabetes ED Discharges†			<5	\$	<5	\$	<5	\$
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Asthma ED Discharges†			<5	\$	6	118.1	5	97.0
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$		
COPD Hospitalizations†	<5	\$	5	99.1	<5	\$	<5	\$
COPD ED Discharges†			8	158.6	<5	\$	7	135.8
All Cancer Deaths†	<5	\$	7	138.8	7	137.7		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Arthritis Hospitalizations†	9	176.7	6	119.0	15	295.2	13	252.2
Arthritis ED Discharges†			11	218.1	6	118.1	<5	\$
Dorsopathies Hospitalizations†	10	196.3	8	158.6	12	236.1	5	97.0
Dorsopathies ED Discharges†			7	138.8	18	354.2	10	194.0
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Chlamydia Reported, Underestimate††	5	98.2	8	158.6	5	98.4	<5	\$
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	25	0.4%	31	0.5%	24	0.4%		
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	19	82.6%	23	79.3%	12	52.2%		
Live Births born Preterm†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	<5	\$	<5	\$	<5	\$		
Unintentional Injury Hospitalizations†	16	314.2	21	416.3	22	432.9	19	368.6
Unintentional Injury ED Discharges†			136	2,696.3	152	2,990.9	137	2,658.1
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	<5	\$	<5	\$	8	157.4	9	174.6
Fall-related ED Discharges†			42	832.7	38	747.7	37	717.9
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$		
Overdose/Poisoning Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning ED Discharges†			<5	\$	<5	\$	8	155.2
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	<5	\$	6	119.0	<5	\$	<5	\$
ED Discharges due to MV Injury†			13	257.7	17	334.5	10	194.0
Motor Vehicle Crash Injuries†	17	333.8	30	594.8	29	570.6		
Alcohol-involved MVC Injuries†	<5	\$	6	119.0	<5	\$		
Drinking Drivers Involved in MV Crashes†	<5	\$	5	99.1	<5	\$		
Active Restraint Use, % of MVO Injured, Ages 6+ †	12	100.0%	21	95.5%	15	100.0%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$§	<5	\$§	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			<5	\$	<5	\$	<5	\$
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Assault Injury ED Discharges†			<5	\$	<5	\$	<5	\$
Suicide†	<5	\$	<5	\$	<5	\$		
Self-Inflicted Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†			<5	\$	<5	\$	<5	\$
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			<5	\$	<5	\$	<5	\$

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

§ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Lakeside

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	72	132.4	69	125.9	67	120.1	70	125.0	48	85.9
Coronary Heart Disease Hospitalizations†	261	479.8	233	425.2	259	464.3	230	410.6	191	341.9
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	25	46.0	18	32.9	17	30.5	31	55.3	18	32.2
Stroke Hospitalizations†	121	222.5	122	222.7	82	147.0	102	182.1	107	191.6
Stroke ED Discharges†										
Diabetes Deaths†	11	20.2	7	12.8	6	10.8	13	23.2	11	19.7
Diabetes Hospitalizations†	37	68.0	39	71.2	51	91.4	34	60.7	37	66.2
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	50	91.9	45	82.1	42	75.3	46	82.1	43	77.0
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	20	36.8	17	31.0	25	44.8	20	35.7	11	19.7
COPD Hospitalizations†	60	110.3	79	144.2	93	166.7	96	171.4	68	121.7
COPD ED Discharges†										
All Cancer Deaths†	74	136.0	81	147.8	70	125.5	73	130.3	72	128.9
Prostate Cancer Deaths (among males)†	5	18.6	<5	\$	<5	\$	5	18.2	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	7	25.5	7	25.2	<5	\$	<5	\$	6	21.1
Colorectal Cancer Deaths†	5	9.2	7	12.8	11	19.7	6	10.7	5	9.0
Lung Cancer Deaths†	19	34.9	33	60.2	23	41.2	23	41.1	27	48.3
Arthritis Hospitalizations†	99	182.0	126	230.0	91	163.1	119	212.5	125	223.8
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	94	172.8	102	186.2	110	197.2	125	223.2	93	166.5
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	5	9.0
Chronic Hepatitis C Reported†	41	75.4	41	74.8	38	68.1	39	69.6	34	60.9
Chlamydia Reported, Underestimate††	61	112.1	64	116.8	84	150.6	83	148.2	103	184.4
Gonorrhea Reported, Underestimate††	7	12.9	8	14.6	9	16.1	12	21.4	22	39.4
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	553	8.8%	594	9.5%	520	8.6%	606	9.5%	571	8.7%
Live Births to Girls, Ages 15-17†, % of SRA's births	10	1.8%	8	1.3%	8	1.5%	12	2.0%	11	1.9%
Live Births with Early Prenatal Care†, % of SRA's births	512	93.1%	529	90.9%	468	91.2%	539	90.1%	512	90.0%
Live Births born Preterm†, % of SRA's births	54	10.4%	59	10.9%	43	9.0%	60	10.5%	62	11.5%
Low Birth Weight Births†, % of SRA's births	23	4.2%	30	5.1%	23	4.4%	32	5.3%	33	5.8%
Very Low Birth Weight Births†, % of SRA's births	<5	\$	5	0.8%	<5	\$	<5	\$	10	1.8%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	5	9.6	7	11.6	6	10.5
Unintentional Injury Deaths†	8	14.7	9	16.4	10	17.9	21	37.5	16	28.6
Unintentional Injury Hospitalizations†	317	582.8	353	644.3	318	570.0	373	666.0	329	589.0
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	139	255.5	133	242.7	116	207.9	118	210.7	133	238.1
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	5	9.2	<5	\$	<5	\$	6	10.7	6	10.7
Overdose/Poisoning Hospitalizations†	38	69.9	46	84.0	38	68.1	36	64.3	40	71.6
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	6	10.7
Hospitalizations due to MV Injury†	56	103.0	54	98.6	67	120.1	59	105.3	53	94.9
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	345	634.3	324	591.3	250	448.1	227	405.3	328	587.2
Alcohol-involved MVC Injuries†	61	112.1	72	131.4	50	89.6	39	69.6	51	91.3
Drinking Drivers Involved in MV Crashes†	35	64.3	50	91.3	34	60.9	26	46.4	36	64.4
Active Restraint Use, % of MVO Injured, Ages 6+ †	212	74.1%	198	72.3%	146	73.0%	121	68.8%	210	78.4%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	5	71.4%	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	7	12.8	<5	\$	<5	\$	7	12.5
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	17	31.3	9	16.4	11	19.7	11	19.6	7	12.5
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	17	31.3	18	32.9	22	39.4	18	32.1	7	12.5
Assault Injury ED Discharges†										
Suicide†	5	9.2	<5	\$	<5	\$	6	10.7	6	10.7
Self-Inflicted Hospitalizations†	33	60.7	32	58.4	28	50.2	25	44.6	27	48.3
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	6	10.7	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Lakeside

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	54	96.5	54	97.0	52	92.4		
Coronary Heart Disease Hospitalizations†	212	379.0	209	375.6	194	344.9	144	252.9
Coronary Heart Disease ED Discharges†			16	28.8	18	32.0	21	36.9
Stroke Deaths†	12	21.5	17	30.6	15	26.7		
Stroke Hospitalizations†	99	177.0	109	195.9	108	192.0	90	158.0
Stroke ED Discharges†			16	28.8	27	48.0	16	28.1
Diabetes Deaths†	9	16.1	8	14.4	11	19.6		
Diabetes Hospitalizations†	32	57.2	68	122.2	76	135.1	79	138.7
Diabetes ED Discharges†			61	109.6	74	131.6	54	94.8
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	38	67.9	27	48.5	25	44.4	44	77.3
Asthma ED Discharges†			110	197.7	108	192.0	113	198.4
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	19	34.0	28	50.3	26	46.2		
COPD Hospitalizations†	74	132.3	72	129.4	93	165.3	60	105.4
COPD ED Discharges†			60	107.8	75	133.3	95	166.8
All Cancer Deaths†	77	137.6	85	152.8	68	120.9		
Prostate Cancer Deaths (among males)†	9	32.7	6	22.0	6	21.7		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	6	21.2	5	17.5		
Colorectal Cancer Deaths†	5	8.9	8	14.4	9	16.0		
Lung Cancer Deaths†	26	46.5	26	46.7	14	24.9		
Arthritis Hospitalizations†	153	273.5	149	267.8	171	304.0	162	284.5
Arthritis ED Discharges†			197	354.0	185	328.9	187	328.4
Dorsopathies Hospitalizations†	106	189.5	101	181.5	109	193.8	96	168.6
Dorsopathies ED Discharges†			263	472.7	263	467.6	252	442.5
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	46	82.2	67	120.4	66	117.3	55	96.6
Chlamydia Reported, Underestimate††	63	112.6	96	172.5	107	190.2	116	203.7
Gonorrhea Reported, Underestimate††	9	16.1	16	28.8	19	33.8	13	22.8
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	587	9.2%	551	8.6%	591	8.9%		
Live Births to Girls, Ages 15-17†, % of SRA's births	14	2.4%	<5	\$	8	1.4%		
Live Births with Early Prenatal Care†, % of SRA's births	493	85.4%	431	82.3%	485	82.8%		
Live Births born Preterm†, % of SRA's births	49	8.9%	47	9.3%	66	11.7%		
Low Birth Weight Births†, % of SRA's births	39	6.6%	40	7.3%	48	8.1%		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	7	1.3%	7	1.2%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	11	19.7	11	19.8	22	39.1		
Unintentional Injury Hospitalizations†	378	675.7	338	607.5	348	618.7	371	651.5
Unintentional Injury ED Discharges†			2,422	4,352.8	2,540	4,515.6	2,467	4,332.0
Fall-related Deaths†	<5	\$	<5	\$	5	8.9		
Fall-related Hospitalizations†	147	262.8	150	269.6	160	284.4	180	316.1
Fall-related ED Discharges†			748	1,344.3	779	1,384.9	769	1,350.4
Overdose/Poisoning Deaths†	<5	\$	<5	\$	12	21.3		
Overdose/Poisoning Hospitalizations†	47	84.0	35	62.9	42	74.7	34	59.7
Overdose/Poisoning ED Discharges†			71	127.6	83	147.6	120	210.7
Deaths due to Motor Vehicle (MV) Injury†	5	8.9	5	9.0	6	10.7		
Hospitalizations due to MV Injury†	68	121.6	37	66.5	52	92.4	54	94.8
ED Discharges due to MV Injury†			252	452.9	263	467.6	248	435.5
Motor Vehicle Crash Injuries†	363	648.9	278	499.6	295	524.5		
Alcohol-involved MVC Injuries†	71	126.9	48	86.3	60	106.7		
Drinking Drivers Involved in MV Crashes†	44	78.7	33	59.3	40	71.1		
Active Restraint Use, % of MVO Injured, Ages 6+ †	293	92.4%	197	86.0%	203	87.5%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	5	100.0%		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	6	10.7	<5	\$	6	10.7	5	8.8
Pedestrian ED Discharges due to MVC†			7	12.6	13	23.1	8	14.0
Pedestrian Injuries due to MVC†	16	28.6	9	16.2	15	26.7		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	17	30.4	19	34.1	19	33.8	23	40.4
Assault Injury ED Discharges†			123	221.1	123	218.7	128	224.8
Suicide†	5	8.9	<5	\$	14	24.9		
Self-Inflicted Hospitalizations†	32	57.2	22	39.5	19	33.8	23	40.4
Self-Inflicted Injury ED Discharges†			36	64.7	32	56.9	84	147.5
Firearm-related Deaths†	<5	\$	<5	\$	6	10.7		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			7	12.6	<5	\$	7	12.3
Dental-related ED Discharges†			66	118.6	74	131.6	79	138.7

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Lemon Grove

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	34	116.0	55	185.8	62	208.5	55	184.4	58	193.8
Coronary Heart Disease Hospitalizations†	168	573.4	154	520.4	140	470.8	135	452.7	129	431.1
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	13	44.4	24	81.1	13	43.7	24	80.5	17	56.8
Stroke Hospitalizations†	81	276.5	88	297.4	75	252.2	84	281.7	67	223.9
Stroke ED Discharges†										
Diabetes Deaths†	10	34.1	<5	\$	<5	\$	7	23.5	6	20.0
Diabetes Hospitalizations†	42	143.4	47	158.8	40	134.5	49	164.3	42	140.3
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	30	102.4	28	94.6	30	100.9	34	114.0	32	106.9
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	13	44.4	13	43.9	9	30.3	7	23.5	15	50.1
COPD Hospitalizations†	64	218.4	41	138.5	55	184.9	44	147.5	42	140.3
COPD ED Discharges†										
All Cancer Deaths†	47	160.4	62	209.5	44	148.0	61	204.5	42	140.3
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	6	39.8	6	39.3	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	5	17.1	8	27.0	8	26.9	8	26.8	<5	\$
Lung Cancer Deaths†	16	54.6	19	64.2	11	37.0	17	57.0	8	26.7
Arthritis Hospitalizations†	75	256.0	77	260.2	67	225.3	69	231.4	76	254.0
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	42	143.4	49	165.6	61	205.1	65	217.9	52	173.8
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	26	88.7	44	148.7	50	168.1	32	107.3	25	83.5
Chlamydia Reported, Underestimate††	72	245.8	67	226.4	81	272.4	93	311.8	90	300.7
Gonorrhea Reported, Underestimate††	9	30.7	19	64.2	13	43.7	14	46.9	16	53.5
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	368	5.8%	380	6.1%	354	5.8%	423	6.6%	381	5.8%
Live Births to Girls, Ages 15-17†, % of SRA's births	15	4.1%	13	3.4%	14	4.0%	10	2.4%	11	2.9%
Live Births with Early Prenatal Care†, % of SRA's births	298	82.3%	321	85.1%	300	84.7%	345	82.9%	323	86.1%
Live Births born Preterm†, % of SRA's births	42	12.3%	48	14.0%	38	11.7%	46	11.8%	32	8.8%
Low Birth Weight Births†, % of SRA's births	31	8.4%	33	8.7%	27	7.6%	19	4.5%	17	4.5%
Very Low Birth Weight Births†, % of SRA's births	9	2.4%	6	1.6%	<5	\$	6	1.4%	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	5	14.1	<5	\$	<5	\$
Unintentional Injury Deaths†	<5	\$	7	23.7	9	30.3	13	43.6	8	26.7
Unintentional Injury Hospitalizations†	206	703.1	190	642.0	216	726.3	218	731.0	220	735.1
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	104	355.0	90	304.1	94	316.1	99	331.9	106	354.2
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	9	30.2	<5	\$
Overdose/Poisoning Hospitalizations†	21	71.7	36	121.6	37	124.4	20	67.1	25	83.5
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	35	119.5	23	77.7	47	158.0	31	103.9	45	150.4
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	177	604.1	140	473.1	198	665.8	148	496.2	194	648.3
Alcohol-involved MVC Injuries†	19	64.9	25	84.5	24	80.7	12	40.2	22	73.5
Drinking Drivers Involved in MV Crashes†	14	47.8	16	54.1	15	50.4	10	33.5	17	56.8
Active Restraint Use, % of MVO Injured, Ages 6+ †	113	81.3%	97	84.3%	139	85.8%	108	87.8%	112	87.5%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	5	17.1	<5	\$	6	20.2	<5	\$	7	23.4
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	13	44.4	7	23.7	10	33.6	<5	\$	10	33.4
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	12	41.0	15	50.7	14	47.1	15	50.3	15	50.1
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	17	58.0	21	71.0	24	80.7	12	40.2	22	73.5
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	5	16.9	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Lemon Grove

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	54	181.4	52	175.0	33	110.7		
Coronary Heart Disease Hospitalizations†	147	493.8	104	350.0	115	385.8	113	376.4
Coronary Heart Disease ED Discharges†			<5	\$	5	16.8	6	20.0
Stroke Deaths†	12	40.3	9	30.3	16	53.7		
Stroke Hospitalizations†	70	235.1	58	195.2	67	224.7	67	223.2
Stroke ED Discharges†			17	57.2	15	50.3	15	50.0
Diabetes Deaths†	11	37.0	10	33.7	<5	\$		
Diabetes Hospitalizations†	48	161.2	43	144.7	59	197.9	68	226.5
Diabetes ED Discharges†			52	175.0	52	174.4	71	236.5
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	28	94.1	22	74.0	22	73.8	24	79.9
Asthma ED Discharges†			102	343.2	108	362.3	113	376.4
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	19	63.8	14	47.1	15	50.3		
COPD Hospitalizations†	43	144.4	37	124.5	51	171.1	33	109.9
COPD ED Discharges†			50	168.3	57	191.2	76	253.2
All Cancer Deaths†	44	147.8	44	148.1	56	187.9		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Lung Cancer Deaths†	8	26.9	14	47.1	15	50.3		
Arthritis Hospitalizations†	82	275.5	61	205.3	66	221.4	86	286.5
Arthritis ED Discharges†			149	501.4	146	489.8	126	419.7
Dorsopathies Hospitalizations†	51	171.3	38	127.9	51	171.1	49	163.2
Dorsopathies ED Discharges†			194	652.8	220	738.0	165	549.6
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	59	198.2	44	148.1	47	157.7	55	183.2
Chlamydia Reported, Underestimate††	71	238.5	100	336.5	90	301.9	140	466.3
Gonorrhea Reported, Underestimate††	20	67.2	14	47.1	13	43.6	18	60.0
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	401	6.3%	407	6.3%	442	6.7%		
Live Births to Girls, Ages 15-17†, % of SRA's births	20	5.0%	9	2.2%	13	2.9%		
Live Births with Early Prenatal Care†, % of SRA's births	331	84.2%	315	80.2%	330	75.5%		
Live Births born Preterm†, % of SRA's births	54	14.7%	44	11.7%	56	12.8%		
Low Birth Weight Births†, % of SRA's births	23	5.7%	33	8.1%	28	6.3%		
Very Low Birth Weight Births†, % of SRA's births	6	1.5%	9	2.2%	7	1.6%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	6	14.7	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	9	30.2	8	26.9	12	40.3		
Unintentional Injury Hospitalizations†	202	678.6	223	750.4	226	758.1	220	732.8
Unintentional Injury ED Discharges†			1,503	5,057.9	1,507	5,055.2	1,573	5,239.7
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	101	339.3	100	336.5	121	405.9	105	349.8
Fall-related ED Discharges†			469	1,578.3	487	1,633.6	542	1,805.4
Overdose/Poisoning Deaths†	6	20.2	7	23.6	8	26.8		
Overdose/Poisoning Hospitalizations†	25	84.0	29	97.6	16	53.7	20	66.6
Overdose/Poisoning ED Discharges†			40	134.6	33	110.7	48	159.9
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	17	57.1	32	107.7	42	140.9	25	83.3
ED Discharges due to MV Injury†			155	521.6	173	580.3	155	516.3
Motor Vehicle Crash Injuries†	161	540.8	138	464.4	143	479.7		
Alcohol-involved MVC Injuries†	14	47.0	20	67.3	19	63.7		
Drinking Drivers Involved in MV Crashes†	14	47.0	16	53.8	14	47.0		
Active Restraint Use, % of MVO Injured, Ages 6+ †	104	96.3%	77	93.9%	77	92.8%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	5	16.8	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			10	33.7	5	16.8	13	43.3
Pedestrian Injuries due to MVC†	8	26.9	13	43.7	10	33.5		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	20	67.2	19	63.9	25	83.9	22	73.3
Assault Injury ED Discharges†			84	282.7	109	365.6	95	316.4
Suicide†	<5	\$	5	16.8	<5	\$		
Self-Inflicted Hospitalizations†	14	47.0	12	40.4	7	23.5	5	16.7
Self-Inflicted Injury ED Discharges†			18	60.6	15	50.3	37	123.2
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			5	16.8	<5	\$	5	16.7
Dental-related ED Discharges†			64	215.4	42	140.9	57	189.9

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Mountain Empire

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	13	200.5	17	263.9	16	252.3	21	344.2	15	249.0
Coronary Heart Disease Hospitalizations†	58	894.4	46	714.2	55	867.4	50	819.5	57	946.4
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	9	138.8	<5	\$	<5	\$	5	82.0	<5	\$
Stroke Hospitalizations†	23	354.7	29	450.2	27	425.8	20	327.8	29	481.5
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	12	185.0	9	139.7	14	220.8	21	344.2	32	531.3
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	10	154.2	13	201.8	10	157.7	15	245.9	12	199.2
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$	9	147.5	6	99.6
COPD Hospitalizations†	15	231.3	18	279.5	22	346.9	14	229.5	7	116.2
COPD ED Discharges†										
All Cancer Deaths†	20	308.4	16	248.4	18	283.9	15	245.9	23	381.9
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Lung Cancer Deaths†	<5	\$	<5	\$	6	94.6	5	82.0	9	149.4
Arthritis Hospitalizations†	32	493.4	26	403.7	27	425.8	27	442.6	32	531.3
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	19	293.0	18	279.5	17	268.1	28	458.9	27	448.3
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	10	154.2	8	124.2	10	157.7	9	147.5	15	249.0
Chlamydia Reported, Underestimate††	14	215.9	12	186.3	14	220.8	22	360.6	19	315.5
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	5	78.9	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	91	1.4%	97	1.6%	88	1.5%	109	1.7%	100	1.5%
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	6	6.2%	<5	\$	5	4.6%	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	67	76.1%	77	83.7%	77	87.5%	92	85.2%	85	85.9%
Live Births born Preterm†, % of SRA's births	11	13.1%	13	14.1%	12	14.3%	11	10.9%	14	14.9%
Low Birth Weight Births†, % of SRA's births	8	8.8%	9	9.3%	7	8.0%	<5	\$	6	6.0%
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	<5	\$	<5	\$	6	94.6	<5	\$	6	99.6
Unintentional Injury Hospitalizations†	76	1,171.9	97	1,506.0	86	1,356.3	100	1,639.1	94	1,560.7
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	22	339.2	30	465.8	26	410.0	34	557.3	31	514.7
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	5	77.1	7	108.7	11	173.5	8	131.1	7	116.2
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	19	293.0	21	326.0	22	346.9	21	344.2	21	348.7
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	129	1,989.2	200	3,105.1	209	3,296.0	189	3,097.9	221	3,669.3
Alcohol-involved MVC Injuries†	11	169.6	32	496.8	30	473.1	32	524.5	28	464.9
Drinking Drivers Involved in MV Crashes†	10	154.2	21	326.0	21	331.2	18	295.0	17	282.3
Active Restraint Use, % of MVO Injured, Ages 6+ †	72	71.3%	95	60.5%	95	55.9%	100	62.5%	110	60.1%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	6	94.6	<5	\$	<5	\$
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	<5	\$	5	78.9	<5	\$	<5	\$
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	<5	\$	8	124.2	7	110.4	<5	\$	5	83.0
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Mountain Empire

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	10	167.6	13	208.6	12	184.1		
Coronary Heart Disease Hospitalizations†	63	1,055.6	39	625.8	47	721.0	45	676.0
Coronary Heart Disease ED Discharges†			<5	\$	5	76.7	<5	\$
Stroke Deaths†	5	83.8	<5	\$	<5	\$		
Stroke Hospitalizations†	22	368.6	24	385.1	27	414.2	21	315.5
Stroke ED Discharges†			<5	\$	<5	\$	5	75.1
Diabetes Deaths†	<5	\$	<5	\$	5	76.7		
Diabetes Hospitalizations†	27	452.4	36	577.7	21	322.1	19	285.4
Diabetes ED Discharges†			22	353.0	19	291.5	15	225.3
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	10	167.6	7	112.3	10	153.4	7	105.2
Asthma ED Discharges†			19	304.9	20	306.8	18	270.4
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	7	117.3	<5	\$	<5	\$		
COPD Hospitalizations†	18	301.6	16	256.7	13	199.4	14	210.3
COPD ED Discharges†			15	240.7	21	322.1	23	345.5
All Cancer Deaths†	9	150.8	12	192.6	14	214.8		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Arthritis Hospitalizations†	25	418.9	27	433.2	28	429.5	32	480.7
Arthritis ED Discharges†			30	481.4	30	460.2	34	510.7
Dorsopathies Hospitalizations†	31	519.4	12	192.6	23	352.8	29	435.6
Dorsopathies ED Discharges†			42	673.9	44	675.0	55	826.2
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	14	234.6	31	497.4	40	613.6	26	390.6
Chlamydia Reported, Underestimate††	18	301.6	24	385.1	24	368.2	18	270.4
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	116	1.8%	119	1.9%	139	2.1%		
Live Births to Girls, Ages 15-17†, % of SRA's births	5	4.3%	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	81	73.0%	79	75.2%	109	79.0%		
Live Births born Preterm†, % of SRA's births	14	14.3%	15	14.4%	13	9.9%		
Low Birth Weight Births†, % of SRA's births	5	4.3%	9	7.6%	5	3.6%		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	8	134.0	<5	\$	7	107.4		
Unintentional Injury Hospitalizations†	87	1,457.8	92	1,476.3	105	1,610.7	99	1,487.2
Unintentional Injury ED Discharges†			477	7,654.0	504	7,731.2	540	8,111.8
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	29	485.9	26	417.2	34	521.6	42	630.9
Fall-related ED Discharges†			148	2,374.8	135	2,070.9	158	2,373.4
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$		
Overdose/Poisoning Hospitalizations†	8	134.0	8	128.4	6	92.0	5	75.1
Overdose/Poisoning ED Discharges†			12	192.6	17	260.8	14	210.3
Deaths due to Motor Vehicle (MV) Injury†	5	83.8	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	20	335.1	27	433.2	26	398.8	28	420.6
ED Discharges due to MV Injury†			68	1,091.1	70	1,073.8	64	961.4
Motor Vehicle Crash Injuries†	198	3,317.7	220	3,530.2	230	3,528.1		
Alcohol-involved MVC Injuries†	27	452.4	23	369.1	59	905.0		
Drinking Drivers Involved in MV Crashes†	12	201.1	14	224.6	30	460.2		
Active Restraint Use, % of MVO Injured, Ages 6+ †	127	76.5%	136	77.3%	134	67.3%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			5	80.2	<5	\$	<5	\$
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	6	100.5	5	80.2	9	138.1	10	150.2
Assault Injury ED Discharges†			20	320.9	32	490.9	38	570.8
Suicide†	<5	\$	<5	\$	5	76.7		
Self-Inflicted Hospitalizations†	6	100.5	5	80.2	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†			8	128.4	9	138.1	11	165.2
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			11	176.5	21	322.1	13	195.3

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Santee

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	83	161.3	95	182.5	71	136.0	87	166.4	70	133.1
Coronary Heart Disease Hospitalizations†	291	565.4	301	578.1	271	519.3	283	541.3	262	498.0
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	30	58.3	26	49.9	22	42.2	24	45.9	26	49.4
Stroke Hospitalizations†	115	223.4	111	213.2	151	289.3	109	208.5	107	203.4
Stroke ED Discharges†										
Diabetes Deaths†	7	13.6	14	26.9	11	21.1	<5	\$	10	19.0
Diabetes Hospitalizations†	45	87.4	39	74.9	47	90.1	40	76.5	43	81.7
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	41	79.7	28	53.8	26	49.8	37	70.8	47	89.3
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	20	38.9	22	42.3	17	32.6	18	34.4	23	43.7
COPD Hospitalizations†	75	145.7	72	138.3	69	132.2	90	172.1	82	155.9
COPD ED Discharges†										
All Cancer Deaths†	86	167.1	99	190.1	98	187.8	93	177.9	78	148.3
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	5	19.8
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	9	33.8	5	18.5	11	40.5	6	22.1	5	18.2
Colorectal Cancer Deaths†	5	9.7	9	17.3	7	13.4	7	13.4	9	17.1
Lung Cancer Deaths†	26	50.5	38	73.0	30	57.5	26	49.7	25	47.5
Arthritis Hospitalizations†	114	221.5	128	245.8	114	218.4	158	302.2	163	309.8
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	104	202.1	114	219.0	138	264.4	146	279.3	129	245.2
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	40	77.7	47	90.3	41	78.6	37	70.8	45	85.5
Chlamydia Reported, Underestimate††	96	186.5	87	167.1	99	189.7	90	172.1	85	161.6
Gonorrhea Reported, Underestimate††	12	23.3	12	23.0	12	23.0	18	34.4	15	28.5
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	669	10.6%	638	10.3%	642	10.6%	659	10.3%	650	9.9%
Live Births to Girls, Ages 15-17†, % of SRA's births	17	2.5%	20	3.1%	13	2.0%	12	1.8%	10	1.5%
Live Births with Early Prenatal Care†, % of SRA's births	615	92.3%	590	92.8%	591	92.3%	595	91.0%	592	92.1%
Live Births born Preterm†, % of SRA's births	57	9.1%	47	7.8%	62	10.4%	67	10.9%	68	11.2%
Low Birth Weight Births†, % of SRA's births	42	6.3%	27	4.2%	42	6.5%	32	4.9%	41	6.3%
Very Low Birth Weight Births†, % of SRA's births	10	1.5%	<5	\$	6	0.9%	<5	\$	8	1.2%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	6	9.3	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	5	7.8	<5	\$	5	7.7
Unintentional Injury Deaths†	7	13.6	11	21.1	9	17.2	18	34.4	16	30.4
Unintentional Injury Hospitalizations†	332	645.0	341	655.0	358	686.0	379	724.9	334	634.8
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	5	9.6	<5	\$
Fall-related Hospitalizations†	141	273.9	122	234.3	142	272.1	148	283.1	141	268.0
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	5	9.6	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	40	77.7	59	113.3	54	103.5	35	66.9	36	68.4
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	7	13.4	<5	\$	<5	\$	8	15.2
Hospitalizations due to MV Injury†	56	108.8	59	113.3	50	95.8	72	137.7	49	93.1
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	276	536.2	231	443.7	243	465.6	233	445.7	203	385.9
Alcohol-involved MVC Injuries†	27	52.5	15	28.8	20	38.3	25	47.8	31	58.9
Drinking Drivers Involved in MV Crashes†	15	29.1	10	19.2	15	28.7	19	36.3	23	43.7
Active Restraint Use, % of MVO Injured, Ages 6+ †	176	81.5%	142	84.5%	147	79.9%	137	76.5%	107	76.4%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	8	88.9%	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	7	13.6	11	21.1	<5	\$	8	15.3	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	17	33.0	22	42.3	9	17.2	10	19.1	19	36.1
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	7	13.6	22	42.3	13	24.9	21	40.2	15	28.5
Assault Injury ED Discharges†										
Suicide†	<5	\$	5	9.6	5	9.6	6	11.5	11	20.9
Self-Inflicted Hospitalizations†	35	68.0	49	94.1	40	76.6	30	57.4	29	55.1
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	5	9.7	<5	\$	<5	\$	7	13.4	6	11.4
Firearm-related Hospitalizations†	<5	\$	8	15.4	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA, SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Santee

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	61	115.9	73	137.4	73	136.3		
Coronary Heart Disease Hospitalizations†	239	454.0	234	440.5	198	369.6	242	444.6
Coronary Heart Disease ED Discharges†			22	41.4	13	24.3	18	33.1
Stroke Deaths†	6	11.4	20	37.6	19	35.5		
Stroke Hospitalizations†	106	201.3	116	218.4	121	225.9	103	189.2
Stroke ED Discharges†			30	56.5	20	37.3	16	29.4
Diabetes Deaths†	18	34.2	8	15.1	18	33.6		
Diabetes Hospitalizations†	40	76.0	84	158.1	77	143.7	86	158.0
Diabetes ED Discharges†			70	131.8	82	153.1	78	143.3
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	49	93.1	31	58.4	32	59.7	45	82.7
Asthma ED Discharges†			131	246.6	132	246.4	129	237.0
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	28	53.2	20	37.6	26	48.5		
COPD Hospitalizations†	69	131.1	80	150.6	57	106.4	81	148.8
COPD ED Discharges†			90	169.4	99	184.8	113	207.6
All Cancer Deaths†	89	169.1	83	156.2	84	156.8		
Prostate Cancer Deaths (among males)†	6	23.7	7	27.4	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	7	25.6	<5	\$	<5	\$		
Colorectal Cancer Deaths†	5	9.5	9	16.9	11	20.5		
Lung Cancer Deaths†	16	30.4	18	33.9	20	37.3		
Arthritis Hospitalizations†	188	357.1	155	291.8	192	358.4	187	343.6
Arthritis ED Discharges†			180	338.8	191	356.5	205	376.6
Dorsopathies Hospitalizations†	124	235.5	141	265.4	136	253.9	136	249.9
Dorsopathies ED Discharges†			339	638.2	299	558.1	337	619.1
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	60	114.0	82	154.4	94	175.5	85	156.2
Chlamydia Reported, Underestimate††	100	189.9	115	216.5	117	218.4	141	259.0
Gonorrhea Reported, Underestimate††	19	36.1	29	54.6	22	41.1	13	23.9
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	629	9.8%	662	10.3%	688	10.4%		
Live Births to Girls, Ages 15-17†, % of SRA's births	5	0.8%	<5	\$	12	1.7%		
Live Births with Early Prenatal Care†, % of SRA's births	552	90.3%	558	87.1%	568	84.0%		
Live Births born Preterm†, % of SRA's births	61	10.2%	64	10.2%	76	11.5%		
Low Birth Weight Births†, % of SRA's births	53	8.4%	37	5.6%	49	7.1%		
Very Low Birth Weight Births†, % of SRA's births	10	1.6%	11	1.7%	10	1.5%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	15	28.5	17	32.0	12	22.4		
Unintentional Injury Hospitalizations†	326	619.2	357	672.1	360	672.0	416	764.3
Unintentional Injury ED Discharges†			2,701	5,084.6	2,806	5,237.7	2,850	5,236.0
Fall-related Deaths†	<5	\$	<5	\$	5	9.3		
Fall-related Hospitalizations†	155	294.4	155	291.8	163	304.3	203	372.9
Fall-related ED Discharges†			834	1,570.0	934	1,743.4	935	1,717.8
Overdose/Poisoning Deaths†	8	15.2	10	18.8	7	13.1		
Overdose/Poisoning Hospitalizations†	31	58.9	33	62.1	32	59.7	49	90.0
Overdose/Poisoning ED Discharges†			85	160.0	90	168.0	137	251.7
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	5	9.4	<5	\$		
Hospitalizations due to MV Injury†	43	81.7	48	90.4	51	95.2	57	104.7
ED Discharges due to MV Injury†			274	515.8	340	634.6	296	543.8
Motor Vehicle Crash Injuries†	221	419.8	174	327.6	196	365.9		
Alcohol-involved MVC Injuries†	16	30.4	24	45.2	24	44.8		
Drinking Drivers Involved in MV Crashes†	15	28.5	20	37.6	18	33.6		
Active Restraint Use, % of MVO Injured, Ages 6+ †	143	84.6%	100	79.4%	128	89.5%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	5	62.5%	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			10	18.8	12	22.4	15	27.6
Pedestrian Injuries due to MVC†	9	17.1	5	9.4	11	20.5		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	20	38.0	11	20.7	14	26.1	22	40.4
Assault Injury ED Discharges†			106	199.5	124	231.5	140	257.2
Suicide†	5	9.5	6	11.3	5	9.3		
Self-Inflicted Hospitalizations†	24	45.6	14	26.4	30	56.0	25	45.9
Self-Inflicted Injury ED Discharges†			51	96.0	75	140.0	82	150.6
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	6	11.0
Firearm-related ED Discharges†			<5	\$	<5	\$	6	11.0
Dental-related ED Discharges†			49	92.2	45	84.0	73	134.1

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Spring Valley

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	90	115.3	100	124.5	87	107.4	64	77.9	82	100.6
Coronary Heart Disease Hospitalizations†	323	413.7	303	377.3	294	362.9	276	335.9	256	314.1
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	30	38.4	36	44.8	21	25.9	22	26.8	22	27.0
Stroke Hospitalizations†	126	161.4	140	174.3	105	129.6	134	163.1	132	161.9
Stroke ED Discharges†										
Diabetes Deaths†	13	16.6	9	11.2	13	16.0	11	13.4	15	18.4
Diabetes Hospitalizations†	56	71.7	72	89.6	83	102.4	63	76.7	94	115.3
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	75	96.1	68	84.7	73	90.1	81	98.6	62	76.1
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	20	25.6	17	21.2	17	21.0	16	19.5	18	22.1
COPD Hospitalizations†	61	78.1	81	100.9	101	124.7	83	101.0	70	85.9
COPD ED Discharges†										
All Cancer Deaths†	78	99.9	92	114.6	94	116.0	108	131.4	85	104.3
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	9	22.7	5	12.7
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	12	29.9	<5	\$	8	19.1	9	21.2	6	14.2
Colorectal Cancer Deaths†	9	11.5	10	12.5	8	9.9	9	11.0	14	17.2
Lung Cancer Deaths†	16	20.5	30	37.4	22	27.2	30	36.5	19	23.3
Arthritis Hospitalizations†	121	155.0	136	169.3	127	156.8	157	191.1	147	180.3
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	90	115.3	79	98.4	98	121.0	95	115.6	104	127.6
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	6	7.7	8	10.0	<5	\$	6	7.3	<5	\$
Chronic Hepatitis C Reported†	52	66.6	67	83.4	62	76.5	56	68.2	81	99.4
Chlamydia Reported, Underestimate††	165	211.3	192	239.1	212	261.7	252	306.7	243	298.1
Gonorrhea Reported, Underestimate††	34	43.5	35	43.6	43	53.1	39	47.5	45	55.2
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	892	14.2%	896	14.4%	880	14.5%	890	13.9%	988	15.1%
Live Births to Girls, Ages 15-17†, % of SRA's births	36	4.0%	33	3.7%	32	3.6%	22	2.5%	40	4.0%
Live Births with Early Prenatal Care†, % of SRA's births	744	84.2%	740	84.3%	743	85.1%	754	85.7%	839	86.8%
Live Births born Preterm†, % of SRA's births	100	11.9%	93	11.4%	120	14.5%	93	11.1%	109	11.7%
Low Birth Weight Births†, % of SRA's births	52	5.8%	60	6.7%	83	9.4%	72	8.1%	57	5.8%
Very Low Birth Weight Births†, % of SRA's births	13	1.5%	18	2.0%	18	2.0%	17	1.9%	9	0.9%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	7	7.8	<5	\$	9	10.1	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	7	7.8	<5	\$	8	9.1	7	7.9	5	5.1
Unintentional Injury Deaths†	26	33.3	14	17.4	15	18.5	14	17.0	13	15.9
Unintentional Injury Hospitalizations†	333	426.5	364	453.2	421	519.6	397	483.2	398	488.3
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	142	181.9	148	184.3	168	207.4	175	213.0	154	188.9
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	8	10.2	6	7.5	9	11.1	<5	\$	6	7.4
Overdose/Poisoning Hospitalizations†	41	52.5	55	68.5	58	71.6	54	65.7	58	71.2
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	7	9.0	5	6.2	7	8.6	7	8.5	<5	\$
Hospitalizations due to MV Injury†	82	105.0	62	77.2	93	114.8	94	114.4	94	115.3
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	338	432.9	364	453.2	333	411.0	343	417.5	396	485.8
Alcohol-involved MVC Injuries†	35	44.8	48	59.8	50	61.7	51	62.1	54	66.2
Drinking Drivers Involved in MV Crashes†	25	32.0	32	39.8	35	43.2	30	36.5	32	39.3
Active Restraint Use, % of MVO Injured, Ages 6+ †	224	82.4%	263	86.5%	203	78.7%	209	72.8%	269	84.1%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	5	83.3%	5	83.3%	8	80.0%
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	9	11.5	<5	\$	10	12.3	6	7.3	9	11.0
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	32	41.0	25	31.1	21	25.9	14	17.0	20	24.5
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	8	9.8
Assault Hospitalizations†	22	28.2	30	37.4	37	45.7	26	31.6	45	55.2
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	8	9.9	6	7.3	10	12.3
Self-Inflicted Hospitalizations†	35	44.8	46	57.3	50	61.7	47	57.2	38	46.6
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	6	7.4	<5	\$	9	11.0
Firearm-related Hospitalizations†	6	7.7	5	6.2	6	7.4	<5	\$	7	8.6
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

East Region Subregional Areas (2000-2008)

SRA: Spring Valley

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	57	70.2	66	82.0	78	95.6		
Coronary Heart Disease Hospitalizations†	220	271.1	292	362.7	224	274.5	224	271.4
Coronary Heart Disease ED Discharges†			18	22.4	19	23.3	19	23.0
Stroke Deaths†	20	24.6	24	29.8	23	28.2		
Stroke Hospitalizations†	117	144.2	133	165.2	140	171.6	124	150.2
Stroke ED Discharges†			23	28.6	20	24.5	20	24.2
Diabetes Deaths†	14	17.3	14	17.4	14	17.2		
Diabetes Hospitalizations†	77	94.9	82	101.9	105	128.7	124	150.2
Diabetes ED Discharges†			110	136.6	95	116.4	96	116.3
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	56	69.0	62	77.0	90	110.3	68	82.4
Asthma ED Discharges†			318	395.0	294	360.3	275	333.2
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	23	28.3	32	39.7	14	17.2		
COPD Hospitalizations†	73	90.0	88	109.3	76	93.1	92	111.5
COPD ED Discharges†			133	165.2	132	161.8	182	220.5
All Cancer Deaths†	87	107.2	85	105.6	82	100.5		
Prostate Cancer Deaths (among males)†	<5	\$	10	25.7	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	5	11.9	9	21.6	10	23.7		
Colorectal Cancer Deaths†	6	7.4	8	9.9	6	7.4		
Lung Cancer Deaths†	30	37.0	19	23.6	17	20.8		
Arthritis Hospitalizations†	151	186.1	164	203.7	167	204.7	175	212.0
Arthritis ED Discharges†			278	345.3	289	354.2	304	368.3
Dorsopathies Hospitalizations†	89	109.7	113	140.4	109	133.6	96	116.3
Dorsopathies ED Discharges†			402	499.3	407	498.8	441	534.3
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	7	8.5
Chronic Hepatitis C Reported†	96	118.3	75	93.2	75	91.9	92	111.5
Chlamydia Reported, Underestimate††	239	294.5	237	294.4	287	351.8	301	364.7
Gonorrhea Reported, Underestimate††	67	82.6	60	74.5	43	52.7	34	41.2
Primary and Secondary Syphilis Reported†	6	7.4	<5	\$	<5	\$	7	8.5
Live Births†, % of Region's births	928	14.5%	1,035	16.1%	1,031	15.5%		
Live Births to Girls, Ages 15-17†, % of SRA's births	35	3.8%	33	3.2%	28	2.7%		
Live Births with Early Prenatal Care†, % of SRA's births	786	85.9%	815	81.3%	796	78.0%		
Live Births born Preterm†, % of SRA's births	110	12.6%	104	10.9%	112	11.2%		
Low Birth Weight Births†, % of SRA's births	61	6.6%	74	7.1%	69	6.7%		
Very Low Birth Weight Births†, % of SRA's births	9	1.0%	13	1.3%	14	1.4%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	5	4.8		
Infant Mortality†, Rate per 1,000 live births	<5	\$	6	5.8	6	5.8		
Unintentional Injury Deaths†	13	16.0	23	28.6	17	20.8		
Unintentional Injury Hospitalizations†	390	480.6	364	452.1	454	556.4	459	556.1
Unintentional Injury ED Discharges†			3,197	3,970.9	3,169	3,884.0	3,290	3,985.8
Fall-related Deaths†	<5	\$	<5	\$	6	7.4		
Fall-related Hospitalizations†	189	232.9	165	204.9	205	251.3	213	258.1
Fall-related ED Discharges†			972	1,207.3	1,008	1,235.4	1,065	1,290.3
Overdose/Poisoning Deaths†	6	7.4	9	11.2	10	12.3		
Overdose/Poisoning Hospitalizations†	49	60.4	50	62.1	53	65.0	74	89.7
Overdose/Poisoning ED Discharges†			90	111.8	92	112.8	121	146.6
Deaths due to Motor Vehicle (MV) Injury†	6	7.4	6	7.5	<5	\$		
Hospitalizations due to MV Injury†	62	76.4	67	83.2	80	98.1	68	82.4
ED Discharges due to MV Injury†			387	480.7	409	501.3	372	450.7
Motor Vehicle Crash Injuries†	310	382.0	319	396.2	304	372.6		
Alcohol-involved MVC Injuries†	42	51.8	58	72.0	35	42.9		
Drinking Drivers Involved in MV Crashes†	25	30.8	39	48.4	27	33.1		
Active Restraint Use, % of MVO Injured, Ages 6+ †	243	91.4%	245	95.0%	231	94.7%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	5	100.0%	5	50.0%		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	9	11.1	5	6.2	10	12.3	7	8.5
Pedestrian ED Discharges due to MVC†			21	26.1	26	31.9	33	40.0
Pedestrian Injuries due to MVC†	15	18.5	20	24.8	22	27.0		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	31	38.2	34	42.2	52	63.7	53	64.2
Assault Injury ED Discharges†			195	242.2	216	264.7	234	283.5
Suicide†	5	6.2	5	6.2	8	9.8		
Self-Inflicted Hospitalizations†	27	33.3	31	38.5	24	29.4	35	42.4
Self-Inflicted Injury ED Discharges†			32	39.7	54	66.2	77	93.3
Firearm-related Deaths†	<5	\$	7	8.7	6	7.4		
Firearm-related Hospitalizations†	9	11.1	10	12.4	7	8.6	<5	\$
Firearm-related ED Discharges†			<5	\$	6	7.4	8	9.7
Dental-related ED Discharges†			119	147.8	110	134.8	130	157.5

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Anza-Borrego

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	13	405.9	11	346.0	10	312.0	16	501.9	16	484.0
Coronary Heart Disease Hospitalizations†	62	1,935.7	56	1,761.6	50	1,560.1	53	1,662.5	41	1,240.2
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	<5	\$	<5	\$	6	187.2	<5	\$	<5	\$
Stroke Hospitalizations†	21	655.6	30	943.7	31	967.2	21	658.7	16	484.0
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	<5	\$	5	157.3	<5	\$	5	156.8	<5	\$
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	<5	\$	<5	\$	5	156.0	<5	\$	<5	\$
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	5	151.2
COPD Hospitalizations†	7	218.5	5	157.3	15	468.0	16	501.9	9	272.2
COPD ED Discharges†										
All Cancer Deaths†	15	468.3	25	786.4	10	312.0	10	313.7	17	514.2
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Lung Cancer Deaths†	5	156.1	7	220.2	<5	\$	<5	\$	5	151.2
Arthritis Hospitalizations†	23	718.1	29	912.2	32	998.4	30	941.0	29	877.2
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	26	811.7	23	723.5	22	686.4	32	1,003.8	31	937.7
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	6	187.3	<5	\$	<5	\$	<5	\$	<5	\$
Chlamydia Reported, Underestimate††	<5	\$	<5	\$	<5	\$	5	156.8	<5	\$
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	68	0.9%	53	0.7%	50	0.6%	57	0.7%	52	0.6%
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	55	84.6%	33	64.7%	37	78.7%	38	74.5%	45	90.0%
Live Births born Preterm†, % of SRA's births	5	7.7%	9	18.0%	<5	\$	<5	\$	7	14.0%
Low Birth Weight Births†, % of SRA's births	5	7.4%	6	11.3%	<5	\$	<5	\$	<5	\$
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Hospitalizations†	50	1,561.0	67	2,107.6	58	1,809.7	75	2,352.6	68	2,056.9
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	22	686.9	26	817.9	22	686.4	34	1,066.5	22	665.5
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	<5	\$	<5	\$	6	187.2	<5	\$	7	211.7
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	7	218.5	17	534.8	14	436.8	14	439.1	12	363.0
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	135	4,214.8	113	3,554.6	112	3,494.5	151	4,736.5	128	3,871.7
Alcohol-involved MVC Injuries†	14	437.1	10	314.6	13	405.6	15	470.5	15	453.7
Drinking Drivers Involved in MV Crashes†	9	281.0	8	251.7	9	280.8	11	345.0	10	302.5
Active Restraint Use, % of MVO Injured, Ages 6+ †	57	74.0%	53	76.8%	31	48.4%	68	64.2%	55	76.4%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Anza-Borrego

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	9	271.2	15	448.0	14	408.6		
Coronary Heart Disease Hospitalizations†	22	662.9	39	1,164.9	36	1,050.8	32	914.0
Coronary Heart Disease ED Discharges†			<5	\$	<5	\$	<5	\$
Stroke Deaths†	5	150.6	<5	\$	<5	\$		
Stroke Hospitalizations†	21	632.7	25	746.7	9	262.7	22	628.4
Stroke ED Discharges†			<5	\$	<5	\$	<5	\$
Diabetes Deaths†	<5	\$	<5	\$	<5	\$		
Diabetes Hospitalizations†	5	150.6	6	179.2	7	204.3	<5	\$
Diabetes ED Discharges†			<5	\$	<5	\$	<5	\$
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	<5	\$	<5	\$	<5	\$	5	142.8
Asthma ED Discharges†			8	238.9	<5	\$	<5	\$
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	5	149.3	6	175.1		
COPD Hospitalizations†	12	361.6	12	358.4	9	262.7	5	142.8
COPD ED Discharges†			<5	\$	7	204.3	8	228.5
All Cancer Deaths†	16	482.1	21	627.2	25	729.7		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Lung Cancer Deaths†	<5	\$	5	149.3	7	204.3		
Arthritis Hospitalizations†	30	903.9	41	1,224.6	35	1,021.6	45	1,285.3
Arthritis ED Discharges†			13	388.3	9	262.7	10	285.6
Dorsopathies Hospitalizations†	23	693.0	21	627.2	16	467.0	29	828.3
Dorsopathies ED Discharges†			16	477.9	16	467.0	13	371.3
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	11	331.4	14	418.2	14	408.6	<5	\$
Chlamydia Reported, Underestimate††	5	150.6	<5	\$	<5	\$	<5	\$
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	50	0.6%	37	0.4%	49	0.6%		
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	32	65.3%	28	77.8%	37	77.1%		
Live Births born Preterm†, % of SRA's births	6	12.8%	<5	\$	6	12.2%		
Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	6	180.8	6	179.2	<5	\$		
Unintentional Injury Hospitalizations†	70	2,109.1	70	2,090.8	62	1,809.7	64	1,828.0
Unintentional Injury ED Discharges†			169	5,047.8	203	5,925.3	208	5,941.2
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	26	783.4	22	657.1	27	788.1	29	828.3
Fall-related ED Discharges†			42	1,254.5	65	1,897.3	54	1,542.4
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$		
Overdose/Poisoning Hospitalizations†	9	271.2	7	209.1	8	233.5	9	257.1
Overdose/Poisoning ED Discharges†			5	149.3	5	145.9	<5	\$
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	16	482.1	27	806.5	10	291.9	11	314.2
ED Discharges due to MV Injury†			31	925.9	40	1,167.5	40	1,142.5
Motor Vehicle Crash Injuries†	123	3,705.9	116	3,464.8	150	4,378.3		
Alcohol-involved MVC Injuries†	13	391.7	13	388.3	11	321.1		
Drinking Drivers Involved in MV Crashes†	10	301.3	11	328.6	10	291.9		
Active Restraint Use, % of MVO Injured, Ages 6+ †	61	85.9%	43	68.3%	60	0.8		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			<5	\$	<5	\$	<5	\$
Pedestrian Injuries due to MVC†	5	150.6	<5	\$	<5	\$		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Assault Injury ED Discharges†			<5	\$	5	145.9	12	342.8
Suicide†	<5	\$	<5	\$	<5	\$		
Self-Inflicted Hospitalizations†	6	180.8	<5	\$	<5	\$	5	142.8
Self-Inflicted Injury ED Discharges†			5	149.3	5	145.9	<5	\$
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			<5	\$	<5	\$	<5	\$

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Escondido

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	267	182.3	287	193.7	213	142.1	234	154.3	232	150.1
Coronary Heart Disease Hospitalizations†	715	488.2	661	446.2	635	423.7	547	360.7	549	355.1
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	117	79.9	121	81.7	114	76.1	99	65.3	85	55.0
Stroke Hospitalizations†	483	329.8	506	341.5	416	277.6	441	290.8	424	274.3
Stroke ED Discharges†										
Diabetes Deaths†	32	21.8	39	26.3	34	22.7	31	20.4	42	27.2
Diabetes Hospitalizations†	164	112.0	175	118.1	160	106.8	155	102.2	189	122.3
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	6	4.0	<5	\$
Asthma Hospitalizations†	152	103.8	136	91.8	136	90.8	146	96.3	142	91.9
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	83	56.7	86	58.0	76	50.7	89	58.7	71	45.9
COPD Hospitalizations†	228	155.7	218	147.1	230	153.5	231	152.3	206	133.3
COPD ED Discharges†										
All Cancer Deaths†	292	199.4	264	178.2	271	180.8	268	176.7	274	177.2
Prostate Cancer Deaths (among males)†	18	24.7	18	24.5	13	17.5	14	18.6	19	24.8
Cervical Cancer Deaths (among females)†	<5	\$	5	6.7	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	36	48.9	19	25.5	24	31.8	22	28.7	20	25.6
Colorectal Cancer Deaths†	23	15.7	33	22.3	36	24.0	31	20.4	21	13.6
Lung Cancer Deaths†	74	50.5	61	41.2	60	40.0	53	34.9	66	42.7
Arthritis Hospitalizations†	437	298.4	442	298.3	477	318.3	459	302.6	483	312.4
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	362	247.1	377	254.5	355	236.9	329	216.9	369	238.7
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	11	7.5	13	8.8	12	8.0	13	8.6	11	7.1
Chronic Hepatitis C Reported†	172	117.4	122	82.3	104	69.4	98	64.6	133	86.0
Chlamydia Reported, Underestimate††	316	215.7	387	261.2	403	268.9	400	263.7	403	260.7
Gonorrhea Reported, Underestimate††	23	15.7	37	25.0	40	26.7	42	27.7	33	21.3
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	2,852	36.3%	2,733	35.7%	2,777	35.0%	2,903	34.3%	3,029	35.4%
Live Births to Girls, Ages 15-17†, % of SRA's births	121	4.2%	104	3.8%	103	3.7%	97	3.3%	111	3.7%
Live Births with Early Prenatal Care†, % of SRA's births	2,075	74.3%	1,891	75.6%	2,094	82.9%	2,252	85.4%	2,322	83.1%
Live Births born Preterm†, % of SRA's births	253	9.2%	262	10.3%	246	9.6%	276	10.4%	304	10.9%
Low Birth Weight Births†, % of SRA's births	134	4.7%	158	5.8%	182	6.6%	160	5.5%	201	6.6%
Very Low Birth Weight Births†, % of SRA's births	24	0.8%	27	1.0%	37	1.3%	40	1.4%	35	1.2%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	29	10.1	17	6.2	10	3.6	21	7.2	17	5.6
Infant Mortality†, Rate per 1,000 live births	17	6.0	12	4.4	10	3.6	12	4.1	14	4.6
Unintentional Injury Deaths†	27	18.4	53	35.8	54	36.0	45	29.7	45	29.1
Unintentional Injury Hospitalizations†	1,038	708.7	1,071	722.9	1,142	762.1	1,136	749.0	1,141	738.1
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	15	10.1	11	7.3	5	3.3	10	6.5
Fall-related Hospitalizations†	523	357.1	474	319.9	586	391.0	580	382.4	549	355.1
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	14	9.6	13	8.8	13	8.7	7	4.6	13	8.4
Overdose/Poisoning Hospitalizations†	113	77.1	130	87.7	133	88.8	110	72.5	124	80.2
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	8	5.5	19	12.8	22	14.7	23	15.2	17	11.0
Hospitalizations due to MV Injury†	163	111.3	171	115.4	187	124.8	161	106.2	166	107.4
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	1,758	1,200.2	1,771	1,195.4	1,919	1,280.6	1,944	1,281.8	1,824	1,179.9
Alcohol-involved MVC Injuries†	194	132.5	204	137.7	225	150.1	216	142.4	253	163.7
Drinking Drivers Involved in MV Crashes†	120	81.9	128	86.4	134	89.4	127	83.7	162	104.8
Active Restraint Use, % of MVO Injured, Ages 6+ †	1,275	86.2%	1,274	84.5%	1,341	84.1%	1,290	79.4%	1,074	83.2%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	16	41.0%	21	50.0%	21	56.8%	25	67.6%	19	67.9%
Pedestrian Deaths due to MVC†	<5	\$	5	3.4	<5	\$	5	3.3	<5	\$
Pedestrian Hospitalizations due to MVC†	13	8.9	17	11.5	17	11.3	23	15.2	16	10.3
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	64	43.7	57	38.5	67	44.7	66	43.5	77	49.8
Homicide†	6	4.1	<5	\$	5	3.3	<5	\$	<5	\$
Assault Hospitalizations†	51	34.8	52	35.1	46	30.7	62	40.9	56	36.2
Assault Injury ED Discharges†										
Suicide†	16	10.9	15	10.1	18	12.0	7	4.6	22	14.2
Self-Inflicted Hospitalizations†	93	63.5	102	68.8	116	77.4	101	66.6	95	61.5
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	12	8.2	13	8.8	14	9.3	8	5.3	9	5.8
Firearm-related Hospitalizations†	10	6.8	10	6.7	11	7.3	16	10.5	6	3.9
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

† Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA, SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Escondido

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	196	125.2	207	130.3	168	104.8		
Coronary Heart Disease Hospitalizations†	547	349.3	490	308.4	469	292.7	408	251.7
Coronary Heart Disease ED Discharges†			13	8.2	17	10.6	15	9.3
Stroke Deaths†	90	57.5	78	49.1	72	44.9		
Stroke Hospitalizations†	403	257.4	435	273.8	419	261.5	407	251.1
Stroke ED Discharges†			50	31.5	59	36.8	72	44.4
Diabetes Deaths†	41	26.2	34	21.4	34	21.2		
Diabetes Hospitalizations†	182	116.2	169	106.4	206	128.6	200	123.4
Diabetes ED Discharges†			182	114.5	264	164.7	223	137.6
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	128	81.7	112	70.5	128	79.9	119	73.4
Asthma ED Discharges†			376	236.6	458	285.8	519	320.2
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	84	53.6	60	37.8	64	39.9		
COPD Hospitalizations†	190	121.3	175	110.1	177	110.5	241	148.7
COPD ED Discharges†			251	158.0	302	188.5	353	217.8
All Cancer Deaths†	273	174.3	285	179.4	279	174.1		
Prostate Cancer Deaths (among males)†	19	24.5	20	25.4	14	17.6		
Cervical Cancer Deaths (among females)†	<5	\$	5	6.2	<5	\$		
Female Breast Cancer Deaths (among females)†	25	31.7	22	27.5	20	24.8		
Colorectal Cancer Deaths†	17	10.9	37	23.3	29	18.1		
Lung Cancer Deaths†	55	35.1	59	37.1	60	37.4		
Arthritis Hospitalizations†	456	291.2	501	315.3	527	328.9	507	312.8
Arthritis ED Discharges†			474	298.3	547	341.3	546	336.9
Dorsopathies Hospitalizations†	323	206.3	311	195.7	331	206.6	326	201.1
Dorsopathies ED Discharges†			867	545.6	855	533.6	980	604.6
Tuberculosis Incidence†	14	8.9	13	8.2	8	5.0	7	4.3
Chronic Hepatitis C Reported†	137	87.5	172	108.2	195	121.7	165	101.8
Chlamydia Reported, Underestimate††	460	293.8	519	326.6	513	320.1	545	336.2
Gonorrhea Reported, Underestimate††	64	40.9	73	45.9	54	33.7	38	23.4
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	6	3.7	<5	\$
Live Births†, % of Region's births	2,902	33.7%	3,035	34.0%	2,946	33.4%		
Live Births to Girls, Ages 15-17†, % of SRA's births	114	3.9%	114	3.8%	94	3.2%		
Live Births with Early Prenatal Care†, % of SRA's births	2,201	80.6%	2,257	77.2%	2,111	71.9%		
Live Births born Preterm†, % of SRA's births	275	10.1%	270	9.3%	268	9.2%		
Low Birth Weight Births†, % of SRA's births	167	5.8%	166	5.5%	180	6.1%		
Very Low Birth Weight Births†, % of SRA's births	20	0.7%	26	0.9%	32	1.1%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	20	6.8	20	6.5	10	3.4		
Infant Mortality†, Rate per 1,000 live births	14	4.8	11	3.6	8	2.7		
Unintentional Injury Deaths†	42	26.8	62	39.0	73	45.6		
Unintentional Injury Hospitalizations†	1,189	759.3	1,166	733.8	1,138	710.2	1,173	723.7
Unintentional Injury ED Discharges†			7,562	4,759.1	7,928	4,947.4	7,853	4,845.0
Fall-related Deaths†	12	7.7	11	6.9	19	11.9		
Fall-related Hospitalizations†	574	366.6	531	334.2	533	332.6	541	333.8
Fall-related ED Discharges†			2,373	1,493.4	2,543	1,586.9	2,702	1,667.0
Overdose/Poisoning Deaths†	11	7.0	15	9.4	23	14.4		
Overdose/Poisoning Hospitalizations†	121	77.3	133	83.7	102	63.7	132	81.4
Overdose/Poisoning ED Discharges†			216	135.9	244	152.3	263	162.3
Deaths due to Motor Vehicle (MV) Injury†	10	6.4	26	16.4	24	15.0		
Hospitalizations due to MV Injury†	165	105.4	173	108.9	158	98.6	166	102.4
ED Discharges due to MV Injury†			1,068	672.1	1,148	716.4	978	603.4
Motor Vehicle Crash Injuries†	1,773	1,132.3	1,699	1,069.3	1,547	965.4		
Alcohol-involved MVC Injuries†	264	168.6	196	123.4	190	118.6		
Drinking Drivers Involved in MV Crashes†	167	106.7	126	79.3	125	78.0		
Active Restraint Use, % of MVO Injured, Ages 6+ †	1,063	88.6%	1,005	92.8%	987	0.9		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	14	63.6%	15	65.2%	5	0.6		
Pedestrian Deaths due to MVC†	<5	\$	7	4.4	7	4.4		
Pedestrian Hospitalizations due to MVC†	13	8.3	20	12.6	22	13.7	19	11.7
Pedestrian ED Discharges due to MVC†			74	46.6	69	43.1	56	34.5
Pedestrian Injuries due to MVC†	51	32.6	63	39.6	82	51.2		
Homicide†	6	3.8	7	4.4	<5	\$		
Assault Hospitalizations†	66	42.1	102	64.2	83	51.8	59	36.4
Assault Injury ED Discharges†			357	224.7	388	242.1	388	239.4
Suicide†	18	11.5	17	10.7	23	14.4		
Self-Inflicted Hospitalizations†	77	49.2	77	48.5	65	40.6	75	46.3
Self-Inflicted Injury ED Discharges†			154	96.9	170	106.1	163	100.6
Firearm-related Deaths†	12	7.7	12	7.6	9	5.6		
Firearm-related Hospitalizations†	9	5.7	10	6.3	16	10.0	6	3.7
Firearm-related ED Discharges†			10	6.3	10	6.2	12	7.4
Dental-related ED Discharges†			180	113.3	240	149.8	190	117.2

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Fallbrook

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	87	197.9	94	210.0	68	148.6	75	162.2	75	158.2
Coronary Heart Disease Hospitalizations†	235	534.7	319	712.8	328	716.8	294	635.9	273	575.9
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	29	66.0	34	76.0	34	74.3	33	71.4	28	59.1
Stroke Hospitalizations†	179	407.3	160	357.5	150	327.8	135	292.0	118	248.9
Stroke ED Discharges†										
Diabetes Deaths†	7	15.9	8	17.9	9	19.7	13	28.1	<5	\$
Diabetes Hospitalizations†	43	97.8	36	80.4	45	98.3	50	108.2	62	130.8
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	18	41.0	38	84.9	30	65.6	16	34.6	25	52.7
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	21	47.8	20	44.7	16	35.0	25	54.1	17	35.9
COPD Hospitalizations†	51	116.0	69	154.2	61	133.3	55	119.0	65	137.1
COPD ED Discharges†										
All Cancer Deaths†	102	232.1	97	216.7	100	218.5	102	220.6	97	204.6
Prostate Cancer Deaths (among males)†	5	22.5	<5	\$	10	43.5	6	25.9	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	11	50.5	5	22.5	8	35.1	8	34.7	<5	\$
Colorectal Cancer Deaths†	11	25.0	8	17.9	7	15.3	6	13.0	7	14.8
Lung Cancer Deaths†	26	59.2	19	42.5	24	52.4	25	54.1	24	50.6
Arthritis Hospitalizations†	194	441.4	185	413.4	168	367.1	190	411.0	220	464.1
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	109	248.0	121	270.4	108	236.0	123	266.0	129	272.1
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	15	34.1	11	24.6	24	52.4	25	54.1	39	82.3
Chlamydia Reported, Underestimate††	41	93.3	53	118.4	72	157.3	62	134.1	68	143.5
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	5	10.9	8	17.3	10	21.1
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	751	9.5%	783	10.2%	792	10.0%	773	9.1%	740	8.6%
Live Births to Girls, Ages 15-17†, % of SRA's births	20	2.7%	23	2.9%	18	2.3%	26	3.4%	23	3.1%
Live Births with Early Prenatal Care†, % of SRA's births	542	79.2%	604	81.1%	638	81.9%	615	82.0%	602	84.1%
Live Births born Preterm†, % of SRA's births	85	12.7%	68	9.2%	55	7.2%	63	8.7%	69	9.8%
Low Birth Weight Births†, % of SRA's births	45	6.0%	44	5.6%	34	4.3%	45	5.8%	39	5.3%
Very Low Birth Weight Births†, % of SRA's births	9	1.2%	9	1.1%	<5	\$	8	1.0%	9	1.2%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	5	6.3	8	10.2	5	6.7
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	6	7.8	6	8.1
Unintentional Injury Deaths†	17	38.7	9	20.1	23	50.3	16	34.6	19	40.1
Unintentional Injury Hospitalizations†	435	989.7	352	786.5	421	920.0	368	796.0	396	835.4
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	7	15.3	<5	\$	<5	\$
Fall-related Hospitalizations†	228	518.7	158	353.0	211	461.1	163	352.6	206	434.6
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	8	16.9
Overdose/Poisoning Hospitalizations†	41	93.3	35	78.2	30	65.6	37	80.0	28	59.1
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	11	24.0	10	21.6	7	14.8
Hospitalizations due to MV Injury†	77	175.2	51	114.0	66	144.2	55	119.0	55	116.0
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	387	880.5	490	1,094.8	413	902.5	500	1,081.5	505	1,065.3
Alcohol-involved MVC Injuries†	64	145.6	93	207.8	84	183.6	101	218.5	83	175.1
Drinking Drivers Involved in MV Crashes†	44	100.1	59	131.8	42	91.8	56	121.1	50	105.5
Active Restraint Use, % of MVO Injured, Ages 6+ †	267	82.4%	336	78.7%	259	78.2%	336	77.6%	317	74.1%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	5	83.3%	<5	\$	5	71.4%
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	8	18.2	<5	\$	<5	\$	6	13.0	6	12.7
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	12	27.3	9	20.1	11	24.0	14	30.3	11	23.2
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	12	27.3	12	26.8	7	15.3	17	36.8	11	23.2
Assault Injury ED Discharges†										
Suicide†	<5	\$	5	11.2	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	27	61.4	28	62.6	16	35.0	17	36.8	17	35.9
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Fallbrook

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	78	163.0	60	125.0	64	132.4		
Coronary Heart Disease Hospitalizations†	299	624.9	281	585.4	290	600.1	219	451.3
Coronary Heart Disease ED Discharges†			7	14.6	<5	\$	<5	\$
Stroke Deaths†	25	52.3	20	41.7	29	60.0		
Stroke Hospitalizations†	118	246.6	125	260.4	148	306.2	132	272.0
Stroke ED Discharges†			12	25.0	13	26.9	7	14.4
Diabetes Deaths†	9	18.8	7	14.6	9	18.6		
Diabetes Hospitalizations†	46	96.1	42	87.5	56	115.9	38	78.3
Diabetes ED Discharges†			13	27.1	19	39.3	16	33.0
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	42	87.8	25	52.1	23	47.6	26	53.6
Asthma ED Discharges†			29	60.4	29	60.0	22	45.3
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	24	50.2	23	47.9	23	47.6		
COPD Hospitalizations†	48	100.3	55	114.6	62	128.3	63	129.8
COPD ED Discharges†			14	29.2	21	43.5	15	30.9
All Cancer Deaths†	101	211.1	100	208.3	94	194.5		
Prostate Cancer Deaths (among males)†	<5	\$	10	41.7	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	13	54.1	11	45.5		
Colorectal Cancer Deaths†	15	31.4	10	20.8	9	18.6		
Lung Cancer Deaths†	25	52.3	25	52.1	22	45.5		
Arthritis Hospitalizations†	226	472.4	231	481.2	262	542.1	275	566.7
Arthritis ED Discharges†			31	64.6	50	103.5	32	65.9
Dorsopathies Hospitalizations†	146	305.2	89	185.4	121	250.4	128	263.8
Dorsopathies ED Discharges†			63	131.2	79	163.5	90	185.5
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	39	81.5	39	81.2	29	60.0	47	96.8
Chlamydia Reported, Underestimate††	79	165.1	82	170.8	103	213.1	87	179.3
Gonorrhea Reported, Underestimate††	6	12.5	18	37.5	8	16.6	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	788	9.2%	738	8.3%	707	8.0%		
Live Births to Girls, Ages 15-17†, % of SRA's births	31	3.9%	23	3.1%	23	3.3%		
Live Births with Early Prenatal Care†, % of SRA's births	625	82.1%	612	84.1%	539	76.8%		
Live Births born Preterm†, % of SRA's births	73	9.8%	55	7.6%	73	10.5%		
Low Birth Weight Births†, % of SRA's births	56	7.1%	30	4.1%	50	7.1%		
Very Low Birth Weight Births†, % of SRA's births	14	1.8%	5	0.7%	10	1.4%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	9	12.0	<5	\$		
Infant Mortality†, Rate per 1,000 live births	8	10.2	<5	\$	5	7.1		
Unintentional Injury Deaths†	12	25.1	22	45.8	21	43.5		
Unintentional Injury Hospitalizations†	384	802.6	366	762.5	388	802.9	443	912.8
Unintentional Injury ED Discharges†			616	1,283.3	712	1,473.3	644	1,327.0
Fall-related Deaths†	<5	\$	5	10.4	<5	\$		
Fall-related Hospitalizations†	206	430.6	195	406.2	214	442.8	217	447.1
Fall-related ED Discharges†			168	350.0	198	409.7	188	387.4
Overdose/Poisoning Deaths†	<5	\$	<5	\$	6	12.4		
Overdose/Poisoning Hospitalizations†	24	50.2	26	54.2	33	68.3	34	70.1
Overdose/Poisoning ED Discharges†			21	43.7	17	35.2	27	55.6
Deaths due to Motor Vehicle (MV) Injury†	6	12.5	11	22.9	6	12.4		
Hospitalizations due to MV Injury†	47	98.2	61	127.1	44	91.0	67	138.1
ED Discharges due to MV Injury†			122	254.2	133	275.2	111	228.7
Motor Vehicle Crash Injuries†	550	1,149.6	451	939.6	429	887.7		
Alcohol-involved MVC Injuries†	82	171.4	92	191.7	84	173.8		
Drinking Drivers Involved in MV Crashes†	54	112.9	61	127.1	58	120.0		
Active Restraint Use, % of MVO Injured, Ages 6+ †	442	89.8%	328	91.6%	338	0.9		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	6	66.7%	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	8	16.7	<5	\$	8	16.5
Pedestrian ED Discharges due to MVC†			7	14.6	7	14.5	8	16.5
Pedestrian Injuries due to MVC†	11	23.0	22	45.8	15	31.0		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	15	31.4	8	16.7	17	35.2	14	28.8
Assault Injury ED Discharges†			20	41.7	27	55.9	14	28.8
Suicide†	7	14.6	7	14.6	5	10.3		
Self-Inflicted Hospitalizations†	16	33.4	14	29.2	18	37.2	15	30.9
Self-Inflicted Injury ED Discharges†			15	31.2	15	31.0	19	39.2
Firearm-related Deaths†	5	10.5	5	10.4	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			10	20.8	13	26.9	12	24.7

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: North San Diego

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	166	199.7	164	198.8	146	169.6	161	172.6	169	174.0
Coronary Heart Disease Hospitalizations†	580	697.9	606	734.4	544	632.1	497	532.7	469	482.8
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	70	84.2	56	67.9	61	70.9	60	64.3	69	71.0
Stroke Hospitalizations†	291	350.1	255	309.0	272	316.1	243	260.5	254	261.5
Stroke ED Discharges†										
Diabetes Deaths†	20	24.1	17	20.6	8	9.3	10	10.7	19	19.6
Diabetes Hospitalizations†	51	61.4	54	65.4	47	54.6	93	99.7	67	69.0
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	64	77.0	66	80.0	42	48.8	46	49.3	46	47.4
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	27	32.5	32	38.8	25	29.0	41	43.9	37	38.1
COPD Hospitalizations†	89	107.1	81	98.2	78	90.6	62	66.5	68	70.0
COPD ED Discharges†										
All Cancer Deaths†	183	220.2	205	248.4	180	209.2	213	228.3	207	213.1
Prostate Cancer Deaths (among males)†	10	25.1	9	22.8	8	19.4	20	44.9	14	30.2
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	18	41.6	19	44.2	18	40.1	20	41.0	16	31.5
Colorectal Cancer Deaths†	18	21.7	14	17.0	15	17.4	27	28.9	23	23.7
Lung Cancer Deaths†	42	50.5	49	59.4	38	44.2	38	40.7	46	47.4
Arthritis Hospitalizations†	261	314.0	276	334.5	307	356.7	346	370.9	325	334.6
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	160	192.5	182	220.6	197	228.9	201	215.5	209	215.1
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	6	7.2	7	8.5	11	12.8	13	13.9	<5	\$
Chronic Hepatitis C Reported†	39	46.9	49	59.4	53	61.6	51	54.7	51	52.5
Chlamydia Reported, Underestimate††	86	103.5	100	121.2	125	145.2	141	151.1	162	166.8
Gonorrhea Reported, Underestimate††	14	16.8	17	20.6	27	31.4	23	24.7	26	26.8
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,444	18.4%	1,362	17.8%	1,434	18.1%	1,668	19.7%	1,644	19.2%
Live Births to Girls, Ages 15-17†, % of SRA's births	5	0.3%	5	0.4%	7	0.5%	<5	\$	6	0.4%
Live Births with Early Prenatal Care†, % of SRA's births	1,346	93.5%	1,247	92.1%	1,328	93.1%	1,564	94.4%	1,551	94.7%
Live Births born Preterm†, % of SRA's births	134	9.7%	122	9.3%	124	8.9%	153	9.5%	132	8.3%
Low Birth Weight Births†, % of SRA's births	76	5.3%	70	5.1%	79	5.5%	109	6.5%	89	5.4%
Very Low Birth Weight Births†, % of SRA's births	15	1.0%	16	1.2%	9	0.6%	17	1.0%	17	1.0%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	13	8.9	5	3.7	8	5.5	6	3.6	10	6.0
Infant Mortality†, Rate per 1,000 live births	12	8.3	5	3.7	<5	\$	9	5.4	<5	\$
Unintentional Injury Deaths†	14	16.8	16	19.4	12	13.9	25	26.8	20	20.6
Unintentional Injury Hospitalizations†	521	626.9	556	673.8	587	682.1	620	664.6	584	601.2
Unintentional Injury ED Discharges†										
Fall-related Deaths†	5	6.0	6	7.3	<5	\$	12	12.9	5	5.1
Fall-related Hospitalizations†	283	340.5	305	369.6	322	374.2	347	371.9	322	331.5
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	9	10.5	7	7.5	5	5.1
Overdose/Poisoning Hospitalizations†	67	80.6	53	64.2	50	58.1	43	46.1	43	44.3
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	6	7.2	5	6.1	6	7.0	7	7.5	8	8.2
Hospitalizations due to MV Injury†	63	75.8	75	90.9	89	103.4	81	86.8	63	64.9
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	542	652.2	619	750.2	644	748.3	582	623.8	689	709.2
Alcohol-involved MVC Injuries†	44	52.9	50	60.6	74	86.0	54	57.9	61	62.8
Drinking Drivers Involved in MV Crashes†	29	34.9	39	47.3	46	53.5	40	42.9	42	43.2
Active Restraint Use, % of MVO Injured, Ages 6+ †	361	82.8%	418	83.8%	409	79.3%	392	82.9%	489	85.3%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	6	75.0%	8	57.1%	6	60.0%
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	6	7.2	5	6.1	8	9.3	6	6.4	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	13	15.6	14	17.0	19	22.1	14	15.0	20	20.6
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	9	10.8	12	14.5	6	7.0	9	9.6	14	14.4
Assault Injury ED Discharges†										
Suicide†	13	15.6	12	14.5	7	8.1	5	5.4	9	9.3
Self-Inflicted Hospitalizations†	38	45.7	38	46.1	37	43.0	38	40.7	28	28.8
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	6	7.2	7	8.5	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: North San Diego

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	137	141.0	138	134.9	112	104.5		
Coronary Heart Disease Hospitalizations†	467	480.8	431	421.3	388	362.1	372	334.4
Coronary Heart Disease ED Discharges†			34	33.2	26	24.3	33	29.7
Stroke Deaths†	53	54.6	50	48.9	53	49.5		
Stroke Hospitalizations†	235	241.9	228	222.9	236	220.3	247	222.0
Stroke ED Discharges†			40	39.1	58	54.1	62	55.7
Diabetes Deaths†	17	17.5	22	21.5	7	6.5		
Diabetes Hospitalizations†	58	59.7	73	71.4	84	78.4	67	60.2
Diabetes ED Discharges†			81	79.2	72	67.2	99	89.0
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	45	46.3	47	45.9	56	52.3	58	52.1
Asthma ED Discharges†			170	166.2	226	210.9	201	180.7
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	38	39.1	30	29.3	26	24.3		
COPD Hospitalizations†	64	65.9	67	65.5	71	66.3	89	80.0
COPD ED Discharges†			107	104.6	155	144.7	175	157.3
All Cancer Deaths†	184	189.4	167	163.3	243	226.8		
Prostate Cancer Deaths (among males)†	18	38.7	11	22.5	15	29.2		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	8	15.8	17	31.8	17	30.4		
Colorectal Cancer Deaths†	10	10.3	17	16.6	23	21.5		
Lung Cancer Deaths†	27	27.8	35	34.2	49	45.7		
Arthritis Hospitalizations†	358	368.6	323	315.8	379	353.7	422	379.4
Arthritis ED Discharges†			322	314.8	322	300.5	317	285.0
Dorsopathies Hospitalizations†	210	216.2	209	204.3	191	178.3	239	214.8
Dorsopathies ED Discharges†			437	427.2	477	445.2	492	442.3
Tuberculosis Incidence†	6	6.2	6	5.9	6	5.6	<5	\$
Chronic Hepatitis C Reported†	48	49.4	67	65.5	61	56.9	39	35.1
Chlamydia Reported, Underestimate††	138	142.1	163	159.3	189	176.4	224	201.4
Gonorrhea Reported, Underestimate††	27	27.8	26	25.4	38	35.5	21	18.9
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	5	4.5
Live Births†, % of Region's births	1,643	19.1%	1,752	19.6%	1,799	20.4%		
Live Births to Girls, Ages 15-17†, % of SRA's births	7	0.4%	5	0.3%	5	0.3%		
Live Births with Early Prenatal Care†, % of SRA's births	1,553	94.9%	1,658	94.8%	1,664	92.7%		
Live Births born Preterm†, % of SRA's births	176	10.9%	192	11.1%	157	8.8%		
Low Birth Weight Births†, % of SRA's births	112	6.8%	148	8.4%	125	6.9%		
Very Low Birth Weight Births†, % of SRA's births	13	0.8%	25	1.4%	13	0.7%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	10	6.0	<5	\$	5	2.8		
Infant Mortality†, Rate per 1,000 live births	7	4.3	8	4.6	<5	\$		
Unintentional Injury Deaths†	18	18.5	23	22.5	26	24.3		
Unintentional Injury Hospitalizations†	640	658.9	650	635.4	730	681.3	773	694.9
Unintentional Injury ED Discharges†			4,401	4,302.4	4,614	4,306.2	4,653	4,182.8
Fall-related Deaths†	<5	\$	6	5.9	12	11.2		
Fall-related Hospitalizations†	346	356.2	375	366.6	409	381.7	456	409.9
Fall-related ED Discharges†			1,486	1,452.7	1,579	1,473.7	1,695	1,523.7
Overdose/Poisoning Deaths†	8	8.2	7	6.8	11	10.3		
Overdose/Poisoning Hospitalizations†	53	54.6	46	45.0	73	68.1	65	58.4
Overdose/Poisoning ED Discharges†			118	115.4	136	126.9	154	138.4
Deaths due to Motor Vehicle (MV) Injury†	5	5.1	8	7.8	<5	\$		
Hospitalizations due to MV Injury†	90	92.7	82	80.2	85	79.3	80	71.9
ED Discharges due to MV Injury†			512	500.5	539	503.0	505	454.0
Motor Vehicle Crash Injuries†	790	813.3	692	676.5	670	625.3		
Alcohol-involved MVC Injuries†	57	58.7	94	91.9	80	74.7		
Drinking Drivers Involved in MV Crashes†	43	44.3	61	59.6	56	52.3		
Active Restraint Use, % of MVO Injured, Ages 6+ †	596	92.5%	468	90.7%	393	1.0		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	5	71.4%	6	0.7		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	7	7.2	<5	\$	6	5.6	8	7.2
Pedestrian ED Discharges due to MVC†			8	7.8	15	14.0	13	11.7
Pedestrian Injuries due to MVC†	8	8.2	19	18.6	12	11.2		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	17	17.5	13	12.7	23	21.5	16	14.4
Assault Injury ED Discharges†			104	101.7	104	97.1	106	95.3
Suicide†	6	6.2	11	10.8	12	11.2		
Self-Inflicted Hospitalizations†	32	32.9	26	25.4	44	41.1	37	33.3
Self-Inflicted Injury ED Discharges†			57	55.7	55	51.3	61	54.8
Firearm-related Deaths†	<5	\$	5	4.9	9	8.4		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	5	4.7	<5	\$
Dental-related ED Discharges†			47	45.9	64	59.7	66	59.3

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Palomar-Julian

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	5	80.7	5	81.3	5	83.0	9	153.3	5	85.4
Coronary Heart Disease Hospitalizations†	17	274.5	32	520.6	37	613.9	24	408.9	19	324.6
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Stroke Hospitalizations†	17	274.5	<5	\$	17	282.1	9	153.3	8	136.7
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	6	96.9	6	97.6	10	165.9	6	102.2	10	170.9
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	5	83.0	<5	\$	<5	\$
COPD Hospitalizations†	9	145.3	<5	\$	<5	\$	<5	\$	<5	\$
COPD ED Discharges†										
All Cancer Deaths†	15	242.2	10	162.7	7	116.1	11	187.4	9	153.8
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$	5	85.2	<5	\$
Arthritis Hospitalizations†	8	129.2	15	244.0	17	282.1	10	170.4	8	136.7
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	10	161.5	11	178.9	11	182.5	13	221.5	<5	\$
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	<5	\$	<5	\$	6	99.6	<5	\$	6	102.5
Chlamydia Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	26	0.3%	22	0.3%	32	0.4%	29	0.3%	23	0.3%
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	19	76.0%	14	66.7%	20	69.0%	24	85.7%	14	70.0%
Live Births born Preterm†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	<5	\$	5	81.3	<5	\$	<5	\$	<5	\$
Unintentional Injury Hospitalizations†	20	322.9	35	569.4	33	547.5	45	766.6	40	683.4
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	<5	\$	9	146.4	17	282.1	14	238.5	13	222.1
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	<5	\$	6	97.6	<5	\$	<5	\$	<5	\$
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	8	129.2	8	130.1	6	99.6	11	187.4	11	187.9
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	84	1,356.4	93	1,512.9	70	1,161.4	86	1,465.1	132	2,255.3
Alcohol-involved MVC Injuries†	<5	\$	18	292.8	5	83.0	16	272.6	21	358.8
Drinking Drivers Involved in MV Crashes†	<5	\$	13	211.5	<5	\$	11	187.4	12	205.0
Active Restraint Use, % of MVO Injured, Ages 6+ †	30	73.2%	37	62.7%	35	87.5%	29	56.9%	41	62.1%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	5	85.4
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Palomar-Julian

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	5	88.6	5	92.0	9	162.1		
Coronary Heart Disease Hospitalizations†	29	513.9	20	368.2	18	324.1	11	190.6
Coronary Heart Disease ED Discharges†			<5	\$	<5	\$	<5	\$
Stroke Deaths†	<5	\$	<5	\$	<5	\$		
Stroke Hospitalizations†	15	265.8	9	165.7	10	180.1	11	190.6
Stroke ED Discharges†			<5	\$	<5	\$	<5	\$
Diabetes Deaths†	<5	\$	<5	\$	<5	\$		
Diabetes Hospitalizations†	<5	\$	9	165.7	<5	\$	5	86.7
Diabetes ED Discharges†			<5	\$	<5	\$	<5	\$
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	<5	\$	5	92.0	<5	\$	<5	\$
Asthma ED Discharges†			<5	\$	5	90.0	<5	\$
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$		
COPD Hospitalizations†	<5	\$	7	128.9	5	90.0	6	104.0
COPD ED Discharges†			5	92.0	9	162.1	13	225.3
All Cancer Deaths†	10	177.2	6	110.5	8	144.1		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Arthritis Hospitalizations†	23	407.6	20	368.2	22	396.2	12	208.0
Arthritis ED Discharges†			5	92.0	7	126.1	8	138.6
Dorsopathies Hospitalizations†	<5	\$	15	276.1	5	90.0	<5	\$
Dorsopathies ED Discharges†			16	294.6	16	288.1	10	173.3
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	8	141.8	6	110.5	7	126.1	11	190.6
Chlamydia Reported, Underestimate††	<5	\$	<5	\$	7	126.1	<5	\$
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	23	0.3%	25	0.3%	29	0.3%		
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	16	69.6%	20	80.0%	22	78.6%		
Live Births born Preterm†, % of SRA's births	<5	\$	<5	\$	6	21.4%		
Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	<5	\$	<5	\$	<5	\$		
Unintentional Injury Hospitalizations†	51	903.8	37	681.1	33	594.3	31	537.3
Unintentional Injury ED Discharges†			110	2,025.0	117	2,107.0	128	2,218.4
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	15	265.8	6	110.5	14	252.1	16	277.3
Fall-related ED Discharges†			25	460.2	30	540.2	40	693.2
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$		
Overdose/Poisoning Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning ED Discharges†			8	147.3	<5	\$	<5	\$
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	16	283.5	11	202.5	7	126.1	8	138.6
ED Discharges due to MV Injury†			18	331.4	19	342.2	18	312.0
Motor Vehicle Crash Injuries†	105	1,860.7	120	2,209.1	130	2,341.1		
Alcohol-involved MVC Injuries†	13	230.4	13	239.3	24	432.2		
Drinking Drivers Involved in MV Crashes†	8	141.8	10	184.1	18	324.1		
Active Restraint Use, % of MVO Injured, Ages 6+ †	48	75.0%	55	85.9%	39	81.3%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			<5	\$	<5	\$	<5	\$
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Assault Injury ED Discharges†			8	147.3	<5	\$	<5	\$
Suicide†	<5	\$	<5	\$	<5	\$		
Self-Inflicted Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†			5	92.0	<5	\$	<5	\$
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			<5	\$	<5	\$	<5	\$

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA, SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Pauma

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	6	84.5	6	84.0	5	70.4	8	115.8	<5	\$
Coronary Heart Disease Hospitalizations†	28	394.5	17	238.0	21	295.6	22	318.6	21	305.3
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Stroke Hospitalizations†	21	295.9	13	182.0	20	281.5	13	188.2	13	189.0
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Diabetes Hospitalizations†	10	140.9	14	196.0	13	183.0	12	173.8	14	203.5
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	5	70.5	<5	\$	<5	\$	6	86.9	<5	\$
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
COPD Hospitalizations†	5	70.5	<5	\$	<5	\$	8	115.8	7	101.8
COPD ED Discharges†										
All Cancer Deaths†	8	112.7	11	154.0	7	98.5	6	86.9	7	101.8
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Arthritis Hospitalizations†	21	295.9	17	238.0	16	225.2	19	275.1	15	218.1
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	11	155.0	8	112.0	16	225.2	5	72.4	6	87.2
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	<5	\$	<5	\$	7	98.5	5	72.4	6	87.2
Chlamydia Reported, Underestimate††	5	70.5	10	140.0	7	98.5	18	260.6	11	159.9
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	71	0.9%	48	0.6%	56	0.7%	62	0.7%	54	0.6%
Live Births to Girls, Ages 15-17†, % of SRA's births	7	9.9%	<5	\$	<5	\$	<5	\$	<5	\$
Live Births with Early Prenatal Care†, % of SRA's births	42	59.2%	32	82.1%	35	71.4%	41	70.7%	37	80.4%
Live Births born Preterm†, % of SRA's births	5	7.4%	5	12.8%	9	18.8%	<5	\$	<5	\$
Low Birth Weight Births†, % of SRA's births	<5	\$	6	12.5%	5	8.9%	<5	\$	<5	\$
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	<5	\$	6	84.0	5	70.4	<5	\$	<5	\$
Unintentional Injury Hospitalizations†	52	732.7	41	574.1	52	731.9	56	810.9	41	596.1
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	22	310.0	13	182.0	16	225.2	16	231.7	10	145.4
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	<5	\$	7	98.0	<5	\$	6	86.9	<5	\$
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Hospitalizations due to MV Injury†	13	183.2	15	210.0	18	253.3	19	275.1	12	174.5
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	73	1,028.6	74	1,036.1	148	2,083.0	158	2,287.9	126	1,831.9
Alcohol-involved MVC Injuries†	22	310.0	13	182.0	43	605.2	36	521.3	29	421.6
Drinking Drivers Involved in MV Crashes†	12	169.1	12	168.0	23	323.7	17	246.2	20	290.8
Active Restraint Use, % of MVO Injured, Ages 6+ †	38	86.4%	35	62.5%	63	58.9%	83	72.8%	59	62.8%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	<5	\$	7	98.0	<5	\$	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Pauma

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	<5	\$	6	88.2	8	116.7		
Coronary Heart Disease Hospitalizations†	18	264.0	18	264.7	13	189.6	18	251.3
Coronary Heart Disease ED Discharges†			<5	\$	<5	\$	<5	\$
Stroke Deaths†	<5	\$	<5	\$	<5	\$		
Stroke Hospitalizations†	12	176.0	9	132.4	12	175.1	11	153.6
Stroke ED Discharges†			<5	\$	<5	\$	<5	\$
Diabetes Deaths†	5	73.3	<5	\$	<5	\$		
Diabetes Hospitalizations†	15	220.0	10	147.1	12	175.1	13	181.5
Diabetes ED Discharges†			<5	\$	6	87.5	7	97.7
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Asthma ED Discharges†			<5	\$	9	131.3	7	97.7
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	<5	\$	<5	\$		
COPD Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
COPD ED Discharges†			<5	\$	5	72.9	<5	\$
All Cancer Deaths†	9	132.0	5	73.5	5	72.9		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Lung Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Arthritis Hospitalizations†	17	249.3	18	264.7	23	335.5	15	209.4
Arthritis ED Discharges†			9	132.4	8	116.7	7	97.7
Dorsopathies Hospitalizations†	8	117.3	6	88.2	12	175.1	13	181.5
Dorsopathies ED Discharges†			14	205.9	8	116.7	6	83.8
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	15	220.0	16	235.3	9	131.3	8	111.7
Chlamydia Reported, Underestimate††	16	234.7	27	397.1	14	204.2	13	181.5
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	12	175.1	7	97.7
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	67	0.8%	54	0.6%	83	0.9%		
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	49	76.6%	45	86.5%	58	69.9%		
Live Births born Preterm†, % of SRA's births	9	14.1%	5	9.8%	6	7.6%		
Low Birth Weight Births†, % of SRA's births	10	14.9%	<5	\$	9	10.8%		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	<5	\$		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	<5	\$	<5	\$	<5	\$		
Unintentional Injury Hospitalizations†	52	762.7	40	588.3	55	802.3	39	544.5
Unintentional Injury ED Discharges†			156	2,294.5	189	2,757.1	196	2,736.7
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	21	308.0	15	220.6	15	218.8	16	223.4
Fall-related ED Discharges†			42	617.7	60	875.3	56	781.9
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$		
Overdose/Poisoning Hospitalizations†	5	73.3	<5	\$	<5	\$	<5	\$
Overdose/Poisoning ED Discharges†			11	161.8	<5	\$	<5	\$
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	13	190.7	7	103.0	21	306.3	5	69.8
ED Discharges due to MV Injury†			43	632.4	46	671.0	35	488.7
Motor Vehicle Crash Injuries†	97	1,422.7	143	2,103.3	130	1,896.4		
Alcohol-involved MVC Injuries†	18	264.0	38	558.9	28	408.5		
Drinking Drivers Involved in MV Crashes†	13	190.7	24	353.0	15	218.8		
Active Restraint Use, % of MVO Injured, Ages 6+ †	55	70.5%	103	92.0%	81	90.0%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			<5	\$	<5	\$	<5	\$
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	<5	\$	<5	\$	<5	\$	5	69.8
Assault Injury ED Discharges†			17	250.0	9	131.3	17	237.4
Suicide†	<5	\$	<5	\$	<5	\$		
Self-Inflicted Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Injury ED Discharges†			<5	\$	<5	\$	<5	\$
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$		
Dental-related ED Discharges†			<5	\$	10	145.9	<5	\$

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Poway

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	62	76.4	81	95.7	58	67.9	66	75.8	67	75.4
Coronary Heart Disease Hospitalizations†	262	323.0	305	360.2	282	330.0	255	292.7	219	246.6
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	39	48.1	34	40.2	31	36.3	41	47.1	22	24.8
Stroke Hospitalizations†	119	146.7	133	157.1	143	167.4	123	141.2	111	125.0
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	5	5.9	<5	\$	6	6.9	8	9.0
Diabetes Hospitalizations†	35	43.1	36	42.5	42	49.2	41	47.1	30	33.8
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	45	55.5	45	53.1	45	52.7	46	52.8	25	28.2
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	20	24.7	15	17.7	20	23.4	18	20.7	14	15.8
COPD Hospitalizations†	51	62.9	37	43.7	53	62.0	41	47.1	40	45.0
COPD ED Discharges†										
All Cancer Deaths†	115	141.8	89	105.1	100	117.0	95	109.1	113	127.2
Prostate Cancer Deaths (among males)†	6	15.1	5	12.1	5	12.1	7	16.6	9	21.0
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	16	38.6	8	18.4	14	31.8	<5	\$	5	10.9
Colorectal Cancer Deaths†	7	8.6	5	5.9	11	12.9	5	5.7	12	13.5
Lung Cancer Deaths†	31	38.2	23	27.2	24	28.1	23	26.4	33	37.2
Arthritis Hospitalizations†	147	181.2	153	180.7	166	194.3	181	207.8	217	244.4
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	93	114.6	137	161.8	112	131.1	115	132.0	127	143.0
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	6	7.1	6	7.0	<5	\$	<5	\$
Chronic Hepatitis C Reported†	28	34.5	39	46.1	33	38.6	27	31.0	21	23.6
Chlamydia Reported, Underestimate††	68	83.8	60	70.9	71	83.1	93	106.8	99	111.5
Gonorrhea Reported, Underestimate††	7	8.6	16	18.9	13	15.2	7	8.0	17	19.1
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	978	12.4%	986	12.9%	981	12.4%	1,046	12.4%	957	11.2%
Live Births to Girls, Ages 15-17†, % of SRA's births	11	1.1%	7	0.7%	6	0.6%	8	0.8%	5	0.5%
Live Births with Early Prenatal Care†, % of SRA's births	890	91.2%	877	89.4%	896	92.5%	958	92.0%	866	91.1%
Live Births born Preterm†, % of SRA's births	82	8.8%	94	9.9%	75	7.9%	97	9.5%	100	10.7%
Low Birth Weight Births†, % of SRA's births	48	4.9%	44	4.5%	50	5.1%	71	6.8%	71	7.4%
Very Low Birth Weight Births†, % of SRA's births	7	0.7%	<5	\$	<5	\$	13	1.2%	13	1.4%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	6	6.0	<5	\$	<5	\$	5	5.2
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	6	6.1	<5	\$	13	13.6
Unintentional Injury Deaths†	16	19.7	9	10.6	14	16.4	11	12.6	17	19.1
Unintentional Injury Hospitalizations†	344	424.0	366	432.2	348	407.3	386	443.1	338	380.6
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	5	5.7	<5	\$
Fall-related Hospitalizations†	169	208.3	176	207.9	142	166.2	174	199.7	159	179.0
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	5	5.6
Overdose/Poisoning Hospitalizations†	36	44.4	28	33.1	41	48.0	19	21.8	39	43.9
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	8	9.9	<5	\$	8	9.4	<5	\$	9	10.1
Hospitalizations due to MV Injury†	57	70.3	67	79.1	65	76.1	59	67.7	50	56.3
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	334	411.7	341	402.7	423	495.1	314	360.4	349	393.0
Alcohol-involved MVC Injuries†	38	46.8	42	49.6	59	69.1	38	43.6	59	66.4
Drinking Drivers Involved in MV Crashes†	27	33.3	27	31.9	32	37.5	28	32.1	36	40.5
Active Restraint Use, % of MVO Injured, Ages 6+ †	198	78.9%	200	76.6%	255	73.1%	182	70.3%	197	79.1%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	5	62.5%	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	7	8.3	6	7.0	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	10	12.3	22	26.0	14	16.4	6	6.9	9	10.1
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	7	8.6	7	8.3	14	16.4	13	14.9	14	15.8
Assault Injury ED Discharges†										
Suicide†	6	7.4	5	5.9	6	7.0	10	11.5	8	9.0
Self-Inflicted Hospitalizations†	23	28.4	18	21.3	33	38.6	19	21.8	32	36.0
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	6	6.9	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Poway

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	65	73.2	51	57.2	59	66.0		
Coronary Heart Disease Hospitalizations†	219	246.6	278	311.8	238	266.1	223	249.0
Coronary Heart Disease ED Discharges†			30	33.6	17	19.0	35	39.1
Stroke Deaths†	34	38.3	31	34.8	24	26.8		
Stroke Hospitalizations†	122	137.4	116	130.1	166	185.6	136	151.9
Stroke ED Discharges†			40	44.9	30	33.5	37	41.3
Diabetes Deaths†	12	13.5	16	17.9	<5	\$		
Diabetes Hospitalizations†	57	64.2	54	60.6	37	41.4	48	53.6
Diabetes ED Discharges†			70	78.5	49	54.8	49	54.7
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	41	46.2	32	35.9	47	52.5	42	46.9
Asthma ED Discharges†			148	166.0	163	182.2	119	132.9
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	21	23.7	22	24.7	21	23.5		
COPD Hospitalizations†	43	48.4	42	47.1	69	77.1	56	62.5
COPD ED Discharges†			80	89.7	110	123.0	99	110.6
All Cancer Deaths†	108	121.6	99	111.0	114	127.5		
Prostate Cancer Deaths (among males)†	6	14.0	<5	\$	5	11.6		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	10	21.8	11	23.9	5	10.8		
Colorectal Cancer Deaths†	6	6.8	8	9.0	12	13.4		
Lung Cancer Deaths†	23	25.9	31	34.8	27	30.2		
Arthritis Hospitalizations†	202	227.5	221	247.8	249	278.4	236	263.5
Arthritis ED Discharges†			207	232.1	198	221.4	205	228.9
Dorsopathies Hospitalizations†	129	145.3	124	139.1	129	144.2	148	165.3
Dorsopathies ED Discharges†			308	345.4	350	391.3	291	325.0
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	31	34.9	39	43.7	40	44.7	34	38.0
Chlamydia Reported, Underestimate††	88	99.1	107	120.0	118	131.9	98	109.4
Gonorrhea Reported, Underestimate††	16	18.0	12	13.5	12	13.4	10	11.2
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	931	10.8%	938	10.5%	953	10.8%		
Live Births to Girls, Ages 15-17†, % of SRA's births	9	1.0%	<5	\$	<5	\$		
Live Births with Early Prenatal Care†, % of SRA's births	855	92.2%	865	92.7%	855	90.4%		
Live Births born Preterm†, % of SRA's births	91	10.1%	111	12.1%	94	9.9%		
Low Birth Weight Births†, % of SRA's births	61	6.6%	68	7.2%	63	6.6%		
Very Low Birth Weight Births†, % of SRA's births	14	1.5%	15	1.6%	13	1.4%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	5	5.3	6	6.3		
Infant Mortality†, Rate per 1,000 live births	5	5.4	5	5.3	<5	\$		
Unintentional Injury Deaths†	16	18.0	19	21.3	23	25.7		
Unintentional Injury Hospitalizations†	431	485.4	366	410.4	411	459.5	451	503.6
Unintentional Injury ED Discharges†			3,195	3,583.0	3,227	3,607.9	3,293	3,677.3
Fall-related Deaths†	5	5.6	5	5.6	<5	\$		
Fall-related Hospitalizations†	211	237.6	155	173.8	201	224.7	217	242.3
Fall-related ED Discharges†			976	1,094.5	1,001	1,119.2	1,114	1,244.0
Overdose/Poisoning Deaths†	<5	\$	7	7.9	8	8.9		
Overdose/Poisoning Hospitalizations†	31	34.9	36	40.4	45	50.3	46	51.4
Overdose/Poisoning ED Discharges†			85	95.3	120	134.2	108	120.6
Deaths due to Motor Vehicle (MV) Injury†	9	10.1	5	5.6	9	10.1		
Hospitalizations due to MV Injury†	70	78.8	63	70.7	52	58.1	55	61.4
ED Discharges due to MV Injury†			369	413.8	342	382.4	270	301.5
Motor Vehicle Crash Injuries†	361	406.6	370	414.9	333	372.3		
Alcohol-involved MVC Injuries†	28	31.5	35	39.3	46	51.4		
Drinking Drivers Involved in MV Crashes†	22	24.8	28	31.4	34	38.0		
Active Restraint Use, % of MVO Injured, Ages 6+ †	221	77.8%	113	88.3%	94	93.1%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	6	6.7	5	5.6	5	5.6
Pedestrian ED Discharges due to MVC†			10	11.2	20	22.4	8	8.9
Pedestrian Injuries due to MVC†	16	18.0	17	19.1	7	7.8		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	12	13.5	5	5.6	14	15.7	9	10.1
Assault Injury ED Discharges†			97	108.8	93	104.0	78	87.1
Suicide†	<5	\$	<5	\$	10	11.2		
Self-Inflicted Hospitalizations†	18	20.3	19	21.3	30	33.5	22	24.6
Self-Inflicted Injury ED Discharges†			55	61.7	58	64.8	34	38.0
Firearm-related Deaths†	<5	\$	<5	\$	7	7.8		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	<5	\$
Dental-related ED Discharges†			43	48.2	62	69.3	55	61.4

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Ramona

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	38	116.7	42	127.8	43	128.4	42	124.8	23	65.9
Coronary Heart Disease Hospitalizations†	158	485.1	158	480.7	142	424.1	133	395.1	117	335.2
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	20	61.4	8	24.3	17	50.8	23	68.3	16	45.8
Stroke Hospitalizations†	87	267.1	54	164.3	85	253.8	69	205.0	73	209.1
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	8	23.9	6	17.8	<5	\$
Diabetes Hospitalizations†	22	67.5	25	76.1	22	65.7	42	124.8	29	83.1
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	28	86.0	15	45.6	18	53.8	21	62.4	15	43.0
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	9	27.6	15	45.6	9	26.9	14	41.6	11	31.5
COPD Hospitalizations†	26	79.8	48	146.0	26	77.6	39	115.8	35	100.3
COPD ED Discharges†										
All Cancer Deaths†	47	144.3	46	139.9	52	155.3	56	166.3	63	180.5
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	5	29.9	<5	\$	7	40.5
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	6	36.5	<5	\$	6	35.5	5	28.4
Colorectal Cancer Deaths†	5	15.4	<5	\$	<5	\$	5	14.9	8	22.9
Lung Cancer Deaths†	18	55.3	9	27.4	14	41.8	15	44.6	10	28.6
Arthritis Hospitalizations†	89	273.2	112	340.7	110	328.5	116	344.6	98	280.7
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	77	236.4	111	337.7	81	241.9	79	234.7	86	246.4
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	35	107.5	29	88.2	28	83.6	27	80.2	37	106.0
Chlamydia Reported, Underestimate††	29	89.0	31	94.3	47	140.4	51	151.5	49	140.4
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	5	14.9	6	17.8	5	14.3
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	427	5.4%	433	5.7%	453	5.7%	441	5.2%	454	5.3%
Live Births to Girls, Ages 15-17†, % of SRA's births	7	1.6%	11	2.5%	7	1.5%	8	1.8%	12	2.6%
Live Births with Early Prenatal Care†, % of SRA's births	354	83.7%	339	79.8%	370	84.9%	386	91.0%	388	87.4%
Live Births born Preterm†, % of SRA's births	40	9.9%	43	10.4%	28	6.7%	47	11.3%	49	11.2%
Low Birth Weight Births†, % of SRA's births	24	5.6%	29	6.7%	21	4.6%	25	5.7%	29	6.4%
Very Low Birth Weight Births†, % of SRA's births	7	1.6%	7	1.6%	6	1.3%	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	12	36.8	13	39.5	14	41.8	12	35.6	15	43.0
Unintentional Injury Hospitalizations†	231	709.2	218	663.2	242	722.7	270	802.0	263	753.4
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	82	251.7	79	240.3	85	253.8	90	267.3	99	283.6
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	5	14.3
Overdose/Poisoning Hospitalizations†	20	61.4	19	57.8	18	53.8	22	65.3	21	60.2
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	6	18.4	7	21.3	9	26.9	<5	\$	5	14.3
Hospitalizations due to MV Injury†	65	199.6	40	121.7	56	167.2	53	157.4	54	154.7
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	254	779.8	207	629.7	235	701.8	273	810.9	296	848.0
Alcohol-involved MVC Injuries†	53	162.7	25	76.1	44	131.4	39	115.8	30	85.9
Drinking Drivers Involved in MV Crashes†	28	86.0	15	45.6	25	74.7	24	71.3	20	57.3
Active Restraint Use, % of MVO Injured, Ages 6+ †	174	82.1%	137	79.7%	127	71.3%	142	64.8%	205	84.4%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	7	21.5	<5	\$	7	20.9	6	17.8	9	25.8
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	5	15.4	8	24.3	<5	\$	8	23.8	6	17.2
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Self-Inflicted Hospitalizations†	15	46.1	13	39.5	13	38.8	12	35.6	16	45.8
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA, SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Ramona

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	28	79.1	27	75.2	25	68.9		
Coronary Heart Disease Hospitalizations†	124	350.5	101	281.3	116	319.5	113	317.1
Coronary Heart Disease ED Discharges†			<5	\$	6	16.5	13	36.5
Stroke Deaths†	12	33.9	7	19.5	11	30.3		
Stroke Hospitalizations†	57	161.1	51	142.0	79	217.6	76	213.2
Stroke ED Discharges†			8	22.3	10	27.5	10	28.1
Diabetes Deaths†	7	19.8	7	19.5	6	16.5		
Diabetes Hospitalizations†	57	161.1	45	125.3	32	88.1	23	64.5
Diabetes ED Discharges†			29	80.8	26	71.6	38	106.6
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	16	45.2	25	69.6	22	60.6	18	50.5
Asthma ED Discharges†			70	194.9	73	201.1	65	182.4
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	7	19.8	7	19.5	7	19.3		
COPD Hospitalizations†	22	62.2	35	97.5	27	74.4	38	106.6
COPD ED Discharges†			53	147.6	68	187.3	57	159.9
All Cancer Deaths†	53	149.8	59	164.3	53	146.0		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Colorectal Cancer Deaths†	5	14.1	5	13.9	5	13.8		
Lung Cancer Deaths†	12	33.9	14	39.0	15	41.3		
Arthritis Hospitalizations†	105	296.8	98	272.9	114	314.0	133	373.2
Arthritis ED Discharges†			103	286.8	104	286.4	87	244.1
Dorsopathies Hospitalizations†	85	240.3	84	233.9	67	184.5	82	230.1
Dorsopathies ED Discharges†			180	501.3	155	426.9	199	558.4
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	32	90.5	33	91.9	29	79.9	33	92.6
Chlamydia Reported, Underestimate††	45	127.2	46	128.1	73	201.1	53	148.7
Gonorrhea Reported, Underestimate††	7	19.8	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	477	5.5%	485	5.4%	446	5.1%		
Live Births to Girls, Ages 15-17†, % of SRA's births	17	3.6%	5	1.0%	16	3.6%		
Live Births with Early Prenatal Care†, % of SRA's births	393	85.2%	408	85.7%	353	79.7%		
Live Births born Preterm†, % of SRA's births	48	10.5%	55	11.6%	50	11.4%		
Low Birth Weight Births†, % of SRA's births	30	6.3%	42	8.7%	41	9.2%		
Very Low Birth Weight Births†, % of SRA's births	8	1.7%	7	1.4%	5	1.1%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	18	50.9	15	41.8	16	44.1		
Unintentional Injury Hospitalizations†	260	735.0	268	746.3	248	683.0	276	774.4
Unintentional Injury ED Discharges†			1,847	5,143.4	1,836	5,056.7	1,856	5,207.6
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	79	223.3	105	292.4	82	225.8	106	297.4
Fall-related ED Discharges†			512	1,425.8	520	1,432.2	508	1,425.4
Overdose/Poisoning Deaths†	<5	\$	<5	\$	9	24.8		
Overdose/Poisoning Hospitalizations†	33	93.3	25	69.6	25	68.9	31	87.0
Overdose/Poisoning ED Discharges†			55	153.2	54	148.7	51	143.1
Deaths due to Motor Vehicle (MV) Injury†	10	28.3	11	30.6	8	22.0		
Hospitalizations due to MV Injury†	54	152.6	53	147.6	51	140.5	54	151.5
ED Discharges due to MV Injury†			265	738.0	223	614.2	263	737.9
Motor Vehicle Crash Injuries†	264	746.3	259	721.2	282	776.7		
Alcohol-involved MVC Injuries†	25	70.7	39	108.6	50	137.7		
Drinking Drivers Involved in MV Crashes†	19	53.7	27	75.2	39	107.4		
Active Restraint Use, % of MVO Injured, Ages 6+ †	204	92.7%	189	95.9%	212	90.2%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			5	13.9	6	16.5	9	25.3
Pedestrian Injuries due to MVC†	6	17.0	<5	\$	5	13.8		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	12	33.9	8	22.3	10	27.5	10	28.1
Assault Injury ED Discharges†			62	172.7	75	206.6	55	154.3
Suicide†	<5	\$	<5	\$	5	13.8		
Self-Inflicted Hospitalizations†	17	48.1	15	41.8	9	24.8	18	50.5
Self-Inflicted Injury ED Discharges†			43	119.7	28	77.1	28	78.6
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	8	22.0	5	14.0
Dental-related ED Discharges†			33	91.9	48	132.2	37	103.8

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: San Marcos

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	126	184.2	115	160.7	128	171.5	110	142.6	115	144.9
Coronary Heart Disease Hospitalizations†	333	486.7	352	491.8	369	494.3	296	383.8	307	386.8
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	48	70.2	48	67.1	42	56.3	56	72.6	46	58.0
Stroke Hospitalizations†	240	350.8	219	306.0	192	257.2	164	212.6	179	225.5
Stroke ED Discharges†										
Diabetes Deaths†	10	14.6	17	23.8	9	12.1	11	14.3	9	11.3
Diabetes Hospitalizations†	60	87.7	51	71.3	44	58.9	51	66.1	64	80.6
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	35	51.2	47	65.7	54	72.3	50	64.8	35	44.1
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	34	49.7	39	54.5	38	50.9	27	35.0	30	37.8
COPD Hospitalizations†	89	130.1	86	120.2	97	130.0	95	123.2	56	70.6
COPD ED Discharges†										
All Cancer Deaths†	133	194.4	124	173.2	131	175.5	117	151.7	146	183.9
Prostate Cancer Deaths (among males)†	7	20.8	14	39.9	9	24.6	8	21.2	8	20.6
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	6	16.5	13	34.1	7	17.8	11	27.1
Colorectal Cancer Deaths†	17	24.8	11	15.4	15	20.1	15	19.4	15	18.9
Lung Cancer Deaths†	33	48.2	32	44.7	31	41.5	31	40.2	29	36.5
Arthritis Hospitalizations†	192	280.6	209	292.0	202	270.6	219	284.0	207	260.8
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	151	220.7	169	236.1	126	168.8	111	143.9	134	168.8
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	7	10.2	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	55	80.4	37	51.7	41	54.9	31	40.2	49	61.7
Chlamydia Reported, Underestimate††	108	157.8	123	171.9	173	231.8	148	191.9	160	201.6
Gonorrhea Reported, Underestimate††	13	19.0	9	12.6	11	14.7	7	9.1	10	12.6
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,096	13.9%	1,053	13.8%	1,182	14.9%	1,293	15.3%	1,401	16.4%
Live Births to Girls, Ages 15-17†, % of SRA's births	33	3.0%	26	2.5%	23	1.9%	32	2.5%	35	2.5%
Live Births with Early Prenatal Care†, % of SRA's births	835	77.5%	827	82.0%	983	87.9%	1,077	88.1%	1,170	87.2%
Live Births born Preterm†, % of SRA's births	118	11.2%	100	10.0%	108	9.8%	106	8.7%	156	11.8%
Low Birth Weight Births†, % of SRA's births	58	5.3%	58	5.5%	71	6.0%	75	5.8%	85	6.1%
Very Low Birth Weight Births†, % of SRA's births	14	1.3%	12	1.1%	12	1.0%	11	0.9%	17	1.2%
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	8	7.2	<5	\$	6	5.1	<5	\$	8	5.7
Infant Mortality†, Rate per 1,000 live births	6	5.5	<5	\$	<5	\$	9	7.0	5	3.6
Unintentional Injury Deaths†	13	19.0	10	14.0	12	16.1	18	23.3	16	20.2
Unintentional Injury Hospitalizations†	366	534.9	425	593.8	468	627.0	496	643.1	435	548.0
Unintentional Injury ED Discharges†										
Fall-related Deaths†	5	7.3	<5	\$	6	8.0	<5	\$	5	6.3
Fall-related Hospitalizations†	202	295.2	234	326.9	271	363.1	273	354.0	231	291.0
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	5	6.5	7	8.8
Overdose/Poisoning Hospitalizations†	45	65.8	39	54.5	44	58.9	42	54.5	38	47.9
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	6	8.4	<5	\$	14	18.2	6	7.6
Hospitalizations due to MV Injury†	46	67.2	50	69.9	59	79.0	69	89.5	60	75.6
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	433	632.9	433	605.0	364	487.6	432	560.1	360	453.5
Alcohol-involved MVC Injuries†	24	35.1	41	57.3	41	54.9	69	89.5	57	71.8
Drinking Drivers Involved in MV Crashes†	20	29.2	32	44.7	29	38.9	39	50.6	41	51.7
Active Restraint Use, % of MVO Injured, Ages 6+ †	320	87.0%	309	81.7%	239	82.1%	302	83.4%	251	84.8%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	8	61.5%	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	8	10.7	6	7.8	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	20	29.2	10	14.0	18	24.1	9	11.7	17	21.4
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	16	23.4	12	16.8	14	18.8	10	13.0	16	20.2
Assault Injury ED Discharges†										
Suicide†	6	8.8	<5	\$	11	14.7	5	6.5	7	8.8
Self-Inflicted Hospitalizations†	35	51.2	27	37.7	34	45.5	31	40.2	34	42.8
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	6	8.8	<5	\$	5	6.7	<5	\$	<5	\$
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: San Marcos

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	109	130.4	117	137.4	116	133.4		
Coronary Heart Disease Hospitalizations†	326	390.0	265	311.1	276	317.3	241	269.1
Coronary Heart Disease ED Discharges†			20	23.5	13	14.9	15	16.8
Stroke Deaths†	38	45.5	40	47.0	24	27.6		
Stroke Hospitalizations†	169	202.2	188	220.7	200	229.9	176	196.5
Stroke ED Discharges†			45	52.8	45	51.7	27	30.2
Diabetes Deaths†	13	15.6	21	24.7	10	11.5		
Diabetes Hospitalizations†	63	75.4	99	116.2	75	86.2	85	94.9
Diabetes ED Discharges†			76	89.2	86	98.9	83	92.7
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	52	62.2	41	48.1	44	50.6	43	48.0
Asthma ED Discharges†			157	184.3	133	152.9	149	166.4
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	33	39.5	33	38.7	25	28.7		
COPD Hospitalizations†	71	84.9	69	81.0	72	82.8	131	146.3
COPD ED Discharges†			115	135.0	101	116.1	177	197.7
All Cancer Deaths†	138	165.1	121	142.1	138	158.7		
Prostate Cancer Deaths (among males)†	5	12.2	10	24.0	12	28.2		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	9	21.1	8	18.4	10	22.5		
Colorectal Cancer Deaths†	15	17.9	13	15.3	15	17.2		
Lung Cancer Deaths†	29	34.7	26	30.5	40	46.0		
Arthritis Hospitalizations†	226	270.4	231	271.2	260	298.9	274	306.0
Arthritis ED Discharges†			210	246.6	231	265.6	212	236.7
Dorsopathies Hospitalizations†	159	190.2	153	179.6	145	166.7	159	177.6
Dorsopathies ED Discharges†			296	347.5	354	407.0	347	387.5
Tuberculosis Incidence†	<5	\$	<5	\$	7	8.0	<5	\$
Chronic Hepatitis C Reported†	51	61.0	41	48.1	57	65.5	59	65.9
Chlamydia Reported, Underestimate††	132	157.9	201	236.0	208	239.1	216	241.2
Gonorrhea Reported, Underestimate††	14	16.7	9	10.6	14	16.1	10	11.2
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	1,499	17.4%	1,623	18.2%	1,577	17.9%		
Live Births to Girls, Ages 15-17†, % of SRA's births	33	2.2%	35	2.2%	38	2.4%		
Live Births with Early Prenatal Care†, % of SRA's births	1,256	86.7%	1,330	83.4%	1,293	82.3%		
Live Births born Preterm†, % of SRA's births	145	10.2%	145	9.2%	157	10.1%		
Low Birth Weight Births†, % of SRA's births	102	6.8%	88	5.4%	93	5.9%		
Very Low Birth Weight Births†, % of SRA's births	21	1.4%	15	0.9%	12	0.8%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	9	6.0	7	4.3	<5	\$		
Infant Mortality†, Rate per 1,000 live births	11	7.3	6	3.7	7	4.4		
Unintentional Injury Deaths†	24	28.7	31	36.4	21	24.1		
Unintentional Injury Hospitalizations†	481	575.5	509	597.6	512	588.6	554	618.7
Unintentional Injury ED Discharges†			3,259	3,826.5	3,383	3,889.3	3,346	3,736.5
Fall-related Deaths†	5	6.0	10	11.7	8	9.2		
Fall-related Hospitalizations†	272	325.4	277	325.2	263	302.4	298	332.8
Fall-related ED Discharges†			1,098	1,289.2	1,181	1,357.8	1,231	1,374.7
Overdose/Poisoning Deaths†	7	8.4	6	7.0	5	5.7		
Overdose/Poisoning Hospitalizations†	30	35.9	43	50.5	50	57.5	56	62.5
Overdose/Poisoning ED Discharges†			98	115.1	124	142.6	94	105.0
Deaths due to Motor Vehicle (MV) Injury†	8	9.6	12	14.1	8	9.2		
Hospitalizations due to MV Injury†	60	71.8	66	77.5	72	82.8	66	73.7
ED Discharges due to MV Injury†			363	426.2	423	486.3	359	400.9
Motor Vehicle Crash Injuries†	365	436.7	421	494.3	380	436.9		
Alcohol-involved MVC Injuries†	32	38.3	61	71.6	62	71.3		
Drinking Drivers Involved in MV Crashes†	21	25.1	47	55.2	49	56.3		
Active Restraint Use, % of MVO Injured, Ages 6+ †	259	86.3%	279	81.1%	192	89.7%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	5	55.6%	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	8	9.6	<5	\$	9	10.3	5	5.6
Pedestrian ED Discharges due to MVC†			7	8.2	19	21.8	14	15.6
Pedestrian Injuries due to MVC†	16	19.1	9	10.6	19	21.8		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	27	32.3	19	22.3	20	23.0	18	20.1
Assault Injury ED Discharges†			114	133.9	154	177.0	120	134.0
Suicide†	<5	\$	9	10.6	7	8.0		
Self-Inflicted Hospitalizations†	24	28.7	27	31.7	27	31.0	29	32.4
Self-Inflicted Injury ED Discharges†			31	36.4	58	66.7	60	67.0
Firearm-related Deaths†	<5	\$	5	5.9	<5	\$		
Firearm-related Hospitalizations†	<5	\$	6	7.0	<5	\$	<5	\$
Firearm-related ED Discharges†			7	8.2	8	9.2	<5	\$
Dental-related ED Discharges†			43	50.5	93	106.9	72	80.4

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Valley Center

Indicator	2000		2001		2002		2003		2004	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	31	165.1	26	139.2	24	123.9	24	120.5	17	81.9
Coronary Heart Disease Hospitalizations†	80	426.1	67	358.7	63	325.2	89	446.8	71	342.1
Coronary Heart Disease ED Discharges†										
Stroke Deaths†	5	26.6	9	48.2	5	25.8	8	40.2	7	33.7
Stroke Hospitalizations†	34	181.1	49	262.3	50	258.1	51	256.0	43	207.2
Stroke ED Discharges†										
Diabetes Deaths†	<5	\$	<5	\$	<5	\$	7	35.1	<5	\$
Diabetes Hospitalizations†	9	47.9	14	75.0	14	72.3	25	125.5	19	91.5
Diabetes ED Discharges†										
Asthma Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Asthma Hospitalizations†	18	95.9	7	37.5	9	46.5	14	70.3	6	28.9
Asthma ED Discharges†										
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	6	32.1	9	46.5	<5	\$	11	53.0
COPD Hospitalizations†	23	122.5	23	123.1	15	77.4	14	70.3	17	81.9
COPD ED Discharges†										
All Cancer Deaths†	28	149.1	18	96.4	25	129.1	37	185.7	28	134.9
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	5	51.7	<5	\$	<5	\$
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	5	24.1
Lung Cancer Deaths†	10	53.3	<5	\$	6	31.0	8	40.2	<5	\$
Arthritis Hospitalizations†	52	276.9	56	299.8	69	356.2	54	271.1	58	279.5
Arthritis ED Discharges†										
Dorsopathies Hospitalizations†	35	186.4	59	315.9	46	237.5	35	175.7	45	216.8
Dorsopathies ED Discharges†										
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	23	122.5	11	58.9	10	51.6	9	45.2	14	67.5
Chlamydia Reported, Underestimate††	6	32.0	20	107.1	28	144.6	24	120.5	30	144.6
Gonorrhea Reported, Underestimate††	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	152	1.9%	174	2.3%	177	2.2%	187	2.2%	209	2.4%
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	<5	\$	8	4.5%	<5	\$	12	5.7%
Live Births with Early Prenatal Care†, % of SRA's births	116	78.4%	118	76.1%	136	85.0%	150	86.2%	165	84.2%
Live Births born Preterm†, % of SRA's births	15	10.5%	17	10.9%	18	11.1%	11	6.5%	16	8.1%
Low Birth Weight Births†, % of SRA's births	10	6.6%	12	6.9%	13	7.3%	<5	\$	9	4.3%
Very Low Birth Weight Births†, % of SRA's births	5	3.3%	5	2.9%	<5	\$	<5	\$	<5	\$
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Unintentional Injury Deaths†	5	26.6	6	32.1	9	46.5	7	35.1	9	43.4
Unintentional Injury Hospitalizations†	97	516.6	124	663.8	137	707.3	142	712.9	172	828.8
Unintentional Injury ED Discharges†										
Fall-related Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Fall-related Hospitalizations†	35	186.4	38	203.4	57	294.3	49	246.0	60	289.1
Fall-related ED Discharges†										
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Overdose/Poisoning Hospitalizations†	8	42.6	5	26.8	6	31.0	14	70.3	10	48.2
Overdose/Poisoning ED Discharges†										
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$	<5	\$	7	33.7
Hospitalizations due to MV Injury†	25	133.1	31	166.0	28	144.6	38	190.8	40	192.7
ED Discharges due to MV Injury†										
Motor Vehicle Crash Injuries†	108	575.2	171	915.5	136	702.1	181	908.6	171	823.9
Alcohol-involved MVC Injuries†	26	138.5	41	219.5	43	222.0	47	235.9	40	192.7
Drinking Drivers Involved in MV Crashes†	16	85.2	27	144.5	26	134.2	23	115.5	26	125.3
Active Restraint Use, % of MVO Injured, Ages 6+ †	75	81.5%	117	76.5%	95	80.5%	98	64.1%	113	76.9%
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian Hospitalizations due to MVC†	<5	\$	6	32.1	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†										
Pedestrian Injuries due to MVC†	<5	\$	5	26.8	<5	\$	<5	\$	<5	\$
Homicide†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Assault Hospitalizations†	6	32.0	10	53.5	11	56.8	6	30.1	7	33.7
Assault Injury ED Discharges†										
Suicide†	<5	\$	<5	\$	5	25.8	<5	\$	7	33.7
Self-Inflicted Hospitalizations†	6	32.0	<5	\$	6	31.0	12	60.2	7	33.7
Self-Inflicted Injury ED Discharges†										
Firearm-related Deaths†	<5	\$	<5	\$	5	25.8	<5	\$	5	24.1
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†										
Dental-related ED Discharges†										

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/09. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.

North Inland Region Subregional Areas (2000-2008)

SRA: Valley Center

Indicator	2005		2006		2007		2008	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Coronary Heart Disease Deaths†	15	68.1	23	104.5	18	80.5		
Coronary Heart Disease Hospitalizations†	80	363.3	59	268.0	48	214.7	56	246.6
Coronary Heart Disease ED Discharges†			<5	\$	<5	\$	<5	\$
Stroke Deaths†	6	27.2	9	40.9	6	26.8		
Stroke Hospitalizations†	47	213.4	53	240.7	45	201.3	47	207.0
Stroke ED Discharges†			8	36.3	5	22.4	8	35.2
Diabetes Deaths†	<5	\$	<5	\$	<5	\$		
Diabetes Hospitalizations†	15	68.1	26	118.1	27	120.8	37	162.9
Diabetes ED Discharges†			11	50.0	15	67.1	18	79.3
Asthma Deaths†	<5	\$	<5	\$	<5	\$		
Asthma Hospitalizations†	11	50.0	5	22.7	10	44.7	12	52.8
Asthma ED Discharges†			31	140.8	35	156.6	23	101.3
Chronic Obstructive Pulmonary Disease (COPD) Deaths†	<5	\$	5	22.7	11	49.2		
COPD Hospitalizations†	20	90.8	12	54.5	22	98.4	14	61.6
COPD ED Discharges†			23	104.5	21	93.9	30	132.1
All Cancer Deaths†	22	99.9	32	145.3	22	98.4		
Prostate Cancer Deaths (among males)†	<5	\$	<5	\$	<5	\$		
Cervical Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Female Breast Cancer Deaths (among females)†	<5	\$	<5	\$	<5	\$		
Colorectal Cancer Deaths†	<5	\$	<5	\$	<5	\$		
Lung Cancer Deaths†	7	31.8	<5	\$	6	26.8		
Arthritis Hospitalizations†	64	290.6	67	304.3	72	322.1	80	352.3
Arthritis ED Discharges†			31	140.8	40	178.9	32	140.9
Dorsopathies Hospitalizations†	42	190.7	48	218.0	42	187.9	59	259.8
Dorsopathies ED Discharges†			54	245.2	51	228.1	69	303.8
Tuberculosis Incidence†	<5	\$	<5	\$	<5	\$	<5	\$
Chronic Hepatitis C Reported†	19	86.3	25	113.5	24	107.4	21	92.5
Chlamydia Reported, Underestimate††	21	95.4	25	113.5	29	129.7	32	140.9
Gonorrhea Reported, Underestimate††	<5	\$	5	22.7	6	26.8	5	22.0
Primary and Secondary Syphilis Reported†	<5	\$	<5	\$	<5	\$	<5	\$
Live Births†, % of Region's births	225	2.6%	239	2.7%	232	2.6%		
Live Births to Girls, Ages 15-17†, % of SRA's births	<5	\$	7	2.9%	6	2.6%		
Live Births with Early Prenatal Care†, % of SRA's births	174	81.7%	189	81.5%	177	76.6%		
Live Births born Preterm†, % of SRA's births	19	9.2%	20	8.7%	25	10.9%		
Low Birth Weight Births†, % of SRA's births	17	7.6%	9	3.8%	16	6.9%		
Very Low Birth Weight Births†, % of SRA's births	<5	\$	<5	\$	5	2.2%		
Fetal Mortality†, Rate per 1,000 live births & fetal deaths	<5	\$	5	20.5	<5	\$		
Infant Mortality†, Rate per 1,000 live births	<5	\$	<5	\$	<5	\$		
Unintentional Injury Deaths†	7	31.8	6	27.2	8	35.8		
Unintentional Injury Hospitalizations†	149	676.6	170	772.1	144	644.2	160	704.5
Unintentional Injury ED Discharges†			762	3,460.6	882	3,945.6	854	3,760.5
Fall-related Deaths†	<5	\$	<5	\$	<5	\$		
Fall-related Hospitalizations†	56	254.3	60	272.5	62	277.4	66	290.6
Fall-related ED Discharges†			211	958.3	268	1,198.9	263	1,158.1
Overdose/Poisoning Deaths†	<5	\$	<5	\$	<5	\$		
Overdose/Poisoning Hospitalizations†	14	63.6	13	59.0	7	31.3	15	66.1
Overdose/Poisoning ED Discharges†			18	81.7	16	71.6	22	96.9
Deaths due to Motor Vehicle (MV) Injury†	<5	\$	<5	\$	<5	\$		
Hospitalizations due to MV Injury†	29	131.7	42	190.7	26	116.3	32	140.9
ED Discharges due to MV Injury†			137	622.2	119	532.3	132	581.2
Motor Vehicle Crash Injuries†	165	749.3	180	817.5	173	773.9		
Alcohol-involved MVC Injuries†	17	77.2	34	154.4	41	183.4		
Drinking Drivers Involved in MV Crashes†	13	59.0	22	99.9	26	116.3		
Active Restraint Use, % of MVO Injured, Ages 6+ †	132	88.6%	146	88.0%	145	92.9%		
Child Restraint Use, % of MVO Injured, Ages 0-5 †	<5	\$	<5	\$	<5	\$		
Pedestrian Deaths due to MVC†	<5	\$	<5	\$	<5	\$		
Pedestrian Hospitalizations due to MVC†	<5	\$	<5	\$	<5	\$	<5	\$
Pedestrian ED Discharges due to MVC†			<5	\$	6	26.8	<5	\$
Pedestrian Injuries due to MVC†	<5	\$	<5	\$	<5	\$		
Homicide†	<5	\$	<5	\$	<5	\$		
Assault Hospitalizations†	5	22.7	<5	\$	6	26.8	<5	\$
Assault Injury ED Discharges†			23	104.5	32	143.2	30	132.1
Suicide†	<5	\$	<5	\$	<5	\$		
Self-Inflicted Hospitalizations†	<5	\$	10	45.4	<5	\$	10	44.0
Self-Inflicted Injury ED Discharges†			14	63.6	10	44.7	9	39.6
Firearm-related Deaths†	<5	\$	<5	\$	<5	\$		
Firearm-related Hospitalizations†	<5	\$	<5	\$	<5	\$	<5	\$
Firearm-related ED Discharges†			<5	\$	<5	\$	5	22.0
Dental-related ED Discharges†			14	63.6	11	49.2	24	105.7

* Rates per 100,000 population, unless otherwise noted. See Data Guide: Glossary for specific information or Important Information for Data Users for general information on rates.

† For disease definitions see Glossary in Data Guide.

\$ Rates and percents not calculated for fewer than 5 events.

‡ Underestimate due to cases with unknown residence. There are approximately 30% of cases, 2500 chlamydia and 600 gonorrhea cases per year, missing residence data.

Source: CoSD, HHSA; SANDAG, Current Population Estimates, 4/24/2009. See Data Sources in Data Guide for specific information.

Prepared by: County of San Diego (CoSD), Health & Human Services Agency (HHSA), Community Health Statistics, 4/12/2010.